

THE SHIPPING CORPORATION OF INDIA LIMITED Purchase and Services Department

TENT	DED DEE MO	DOCUCONINIA DI INA		
	DER REF. NO.:	<u>P&S/CON/UAE /24</u>		
TENDER TITLE:		E-Tender for Free on Board supply of Miscellaneous		
		Saloon stores and Safety Stores (including Navigational In	tems) at DUBAI,	
RFx NO.:		FUJAIRAH & other UAE ports 9000044647		
	DATE & TIME	10/05/2024, 1700 HOURS (IST)		
IENI	TENDER FEE USD 100/- (US Dollar One Hundred Only)			
EAR	NEST MONEY	USD 9500/- (US Dollar Nine Thousand five hundred only)		
DEPO	OSIT (EMD)			
		CONTENTS		
		PART – I (TECHNICAL OFFER)		
PAR	T - I(A)	GENERAL INFORMATION	PAGE: 2 to 8	
PAR	T – I (B)	ESSENTIAL CONDITION – ELIGIBILITY CRITERIA	PAGE: 9 to 10	
PAR	T-I(C)	GENERAL TERMS AND CONDITIONS	PAGE: 11 to33	
PAR	T - I(D)	FORM OF PARTICULARS	PAGE:34 to36	
PAR	T - I(E)	INTEGRITY PACT AND BANNING POLICY & GUIDELINES	PAGE:37 to 53	
PAR	T-I(F)	PROFORMA - BANK GUARANTEE FOR EMD	PAGE: 54	
PAR	T-I(G)	GUIDELINES FOR ELIGIBILITY OF A "BIDDER" FROM	PAGE: 55 to 56	
		A COUNTRYWHICH SHARES A LAND BORDER WITH INDIA		
PAR	T - I(H)	LIST OF DOCUMENTS REQUIRED TO BE ATTACHED	PAGE: 57	
PAR	T - I(I)	TECHNICAL DETAILS OF OFFERED PRODUCTS	PAGE: 58 to 120	
PART – II (PRICE OFFER)				
PRICE OFFER (PART II) FORMAT FOR SUBMISSION OF QUOTATION – PAGE: 121				
		BE UPLOADED IN "NOTES & ATTACHMENTS" TAB IN		
FORM OF EXCEL SHEET IMPORTANT NOTES				
1.	Technical Offe	er Documents should be scanned and uploaded in Technical 2	RFy folder only	
2.		art - II) should be uploaded in 'Notes & Attachments' Tab.	MA TOTALL UMY.	
3.	Please ensure that the Price Offer (Part-II) is not uploaded in 'Technical RFx folder of the			
	tender'. The same should not be printed and uploaded with Technical Offer.			
4.		ents being uploaded should not be greater than 10 MB in size		
	1	- ·		

TECHNICAL OFFER – PART I (A)

TECHNICAL OFFER - PART - I (A)

GENERAL INFORMATION

E-Tender for Free on Board supply of Miscellaneous Deck, Engine & Saloon stores and Safety Stores (including Navigational Items) at DUBAI, FUJAIRAH & other UAE ports (Rfx No. 9000044647)

1.0 E-tenders are invited by the Shipping Corporation of India Ltd., (hereinafter referred to as "the Corporation"), for Free on Board supply E-Tender for Free on Board supply of Miscellaneous Deck, Engine & Saloon stores and Safety Stores (including Navigational Items) at DUBAI, FUJAIRAH & other UAE ports (Rfx No. 9000044647) to the vessels owned/operated/chartered by the Corporation and/or its subsidiary/associate companies and also those for which the Corporation acts as Agents.

Tenderers should have at least 2 (two) years relevant experience during last 5 (five) years from the date of publishing of E-tender of onboard supply of tendered items at Dubai, Fujairah and other UAE ports, in stream (at anchorage) / alongside (at berth) / at OPL, either through their own offices or through agents.

However for the purpose of evaluation, the tenderer to have experience of onboard supply of tendered items at Dubai, Fujairah and other UAE ports (at anchorage) / alongside (at berth) / at OPL, either through their own offices or through agents for:

- 1.1 Miscellaneous Deck, Engine & Saloon stores and
- 1.2 Safety Stores (including Navigational Items)
- 2.0 Tenderer should have valid registration with International Ship Suppliers Association (ISSA) or International Marine Purchasing Association (IMPA) (on due date of the tender) and have at least two years relevant experience during last five years in the said business.

3.0 TENDER FEES

(a) Tenderers are required to pay non-refundable Tender Fee of US\$ 100/- (USD One Hundred Only) to participate in this E-tender through TT or Wire transfer to the Corporation's below mentioned bank account:

Bank Account Detail :-

State Bank of India,

15 King Street, London – EC2V 8EA,

UK.

Account No.: 10802103 Swift: SBINGB2L SORT CODE: 60-83-65

IBAN: GB22SBIN60836510802103

Through Correspondent bank:-

Citibank.

111, Wall Street,

New York.

USD A/c. No.: 36002753

Swift: CITIUS33

(b) Scan copy of payment receipt (Bank Swift copy / UTR No. of payment made) of Tender Fee should be uploaded along with technical offer. Tenders received without tender fee will not be accepted.

4.0 EARNEST MONEY DEPOSIT (EMD):

(a) Earnest Money Deposit (EMD) Amount Thousand five hundred only)

: USD 9500/- (US Dollar Nine

- **(b)** Tenderers are also required to pay/remit Earnest Money Deposit (EMD) to the Corporation's Bank Account (Account details furnished at 3.0 (a) above) to participate in this e-tender. All related bank transaction charges shall be payable by the bidders.
- (c) EMD, prescribed above, may also be furnished by way of Bank Guarantee in the prescribed format (attached Part I(F)) from a Scheduled Bank or First Class Commercial Bank/International Bank. The validity of Bank Guarantee shall be EIGHT months from the due date of the tender.
- (d) Scan copy of payment receipt (Bank Swift copy / UTR No. of payment made) / Bank Guarantee towards EMD should be uploaded along with technical offer.
- **(e)** EMD (in the form of Bank Guarantee) shall be sent by the tenderer through post or in person superscribing the envelope with Tender name, RFx No, Tender number, his/her (tenderer's) details before due date and time at following address:

The Deputy General Manager I/c (P &S)
The Shipping Corporation of India Ltd.,
"Shipping House", 12th floor,
245, Madame Cama Road, MUMBAI - 400 021.

(f) Furnished EMD is refundable (without interest), except on withdrawal of the offer before decision or bidder seeks amendments of tender terms and such amendments is/are not acceptable to the corporation or failure of the party to accept the contract, if awarded or fails to submit Security deposit and or performance guarantee within stipulated time if contract awarded and or violates terms of integrity pact at any stage of tender processing or contract processing.

- (g) As per OM No. F.1/1/2022-PPD issued by Department of Expenditure dated 02.02.2022, the EMD/Bid Security may also be submitted in the form of Insurance Surety Bonds, account payee demand draft, fixed deposit receipt, banker's cheque or Bank Guarantee (including e-bank guarantee) from any of the Commercial Banks or payment online in an acceptable form to the Corporation's Bank Account (A/c. details furnished at sr. no. 4.1 above).
- **(h)** E-tenders received on the portal without tender fee and EMD are liable to be rejected
- Due Date: Tenderer to submit their responses/bids before the submission Due Date and time i.e. before 1700 hrs on 10/05/2024. Tenderer to submit their responses before the submission deadline, and should not wait for last minute as the tender would be closed as per system time and upload of responses will not be possible in case deadline ceases.
- Tender quotation should be strictly in line with the **Rate Clause No.3 of General Terms & Conditions** and "**PRICE OFFER**" Format (**PART II**) of the tender.
- **7.0** Only online e-tenders will be accepted. No manual/ postal/ Email/ Fax offers will be entertained/ accepted.

"Any Tenderer from a country which shares a land border with India will be eligible to bid in this tender only if it confirms its acceptance and also complies with the provisions of the "Guidelines for eligibility of a "Bidder" from a Country which shares a land border with India" enclosed at Part - I (G) of this document. The Tenderer is required to submit the undertaking enclosed therein.

8.0 PERIOD OF CONTRACT:-

The period of contract arrangement shall be for two years from the date of commencement of contract as decided by the Corporation. The Corporation has sole option to extend the contract twice by three months each after expiry of two years contract period on the same terms and conditions.

The rates for extension period shall be as under:

(A) If the existing contractor has participated in the Corporation's next Tender for said supplies:

- (1) If the existing contractor wins the next new tender then lower of the existing rates and new rates finalized for the next new contract shall apply.
- (2) If the existing contractor does not win the next new contract then the lower of their newly quoted rates and the existing rates shall apply.
- (3) Existing contractor has to settle the differential amount (Difference in supply cost during extension period basis existing rates and new contract / quoted rates, as the case may be, by way of credit note.
- (B) If (A) above is not applicable, then existing contract rates shall apply

9.0 BROAD INSTRUCTIONS FOR FILLING THE TENDER

The Tender response/ bids for subject tender (**Rfx No. 9000044647**) has to be uploaded in two parts:

- (i) **Part I (Technical Offer)** is available in Technical RFx > Folder > Public > Technical Docs. and includes –
- Part I (A) General Information
- Part I (B) Essential Condition Eligibility Criteria
- Part I (C) General Terms and Condition
- Part I (D) Form of Particulars
- Part I (E) Integrity Pact and Banning Policy & Guidelines
- Part I (F) Proforma Bank Guarantee for EMD
- Part I (G) Guidelines for Eligibility of a "Bidder" from a country which shares a Land Border with India
- Part I (H) List of Documents required to be attached.
- Part I (I) Technical Details of Offered Product
- (ii) **Part II** (**Price Offer**) is available under "NOTES and ATTACHMENTS" tab and includes PRICE OFFER FOR SUBMISSION OF QUOTATION in form of Excel Sheet.
- a. Detailed Tender Notice is also available on SCI website www.shipindia.com and Govt. website http://eprocure.gov.in/epublish/app. The interested parties are required to get registered in the E-Tender portal for accessing and submission of tender online.
- b. The digitally signed E-tender is available on our e-tender site i.e. https://etender.sci.co.in for bidders to participate. Bidders have to register themselves to participate in e-tender (they will receive system generated user id and password for log-in to the e-tender portal). Bidders can upload their response against the tender; the response is also to be digitally signed by individual bidder and will get saved in encrypted format in the system. All the bidders who upload

their response will be getting intimation over e-mail about addendum, corrigendum and technical/ price opening of tender and various other communications about the tender.

- c. Tenderers are required to download "Technical Offer" (consisting of Part I(A), (B),(C), (D), (E), (F), (G), (H) and (I) and the "Price Offer" consisting of Part II and save the files on their computer. Detailed information as required in the technical offer are to be filled in and all pages of the technical offer need to be signed and stamped and then scanned for upload.
- d. All documents, illustrations, company profile, reports, certificates, authorization letters, as mentioned in the tender also need to be signed and stamped on each pages and scanned for upload. The quotations are required to be filled in Price Offer (Part-II) in the designated cells. The completely filled in Price Offer is required to be uploaded in "Notes and Attachments" Tab of the Tender RFx.
- e. Price Bids to be filled as per item details mentioned in Sample Price Offer Format attached in Page 80. Each tender activity is being detailed in Sample Price Offer Format attached in Page 80 and should be quoted accordingly. Please ensure that the Price Offer (Part-II) is not uploaded in "Technical RFx of the tender".
- f. Tenderer should ensure that, before scanning and uploading, all the pages of the tender document and attachments are serially numbered and total number of pages indicated in the covering letter. [All pages of Part I(A), (B),(C), (D), (E), (F), (G), (H) and (I) including all supporting documents / attachments} should be serially numbered and total number of pages should be written on first page.]
- g. Once the technical offer is filled in, stamped and signed, documents pertaining to the tender are scanned and kept ready for upload and quotations are filled in Price offer files, the vendor may upload the above files and attachments in the requisite places. Kindly note to keep your complete tender documents and attachments ready for upload along with login id and password. *All the documents and attachments will need to be digitally signed while uploading.* It is advised again not to wait till last minute to upload your bid as upload of responses will not be possible in case deadline ceases. The vendor can create response for subject tender and upload its bids as follows: Create RFx Response > Technical RFx response >
- (i) Index (upload cover letter, if any)
- (ii) Tender Docs (Technical Offer)
- (iii) Certificates (All other documents, certificates, authorization letters as mentioned in the tender)
- (iv) EMD Remittance details / Bank Guarantee
- (v) Tender Fee (copy of Bank Swift copy / UTR No. Payment towards tender fees)

- h. Once the Technical Offer (Part I) along with all documents, certificates, authorization letters are signed and stamped on each page and scanned for upload, which should be *digitally signed with Class III-B digital signature procured* from the licensed Certifying Authority (CA) only. The bidder can scan the Technical Offer (Part I) and all other documents as single file or separate individual files, in which case each individual scanned file should be digitally signed before uploading. The digitally signed (.sig) files may then be uploaded at respective folders as mentioned above by due date 10/05/2024 (1700 Hrs).
- **i. Price Offer (Part II)** should be uploaded in "Notes and Attachments" Tab. The same need not be printed and should not be uploaded with Technical Offer.
- j. Tender documents downloaded from https://etender.sci.co.in, shall be downloaded and submitted in toto and no change, whatsoever, shall be made. If any alteration is made in the tender documents uploaded by the tenderer and if found out (be it at any stage of the tender processing and even after award of contract), it will be viewed seriously by the Corporation and the tender is liable to be rejected and the tenderer will be debarred from participating in future tenders of the Corporation.
- **k.** The Corporation, at its discretion, may extend the due date for submission of bids but tenderer's first submission of tender shall be the final proposal. Tenderer shall neither be allowed to change or modify the submitted bidding documents by any amendments nor be allowed to submit more than one tender during the validity of the tender due date including extensions period of tender due date.
- i.. Each page of the tender must be signed by the authorized person and uploaded along with Technical Bid.

10.0 VALIDITY

- 10.1 The rates given in Tender should be valid for acceptance by the Corporation up to SIX MONTHS from the due date. In case processing/acceptance of the Tender takes more than six months, the Tenderer who wishes to withdraw his Price Offer, shall have to write to the Corporation within a week after expiry of SIX MONTHS withdrawing his Price Offer, else the rate will hold valid till the contract finalisation.
- 10.2 In case the Tenderer increases its Price Offer during the validity of the quotation, the tender would be liable to be rejected.

11.0 ASSESSMENT OF TENDER

The tender will be assessed first on the basis of the information furnished in Part - I of the tender comprising the "Technical Offer". On the basis of such technical information, the Corporation will assess the capability of the Tenderer to undertake the contract and, if found unsuitable shall reject the tender, in which

case their "Price Offer" will not be opened. Decision of the Corporation in this regard shall be final and binding. Please note that all the information required in the "Form of Particulars" should be properly filled and all documents of the Technical Offer - Part - I, must be uploaded with the tender.

Notwithstanding the above, the assessment of the tender shall also take into account the acceptance of "Integrity pact", "Banning guidelines" and "land border guidelines" by the tenderer.

- 11.1 Once a tender is accepted on technical grounds, the selection among such technically qualified tenderers would normally be only on the basis of prices quoted. However, the Corporation reserves the right to reject all/ any of the tenders without assigning any reasons and the decision of the Corporation in this regard shall be final and binding.
- **12.0** The Tenderers are requested to quote their best and final offer. No revised offer shall be entertained. No conditional quotations will be accepted.

13.0 <u>INTEGRITY PACT AND BANNING GUIDELINES</u>

All tenderers shall have to sign an "Integrity Pact (including Banning Guidelines)" with the Corporation for handling and ensuring the transactions in a fair and transparent manner. The Integrity Pact (including Banning Guidelines) document is attached with the tender, as Part I (E). The tenderer shall submit the tender along with the Integrity Pact (including Banning Guidelines), issued along with the tender document and duly signed on all pages as a token of acceptance. All pages of the Integrity Pact (including Banning Guidelines) shall be signed by the same signatory who signs the tender document and has the authority on behalf of the C.E.O. of the company he represents. The acceptance of Integrity Pact (including Banning Guidelines) shall be unconditional and the tenderer must not change any contents of the Integrity Pact (including Banning Guidelines). The signed Integrity Pact (including Banning Guidelines) should be enclosed with the technical offer of the tender only. E-Tenders received without the signed Integrity Pact (including Banning Guidelines) and/or without details filled in, shall be rejected.

Three Independent External Monitors (IEMs) have been appointed to oversee the implementation of the Integrity Pact. The name and contact details of IEMs are as follows:

- 1) Shri Girish Chandra Chaturvedi. E-mail: gcchaturvedi@gmail.com
- 2) Shri Deepak Chaturvedi E mail : chaturvedideep@rediffmail.com
- 3) Shri Mukesh Mittal E mail: mumittal@hotmail.com

TECHNICAL OFFER – PART I (B)

TECHNICAL OFFER -PART - I (B)

E-Tender for Free on Board supply of Miscellaneous Deck, Engine & Saloon stores and Safety Stores (including Navigational Items) at DUBAI, FUJAIRAH & other UAE ports (Rfx No. 9000044647)

ESSENTIAL CONDITION – ELIGIBILITY CRITERIA

2.1 REGISTRATION WITH UAE AUTHORITY

Tenderer should be reputed supplier / ship chandler registered with local authorities of UAE.

2.2 EXPERIENCE

Tenderer should have at least 2 (two) year's **relevant experience** during last 5 (five) years of **On Board** supplies of tendered items at Dubai, Fujairah and other UAE ports in stream (at anchorage) / alongside (at berth) / at OPL, either through their own offices or through agents.

However for the purpose of evaluation, the tenderer to have experience of onboard supply of tendered items at Dubai, Fujairah and other UAE ports in stream (at anchorage) / alongside (at berth) / at OPL, either through their own offices or through agents for:

2.2.1 Safety Stores (including Navigational Items)

and

2.2.2 Galvanised Steel Wire Ropes <u>or Manila ropes or Polypropylene ropes</u> <u>or Nylon ropes or Mixed Fibre ropes</u>

(Substantiate the experience by furnishing details of items supplied during the period, indicating names of shipping lines being supplied, together with copies of documents like Challans / Purchase Orders / invoices etc. as proof of experience of On Board supply of stores).

Relevant experience means that the tenderer should have experience in supplying tendered items on board vessels calling at Dubai, Fujairah and other UAE ports, in stream (at anchorage) / alongside (at berth) / at OPL, either through their own offices or through agents.

2.3 ISSA / IMPA REGISTRATION

Tenderer should have a valid ISSA (International Ship Suppliers Association) or IMPA (International Marine Purchasing Association) as on the due date for submission of tender. Tenderer to attach the copy of membership certificate along with the technical offer.

2.4 ANNUAL TURNOVER

The tenderer must have minimum average annual turnover of AED 10,54,000/-(AED Ten Lakh fifty four Thousand only) in the last three financial years as per audited financial statements.

IMPORTANT:

It is mandatory to furnish relevant proofs, documents, certificates etc. for the eligibility criteria mentioned above.

Any tenderer belonging to Group of Companies should submit the work experience proof /relevant documents pertaining to relevant clauses mentioned in the tender document; on the name of 'tendering company name' only. Documents titling/showing combines or generic company name will not be accepted.

TECHNICAL OFFER – PART I (C)

TECHNICAL OFFER PART – I (C)

E-Tender for Free on Board supply of Miscellaneous Deck, Engine, Saloon and Safety Stores (including Navigational Items) at DUBAI, FUJAIRAH & other UAE ports (Rfx No. 9000044647)

GENERAL TERMS AND CONDITIONS

1.0 The e- tender should be uploaded before submission date mentioned in the E-TENDER portal (Rfx No. 9000044647), i.e. not later than 1700 hours (IST) on 10/05/2024.

Detailed e-Tender Notice is also available on SCI website <u>www.shipindia.com</u> and Govt. website <u>http://eprocure.gov.in/epublish/app</u>. The interested parties are required to get registered in the SCI E-Tender portal for accessing and submission of tender online (<u>https://etender.sci.co.in</u>)

Only online tenders will be accepted. No manual / postal / Email / Fax offers will be entertained / accepted. However, EMD in the form of Bank Guarantee (Only in case EMD value exceeds INR 50,000/-) should be sent by post super-scribing the envelope with tender name and tender RFx number before the due date and time as per the tender notice in the portal.

2.0 PERIOD OF CONTRACT

The contract shall be for a period of two years from the date of commencement as decided by the Corporation. The Corporation has the sole option to extend the contract twice by three months each, after the expiry of the two years contract period, on the basis of the same terms and conditions.

The rates for extension period shall be as under:-

- (A) If the existing contractor has participated in the Corporation's next Tender for said supplies:
 - (1) If the existing contractor wins the next new tender then lower of the existing rates and new rates finalized for the next new contract shall apply.
 - (2) If the existing contractor does not win the next new contract then the lower of their newly quoted rates and the existing rates shall apply.
 - (3) Existing contractor has to settle the differential amount (Difference in supply cost during extension period basis existing rates and new contract / quoted rates, as the case may be, by way of credit note.
- (B) If (A) above is not applicable, then existing contract rates shall apply.

3.0 RATES

- 3.1) Rates are to be quoted Item wise in UAE Dirhams (AED), should be for net content only and according to Unit of Measurement/packing mentioned in the Price Offer format.
- **3.1(i)** Quotation should be for free delivery of materials on board the vessels at at DUBAI, FUJAIRAH & other UAE ports, including vessels in stream / at sea / at berth, and should be inclusive of all Taxes, Customs charges, Port Trust charges, inspection fees, delivery charges, cost of conveyance, truck charges and any other incidental charges. It should also include all loading/unloading and handling charges (equipment and labour) for placing material on board the ships and any other incidental charges.
- **3.1(ii)** For supplies made to vessels in stream (at anchorage) or while transiting off port or outside port limits, Service launches provided by the Corporation can be utilized. However, all other expenses for delivering material on board as mentioned at (3.1-i) above will be on tenderer's account.
- **3.1(iii)** For supplies at berth, no launch will be provided by the Corporation. All expenses for delivering material on board as mentioned at (3.1-ii) above, including launch hire charges, if used, will be on tenderer's account.
- **3.2**) All rates will be treated as firm for the period of the contract and extensions if opted by the Corporation. No enhancement in the rates will be permitted for any reason whatsoever during the currency of the contract including extension period, if opted.
- **3.3**) Tenderers are requested to indicate their best rates together with maximum discount at the very first instance since further negotiations after opening price offers, which is entirely at the discretion of the Corporation, may or may not take place. During processing of the tender or during the validity of the contractual period, in case it is noticed that the rate/rates of any item/items is/are exceptionally high, the corporation reserves the right to take such high priced item(s) out of purview/scope of the contract.
- **3.4**) No revised offer shall be entertained.
- **3.5**) Tenderers are advised to exercise greatest care in entering the rates. No excuse that mistakes have been made or requests for rates to be corrected will be entertained. Correction/s, if any, should be initialed by the person signing the tender form before submission, failing which the rates for such items may not be considered.

- **3.6**) This is a non-exclusive contract. The Corporation reserves the right to procure any item/s covered under this contract from alternative sources during the currency of the contract, as and when required. The decision of the Corporation in this regard shall be final and binding on the tenderers.
- **3.7**) All rates will be treated as firm for the period of contract and extensions if opted by the corporation. No enhancement in the rates will be permitted for any reason whatsoever during the currency of the contract including extension period, if opted.

SCI reserves its right to accept or reject any bid and to annul the bidding process and reject all or any bid at any time prior to award of contract without assigning any reason whatsoever. SCI does not bind itself to accept the lowest tender and reserves all rights (i) to reject any or all tenders (ii) the right to accept any portion of the tender offered without assigning any reason and also to split the tender and award the same to different parties.

4.0 BRANDS

- **4.1**) Wherever specific brand for a particular item is sought for in the Price Offer, tenderer should quote for the item of sought brand only.
- **4.2)** Many of the items as indicated in the Price Offer are required to be approved Type /Certified. The offered Brand for such items should be in conformity of the said requirements. Tenderer to submit the required Type Approval /Certification for these items alongwith the Technical Offer.
- **4.3**) wherever specific brand for a particular item is not sought for in the Price Offer, tenderer to offer products of good, renowned and most running brand.
- **4.4**) **the brand offered must be indicated clearly in the Price Offer.** Quotations should be given on the understanding that the materials supplied must conform to the quality and brand indicated by the tenderer in the tender.
- **4.5**) If the offered brand is discontinued or the manufacturer closes their business, then SCI may consider an alternate brand of the same/superior quality at the same price.
- **4.6**) It is obligatory for the tenderer to ensure that the quoted brands are generally available at the port/s for which the tender has been floated. Any excuse at a later date that the particular brand is not available at the respective port/s shall not be accepted and such brand or suitable substitute brand shall be procured locally at the cost of the tenderer.
- **4.7**) On award of contract subsequent supplies must conform to the products and brands specified in the tender/contract.

<u>NOTE:</u> The quotations are required to be filled in Price Offer (Part-II) in the designated cells. The completely filled in Price Offer is required to be uploaded in "Notes and Attachments" Tab of the Tender RFx. Price Bids to be filled as per item details mentioned in Sample Price Offer Format attached in Page 80.

5.0 **VALIDITY**

- The rates given in tender should be valid for acceptance by the Corporation upto <u>SIX</u> <u>MONTHS</u> from the due date. In case processing / acceptance of the tender takes more than six months, the tenderer who wishes to withdraw their Price Offer, shall have to write to the Corporation within a week after expiry of SIX MONTHS period withdrawing his Price Offer, <u>else the rates will hold valid till finalization of the contract</u>.
- 5.2 During the validity of the quotation, in case the tenderer increases its Price Offer, the tender would be liable to be rejected. In case the tenderer withdraws his offer during the validity of the quotation or extension granted by him on the validity and / or his failure to accept the contract if awarded, the earnest money shall stand forfeited.

6.0 EARNEST MONEY DEPOSIT

No tender would be considered unless accompanied by Bank Swift Copy of the EMD remittance to Corporation's Account, details of which mentioned as below:

SCI LONDON BANK ACCOUNT DETAILS

The bank details of the Corporation"s account for electronic remittance is as follows-

Bank Account Detail: State Bank of India,

15 King Street, London – EC2V 8EA,

UK.

Account No.: 10802103 Swift: SBINGB2L SORT CODE: 60-83-65

IBAN: GB22SBIN60836510802103

<u>Through Correspondent bank</u>:-

Citibank,

111, Wall Street,

New York.

USD A/c. No.: 36002753

Swift: CITIUS33

Alternatively, in lieu of EMD remittance, the tenderer may submit Bank Guarantee, from a Scheduled Bank or First Class Commercial Bank /International Bank, valid for nine months from the due date of tender as Earnest Money Deposit. This amount will be refunded to all unsuccessful tenderers as soon as a decision is taken on the tender or soon after the expiry of the validity period whichever is earlier.

(a) Earnest Money Deposit (EMD) Amount Thousand five hundred only)

: USD 9500/- (US Dollar Nine

- **(b)** Tenderers are also required to pay/remit Earnest Money Deposit (EMD) to the Corporation's Bank Account (Account details furnished at 3.0 (a) above) to participate in this e-tender. All related bank transaction charges payable by the bidders.
- (c) EMD, prescribed above, may also be furnished by way of Bank Guarantee in the prescribed format (attached Part I(F)) from a Scheduled Bank or First Class Commercial Bank/International Bank. The validity of Bank Guarantee shall be EIGHT months from the due date of the tender.
- (d) Scan copy of payment receipt (Bank Swift copy / UTR No. of payment made) / Bank Guarantee towards EMD should be uploaded along with technical offer.
- **(e)** EMD (in the form of Bank Guarantee) shall be sent by the tenderer by post or in person superscribing the envelope with Tender name, RFx No, Tender number, his(tenderer's) details before due date and time at following address:

The Deputy General Manager I/c (P &S and BPC) The Shipping Corporation of India Ltd., "Shipping House", 12th floor, 245, Madame Cama Road, MUMBAI - 400 021.

- (f) Furnished EMD is refundable (without interest), except on withdrawal of the offer before decision or bidder seeks amendments of tender terms and such amendments is/are not acceptable to the corporation or failure of the party to accept the contract, if awarded or fails to submit Security deposit and or performance guarantee within stipulated time if contract awarded and or violates terms of integrity pact at any stage of tender processing or contract processing.
- (g) As per OM No. F.1/1/2022-PPD issued by Department of Expenditure dated 02.02.2022, the EMD/Bid Security may also be submitted in the form of Insurance Surety Bonds, account payee demand draft, fixed deposit receipt, banker's cheque or Bank Guarantee (including e-bank guarantee) from any of the Commercial Banks or payment online in an acceptable form to the Corporation's Bank Account (A/c. details furnished at sr. no. 6.0 above).
- **(h)** E-tenders received on the portal without tender fee and EMD are liable to be rejected

The decision of the Corporation on this issue will be final and binding on the tenderer.

7.0 <u>DISQUALIFICATION</u>

The tender is liable to be disqualified if:

- (i) Not submitted in accordance with terms and conditions of the Tender Form.
- (ii) During validity of the quotation period or its extended period, if any, the tenderer increase their quoted prices.
- (iii) The tenderer qualifies the tender with their own conditions.
- (iv) The tender received in incomplete form including Price Offer (Part II).
- (v) Not accompanied by Bank Swift copy of remittance made towards Tender Fee.
- (vi) Not accompanied by Tender Fee and/or Earnest Money Deposit.
- (vii) The tender received after due date and time.
- (viii) Received Technical offer Part I in Notes and Attachments on the e-tender portal.
- (ix) Received Price offer Part II in Technical offer on the e-tender portal.
- (x) Information submitted in Technical Offer (Part I) is found to be incorrect or false at any time either during the processing of the tender (no matter at what stage) or during the tenure of the contract including the extension period, if any.
- (xi) The tenderer qualifies the letter of acceptance of the contract with their conditions
- (xii) Tenderer did not inform change in name.
- (xiii) The tenderer is found to be in arrears or default with regard to payment of dues to Dock Labour Board / Pool and other concerned local Government agencies.
- (xiv) In case multiple tenders are submitted by one tenderer or if common interests are found in two or more tenderers, all such tenderers are liable to be disqualified.
- (xv) Tender documents if downloaded from SCI e-tender website/ e-tender portal, shall be downloaded in Toto repeat in Toto and no change, whatsoever shall be made. If any alteration is made in the tender document submitted by the tenderer and if found out (be it at any stage of the tender processing and even after award of the contract). It will be viewed seriously by the Corporation and the tender is liable to be rejected and the tenderer will be debarred from participating in future tenders of the Corporation.
- (xvi) While processing the tender documents, if it comes to the knowledge of the Corporation that some of the tenderers have formed a cartel resulting in delay / holding up the processing of tender, all such tenderers involved in cartel are liable to be disqualified for this tender as well as for a further period of two years.
- (xvii) The tenderer is found to be having negative net worth in the last Financial year (2022-23) on the basis of the audited Balance Sheet / P&L A/C submitted with the tender.

- (xviii) The tenderer submits an incomplete "Integrity Pact" document, or the "Integrity Pact" document is not signed at all or is not signed by a signatory authorized to sign on behalf of the Chief Executive Officer of the company.
- (xix) Canvassing in any form shall lead to disqualification.
- (xx) Tenderers with whom the Corporation had dealt with earlier may also note that their Performance during past contracts with Corporation and also if they had committed breach of contracts/tenders or having unsatisfactory performance with any of the Government Body etc. would be taken into account and it would be at Corporation's sole discretion whether to consider such parties for award of contract. However, the parties with which Corporation's legal dispute is pending, award /non-award of contract will be the sole discretion of the Corporation.

8.0 RIGHT OF REJECTION

- 8.1 The Corporation reserves the right to decide about technical capability, expertise and/or the tenderer's capacity for fulfillment/compliance of all the terms and conditions, spelt out in **Part I (B) (Essential Condition-Eligibility Criteria)**. Corporation reserves the right to reject any / all tenders without assigning any reasons whatsoever.
- 8.2 If it is observed that the tenderers have formed a cartel while quoting the rates, all the tenderers forming the cartel will be disqualified from participation in this tender and would also be disqualified from further participation in any of the tender floated by the Corporation for next two years. It is also clarified that if need arises the Corporation would go in for appointment of outside party(s) to undertake the work under captioned tender.
- 8.3 In case multiple tenders are submitted by one party or if common interests are found in two or more tenderers, then the tenders are liable to be rejected unless the additional tenders are withdrawn.
- 8.4 The decision of the Corporation in this regard (para **8.1 to 8.4** above) shall be final and binding on the tenderer(s).

9.0 PRICE BID EVALUATION

- **9.1**) Tenderers must endeavour to quote for all the items in the tender Price Offer (Part II)
- **9.2**) In case the tenderer does not quote for all the listed items, but quote for more than **80%** of the value of the tender, then for the purpose of evaluation, the items not quoted will be assigned with the highest value quoted by the rest of the tenderers for that listed item.

9.3) the estimated annual lifting's for each item will be multiplied by the corresponding Free On Board supply rate quoted by each tenderer and the results will be totaled to arrive at the overall financial implications.

<u>Conditional discounts will not be taken into account for the financial evaluation.</u>

- **9.4)** Once a tender is accepted on technical grounds, then the selection among such technically qualified tenderers would normally be only on the basis of prices quoted. However, the Corporation reserves the right to reject all / any of the tenders, and the decision of the Corporation in this regard shall be final and binding.
- **9.5**) The contract shall be awarded to **Two (02)** successful tenderer.

The proportion of business to be allotted to the parties selected where more than one tenderer is appointed to perform the contract if the second lowest tenderer offers discount to match the first lowest tenderer, will be as under.

If the difference between original quoted rate of the first and second lowest tenderer is:

		1 st Lowest (L1)	2 nd Lowest (L2)
(a)	Less than 5%	53%	47% each
(b)	Between 5% & 10%	58%	42% each
(c)	More than 10%	60%	40% each

In case L2 party rejects or fails to match the first lowest tenderer the third lowest tenderer or subsequent lowest bidder and so on to match the first lowest tenderer and the proportion of business to be allotted will be as per above table. In the event among the given bidders if the second lowest or third lowest or the subsequent lowest bidder (as the case may be) fails to match the first lowest tenderer or there are no two successful bidders then 100% proportion of business to be allotted to L1 party only.

- **9.6**) The estimated annual requirement shown in the Price Offer (Part II) is for indicative purpose only **and without any commitment from the Corporation**.
- **9.7**) Tenderers may please note that evaluation of all tenders shall necessarily take into account.
 - a) Experience and performance on similar contracts or any other contracts during past 2(two) years with SCI.
 - b) Valid ISSA/IMPA registration, as per tender clause no.2.3
 - c) Offered Products meeting tender specifications/requirements Part I(I)
 - d) Financial standing through audited Annual Report, Balance Sheet and Profit & Loss Account of last three years. The tenderer should have positive net worth during the last financial year FY 2022-2023.
 - e) If they had committed breach of contract/tender etc.

- **9.8**) Tenderers with whom the corporation has dealt with earlier may also note that their performance during past contracts with Corporation and also if they had committed breach of contracts or having unsatisfactory performance with any of the Government body etc., would be taken into account and it would be at Corporation's sole discretion whether to consider such parties for award of contract. However, the parties with which Corporation's legal dispute is pending, award/non award of contract will be the sole discretion of the Corporation.
- 10.0 All disputes regarding the tender and contract are subject to the exclusive jurisdiction of competent Courts in Mumbai only.
- 11.0 The Corporation reserves the right to claim damages or detention charges, of which Corporation shall be the sole judge, in respect of delays occurred to its vessels directly or indirectly due to the failure/default on the part of tenderer in carrying out the responsibilities/duties efficiently and promptly.
- 12.0 The submission of a tender by a Tenderer implies that he has read these instructions and has made himself aware of the scope of work and the conditions of contract and the corporation will not therefore, pay any extra charges on any account in case the Tenderer finds later on to have misjudged the conditions.
- 13.0 The tenderer shall not assign the contract to any other persons nor shall they subcontract the same. The Corporation shall have the right to recover damages or losses incurred on account of such assignment or sub-contracting in addition to the right of terminating the contract without notice.

14.0 DELIVERY:

- **14.1)** Once the tender is accepted and the contract is finalized, the tenderers will be expected to comply promptly with the orders, as per the specific requirements and instructions given by the Corporation or its agents from time to time.
- 14.2) It would be sole responsibility of the tenderer concerned to ascertain exact date and time of berthing of the vessel, ensure availability of launches and effect supply as required by the Purchase Department, irrespective of National Holidays / Saturdays / Sundays. For this purpose the tenderer should keep in continuous touch with the Corporation's local / nearest office / agents throughout the period of the contract for ascertaining the movements and requirements of the Corporation's owned, chartered or managed vessels. However, tentative date of vessel's arrival at respective port will be intimated by the Purchase Department along with the Purchase Order.
- **14.3**) The tenderer shall obtain all necessary permission and clearances from Customs / port authorities or any concerned authorities as regards logistics services like carrying and loading goods on supply vessel to be delivered safely to the

Corporation's vessel. The "Rotation Number" which is required for making "Shipping Bill" shall also be obtained by the tenderer.

- **14.4)** The tenderer should acknowledge receipt of Purchase Order immediately and confirm supply as per the order. For this purpose the tenderer is expected to maintain adequate stock of the items throughout the tenure of the contract / extended period, if opted.
- **14.5**) Efforts will be made to place orders with the tenderer two days in advance as far as possible. However, supply will have to be arranged by the tenderer at shorter notice, whenever required.
- **14.6**) The tenderer must ensure that asbestos or asbestos containing materials are not supplied to the ships in any form including packaging materials etc. Accordingly, the Delivery Challans must be endorsed as "Materials including the packaging supplied under this Delivery Challan do not contain asbestos in any form".
- **14.7**) Tenderer(s) must ensure that supply of materials on board vessels are in line with guidelines on "Prohibition on use of Single Use Plastics".

15.0 QUALITY OF GOODS:

Quality of Free on Board supply of Miscellaneous Deck, Engine & Saloon stores and Safety Stores (including Navigational Items) at DUBAI, FUJAIRAH & other UAE ports and promptness in arranging supplies is the essence of this contract. The tenderer should accept the responsibility for the quality of the tendered stores/ items supplied. As regards articles, which cannot be inspected immediately on delivery on board the vessel, the tenderer agrees to accept the responsibility for any complaints and /or rejection made and shall make good the same immediately, either monetarily or in kind, as per Corporation's instructions.

16.0 NON-CONTRACT ITEMS:

Items not included in the tender schedule should not be supplied without obtaining the Corporation's written approval for the quantity, brand and the approved rate from the Purchase Division. Separate bills should be submitted for such items accompanied by a separate receipted delivery challan. While forwarding the bill, reference, date and copy of our communication indicating approval of the quantity / rates should invariably be attached

17.0 BILLING:

17.1 The tenderer should submit their original invoices to our Central Bill Receipt Cell (CBRC) at Ground Floor of The Shipping Corporation of India Ltd., Shipping House, 245, Madam Cama Road, Mumbai-400021 accompanied by:

- (i) Original receipted delivery challan duly signed and stamped by:
 - (a) the Master and Chief Officer/Duty Officer of the vessel for deck stores, safety stores and Manila, PP, Nylon Ropes, UHMWPE & mixed fibre ropes, without any adverse remarks.
 - (b) Chief Engineer Officer and 2nd Engineer Officer/Duty Engineer Officer of the vessel for engine stores and G. S. Wire ropes, without any adverse remarks.
 - (c) the Master and Catering Officer / Duty Officer of the vessel for saloon stores, without any adverse remarks.

The signature should be accompanied by Name, Designation, Employee Code Number of the signing officers along with the date of delivery receipt.

In exceptional circumstances one signature may be permitted, provided the signature is that of the Master (in case of Deck/Saloon Stores, safety stores and Manila, PP, Nylon Ropes, UHMWPE & mixed fibre ropes) or the Chief Engineer Officer (in case of Engine Stores and G. S. Wire ropes)

The signature should be accompanied by Name, Designation, Employee Code Number of the signing officer along with the date of delivery receipt.

- (ii) Copy of System (SAP) generated Purchase Order issued by the Corporation's Purchase Department.
- (iii) Please note that all three documents (1) Purchase Order (2) Delivery Challan and (3) Invoice must contain
 - (a) name of the vessel
 - (b) port of delivery
 - (c) SAP Material code, description, unit of measurement, quantity & brand of ordered items as per contract
 - (d) contract reference number
 - (e) item's serial number as per rate schedule etc.

All these documents must be identical.

- 17.2 Bills will not be accepted unless accompanied by the original receipted Delivery Receipt duly certified by the vessel's officers.
- 17.3 Tenderer must ensure that material code, material description, units, brand names, quantity and serial number as per rate schedule are indicated against each item of supplied stores (Supplies are to be made as per the unit / measure and rate specified in the contract) in the invoices & delivery challans failing which the payment for such items will not be made.

- 17.4 Invoices will be settled only when all items mentioned in the corresponding Purchase Orders are delivered. In the event of failure to execute any order in full, the Corporation reserves the right to withhold payment for part supplies till the order is fully executed.
- 17.5 Bills for non-contract items should be submitted separately duly supported by copy of the Corporation's approval for such items, their quantity and rates.
- 17.6 Payments of bills will be made after due scrutiny and checking by the Bills Dept. within 60 days from date of submission of bills, complete in all respects.
- 17.7 Any dispute regarding payment must be raised within 90 days from the date of settlement of relevant bills failing which the same will not be entertained. Bills which do not comply with these requirements may not be entertained.
- 17.8 Apart from above, the invoice submitted by the tenderer should be in accordance with Tax Invoice, Credit and Debit note Rules under GST Law (wherever applicable).

18.0 RISK PURCHASE CLAUSE:

If at any time during the currency of the contract it is observed by the Corporation that,

(a) Supplies / services are not provided in time or short supplies have been effected.

and / or

(b) The tenderer's services are found unsatisfactory,

and / or

(c) Supplies do not conform to the quality / specifications indicated in the contract / Purchase Order,

and / or

(d) The quality / utility of the items supplied is found to deteriorate abnormally,

Then in that event the Corporation will be at liberty to obtain the material covered under this contract from alternative source(s) at tenderer's risk and cost including invoking / resorting to apply any other clause of this tender document.

19.0 PENALTY CLAUSE:

The Corporation has the right to take the following actions against the contractor, without prejudice to any of its rights, including the right to claim damages, if in case:

19.1 **Involved in wrongful billing**

- (i) To issue a warning letter for first contravention and recover the excess amount billed.
- (ii) On second contravention, to recover the excess amount billed and impose additional penalty of a sum of money to the extent of wrongful billed amount.
- (iii) On the next occasion of such wrongful billing, may even terminate the contract forthwith and forfeit the Security Deposit and/or Performance Guarantee Amount. Further, the Corporation reserves the right to initiate action against the Contractor as per banning policy and guidelines of the Corporation.

19.2 Not supplying goods/rendering service as per the provisions of the Contract

- (i) For the first contravention, depending on the gravity of the contravention/offence, a warning letter will be issued.
- (ii) For the second contravention, a monetary <u>penalty of minimum UAE</u>

 <u>DHS 2000/- (UAE Dirhams Two Thousand only) or 5% of the value of items ordered but not supplied, whichever is higher</u>, will be imposed. This amount is to be paid through tele remittance to the Corporation's Bank A/c. details of which mentioned at 3.0(a). Alternatively, this amount will be deducted from bills payable to the contractor/ security deposit/ performance guarantee submitted by him.
- (iii) For the third contravention, the contract would be terminated and Security Deposit and/ or Performance Guarantee would be forfeited. Further, Corporation reserves the right to initiate action against the Contractor as per banning policy and guidelines of the Corporation.

20.0 SECURITY DEPOSIT AND PERFORMANCE GUARANTEE

20.1 The successful tenderer will have to deposit a Security Deposit which will be equivalent to 5% of the contract value towards satisfactory performance of the contract. This amount is to be tele remitted / wire transferred to the Corporation's Bank Account [details of which mentioned at 6.0 above]. Alternatively, Security Deposit may be furnished in the form of Bank Guarantee, of a Scheduled bank or First Class Commercial Bank / International Bank and

- should be valid for the full period of the contract including the extension period plus three months.
- 20.2 The Performance Guarantee of equal amount as of Security Deposit is to be either tele remitted / wire transferred to the Corporation's Bank Account [details of which mentioned at 6.0 above] or may be furnished by way of Bank Guarantee of a Scheduled bank or First Class Commercial Bank / International Bank with validity of 2 years 8 months by the successful tenderer(s) with whom the Corporation has not dealt with earlier or whose performance was found to be unsatisfactory in the past.
- 20.3 In case of termination of the contract for any reason as per clause no.21.0 the Security Deposit and / or Performance Guarantee shall stand forfeited, either wholly or partly and the tenderer(s) shall have no claim whatsoever against the Corporation in consequence of such termination of the contract.
- 20.4 In the event the tenderer(s) gives up the work before expiry of the contract including extension periods if opted by the Corporation, or is unable to service the contract for whatever reason, the Security Deposit and / or Performance Guarantee shall stand forfeited / invoked.
- 20.5 No interest shall be payable on the Security Deposit and Performance Guarantee.
- 20.6 The Corporation shall also be entitled to make recoveries from the tenderer's bills, Security Deposit and Performance Guarantee or from any other amount due to him, against any over payment made to him due to inadvertence, error, collusion, misconstruction or misstatement.
- 20.7 The Security Deposit and / or Performance Guarantee paid by the tenderer towards satisfactory performance of the contract shall, subject to necessary deductions, if any, be returned to him after three months on expiry of the contract.
- 20.8 If the corporation has terminated the contract (or) if the corporation is entitled to terminate the contract, the corporation shall be entitled to demand and recover from the contractor liquidated damages equivalent to 5% of the contract value (or) the amount equivalent to Security Deposit / Performance Bank Guarantee, whichever is higher.

21.0 <u>TERMINATION CLAUSE:</u>

The Corporation reserves its right to terminate the contract for any reason at its absolute discretion including but not limited to the following:

21.1 If the tenderer is adjudicated insolvent by a Competent Court or files for insolvency or if the tenderer being a company is ordered to be wound up by a Court of Competent Jurisdiction.

- 21.2 Tenderer commits any breach of the terms of this contract / tender document.
- 21.3 If any charge sheet is filed by a competent authority of the Government against the tenderer or company, or the tenderer is convicted by a criminal court on grounds of moral turpitude.
- 21.4 The tenderer is involved in wrongful billing. In addition hereto wrongful billing shall also result in the tenderer being debarred from participating in any other tender of the Corporation as per prevailing **Banning Policy and Guidelines Part-I(E).**
- 21.5 In the event of unsatisfactory service or failure on the part of the tenderer at any time, to carry out the terms and conditions of the contract to the satisfaction of the Corporation, of which the Corporation shall be the sole judge, the Corporation has the right to forthwith terminate the contract.
- 21.6 Any alteration in tender documents noticed subsequently even during the tenure of the contract.
- 21.7 Information furnished in **Part-I** (**Technical Offer**) found to be incorrect at any stage even during the tenure of the contract.
- 21.8 The Corporation is entitled to terminate the contract for not adhering to the provisions of the "Integrity Pact."
 - The decision of the Corporation in terminating the contract will be final and binding on the tenderer.
- 22.0 It is clearly understood by the tenderer that if a charge-sheet is filed by any competent authority of the Government against the tenderer, the tenderer is obliged to notify the Corporation within fifteen days of filing of the charge-sheet. Failure to do so shall result in forfeiture of all payments due to him for supplies made after the date of the filing of the charge sheet.
- 23.0 If there is a change in the name of the tenderer's firm /company's etc. arising out of:
 - i) merging with some other company or
 - ii) collaboration with some other company or
 - iii) for any other reason

or if any changes take place in the proprietorship or partnership of the tenderer's firm, the Corporation should be intimated within 30 (thirty) days of such changes, failing which all payments will be withheld and the Corporation may terminate the contract as may be deemed necessary in view of the changed / altered scenario.

Whatever be the reason of changes, the subject contract would be serviced by the new company / entity at the same rates, terms and conditions laid down herein.

24.0 EXIT CLAUSE:

The Corporation at its sole discretion can terminate the contract without assigning any reason whatsoever by giving 30 days' notice to the tenderer.

25.0 SECURITY CLAUSE

- 25.1) While evaluating tenders regard would be paid to national defence and security considerations.
- 25.2) The tenderers will be responsible to the Corporation for ensuring that men, material and stores being placed by them on board the ships do not pose a threat to safety and security of ships owned, managed, leased or chartered by the Corporation.

26.0 ISPS CLAUSE:

A declaration to be produced by the tenderer that police verification has been carried out for the persons employed by them who are engaged in connection with ship related activities.

Person from such tenderer firm visiting ships shall carry a photo identity card issued by the tenderer and shall reveal his identity to ship staff when demanded.

Stores, equipment and material being carried on board by the tenderer shall be subject to checks by the ship before being allowed on board.

The tenderer shall abide by / comply with the Port Regulations.

27.0 LABOUR CLAUSE:

The tenderer/s alone shall be liable to pay the wages and all other payments as may be due to their employees / men / workers engaged by the tenderer/s to deliver the goods on board as per the contract. The tenderer/s shall also indemnify the Corporation for any claims arising out of death / injury or whatsoever, made by such employees / men / workers engaged by the tenderer/s.

28.0 It is expressly understood and agreed by and between the tenderer and the Corporation that the Corporation will be entering into an agreement in respect to the tender supply (contract) with the successful tenderer solely on its own behalf and not on behalf of any other person or entity. In particular, it is expressly understood and agreed that the Government of India is not a party to this tender/contract to be finalized and has no liabilities, obligations or rights hereunder. It is expressly understood and agreed that the Corporation is an

independent legal entity with power and authority to enter into contracts solely in its own behalf under the applicable laws of India and general principles of Contract Law. The tenderer expressly agrees, acknowledges and understand that the Corporation is not an agent, representative or delegate of the Government of India. It is further understood and agreed that the Government of India is not and shall not be liable for any acts, omissions, commissions, breaches or other wrongs arising out of the tender/contract to be finalized. Accordingly, the tenderer hereby expressly waives, releases and foregoes any and all actions or claims, including cross claims, impleader claims or counter claims against the Government of India arising out of this tender/contract to be finalized and covenents not to sue the Government of India as to any manner, claim, cause of action or things whatsoever arising of or under this tender/contract to be finalized.

29.0 FORCE MAJEURE

In the event of either party being rendered unable by Force Majeure to perform any obligation required to be performed by them under this Agreement, the relative obligation of the party affected by such Force Majeure shall, upon notification to the other party be suspended for the period during which such cause lasts. The term "Force Majeure" as employed herein shall mean Act of God, floods, tempest, war, civil riot, epidemic, pandemic, fire and Acts, Rules and Regulations of respective government of the two parties namely Corporation and the tenderer, directly effecting the performance of the Contract. Upon the occurrence of such cause and upon its termination, the party alleging that it has been rendered unable as aforesaid thereby, shall notify the other party in writing within seventy-two hours of the alleged beginning and ending thereof, giving full particulars and satisfactory evidence in support of its claim. The tenderer shall not be entitled to claim compensation for any loss or damage sustained by the tenderer by virtue of any suspension as aforesaid notwithstanding that consequent upon such suspension the machinery, equipment and/or labour of the tenderer. Time for performance of the relative obligation suspended by the Force Majeure, shall then stand extended by the period for which such cause lasts. If deliveries are suspended by force-majeure conditions lasting for more than 60 days, the purchaser (Corporation) shall have the option of cancelling the contract in whole or part, without financial consequences to or entitlement in either party resultant upon such cancellation, which will operate as a discharge of all future obligations under the contract, but without any rights or obligations arising out of any antecedent breach.

30.0 WAIVER

It shall always be open to the Corporation by written communication to the tenderer to waive in whole or part any right or the enforcement of any right or remedy which the Corporation may have against the tenderer or of any obligations which the tenderer may have hereunder, provided always that:

(i) No waiver shall be presumed or inferred unless made in a written communication addressed by the Corporation to the tenderer and specifically communicated as a Waiver;

(ii) No waiver of any right or part of any right on one occasion shall be deemed to be a waiver or abandonment of that right for all occasions with the intent that a waiver once given shall be limited to the specific waiver and shall be without prejudice to the right of the to insist upon the strict adherence of the attendant obligations of the tenderer and/or the future enforcement of the right by the Corporation in respect of the same and/or any other dependent obligation.

31.0 LIMITATION OF LIABILITY

Notwithstanding any other provisions, except only in cases of willful misconduct and / or criminal acts,

a) Neither the Tenderer nor the Corporation shall be liable to the other, whether in Contract, tort, or otherwise, for any consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided however that this exclusion shall not apply to any obligation of the Tenderer to pay Liquidated Damages to the Corporation and notwithstanding any other provisions incorporated elsewhere in the contract, the aggregate liability of the Tenderer in respect of this contract, whether under the Contract, in tort or otherwise, shall not exceed 100% of the annualized Contract Price, provided however that this limitation shall not apply to the cost of repairing or replacing defective equipment by the Tenderer.

32.0 TENDERER TO INFORM HIMSELF FULLY

The tenderer shall closely peruse all the clauses, specifications and requirements etc., indicated in the tender documents, before quoting. If the tenderer have any doubt about the meaning of any portion of the tender specification or finds discrepancies or the omissions in the specifications or if the tender documents are found to be incomplete or required clarification on any of the technical aspects, scope of work etc, he shall at once contact the official inviting the tender ,before submission of the tender. Tenderers are advised to study all the tender documents carefully. Any submission of tender by them shall be deemed to have been done after careful study and examination of the tender documents and with the full understanding of the implications thereof. The specifications and terms and conditions shall be deemed to have been accepted unless otherwise specifically commented upon by the tenderer in his offer.

33.0 LAW OF LAND

The tenderers shall abide by and comply with all local, national as well as international laws in connection with supplies under the subject contract. The Corporation shall not be responsible for breach of law, if any, by the tenderer.

34.0 EMPLOYMENT OF WORKERS

It has to be clearly understood by the Tenderer/s that the award of contract, if any, against this tender shall be for a limited period as would be specified in the contract letter. The workers employed by the Tenderer/s to perform the contract if awarded, shall be the employees of the Tenderer/s and the Tenderer/s alone shall

be liable to pay the wages and all other payments as may be due to the workers and the Corporation shall in no way be liable for the same. The Tenderer/s shall also comply with all the provisions under the laws of the land pertaining to his/their workers and their employment for the purpose of performing the contract if so awarded against this tender and the Tenderer/s shall also indemnify the Corporation for any claims whatsoever made by such workers against the Corporation in that behalf.

35.0 INDEMNITY

The tenderer shall defend, indemnify and hold the Corporation harmless from any liability or penalty, which may be imposed by the Central, State or Local Authorities by reason of any violation by the tenderer /his employees of such Laws, regulations or requirements, and also from all claims, suits arising out of or by reason of the work provided by this contract, including any liability that may arise out of accident, whether by the employees of the tenderer or by third party. The tenderer shall indemnify the Corporation against any claims under given law or Act or any statutory obligations arising out of any Act / Acts or on behalf of any person / persons employed by him. The tenderer shall also indemnify the Corporation and every member, officer and employee of the Corporation against all actions, proceedings, claims, costs and expenses whatsoever in respect of or arising out of any failure by the tenderer in the performance of his obligations under this contract.

36.0 INTEGRITY PACT AND BANNING GUIDELINES

Guidelines)" with the Corporation for handling and ensuring the transactions in a fair and transparent manner. The Integrity Pact (including Banning Guidelines) document is attached with the tender, as Part I (E). The tenderer shall submit the tender along with the Integrity Pact (including Banning Guidelines), issued along with the tender document, duly signed on all pages as a token of acceptance. All pages of the Integrity Pact (including Banning Guidelines) shall be signed by the same signatory who signs the tender document and has the authority on behalf of the C.E.O. of the company he represents. The acceptance of Integrity Pact (including Banning Guidelines) shall be unconditional and the tenderer must not change any contents of the Integrity Pact (including Banning Guidelines). The signed Integrity Pact (including Banning Guidelines) should be enclosed with the technical offer of the tender only. Tenders received without the signed Integrity Pact (including Banning Guidelines) and/or without details filled in, shall be rejected.

A person signing IP shall not approach the Courts while representing the matters to IEMs and he / she will await their decision in the matter.

Three "Independent External Monitors (IEM)" have been appointed to oversee the implementation of the "Integrity Pact". The contact details of the IEMs are as follows:-

- 1) Shri Girish Chandra Chaturvedi. E-mail: gcchaturvedi@gmail.com
- 2) Shri Deepak Chaturvedi E mail : chaturvedideep@rediffmail.com
- 3) Shri Mukesh Mittal E mail : mumittal@hotmail.com

37.0 MEDIATION CLAUSE

In the event of any dispute between the management and the contractor relating to those contracts where Integrity pact is applicable, in case, both the parties are agreeable, attempt to settle the dispute through mediation before the panel of IEMs in a time bound manner may be made. Such Mediation is to be guided by the Civil Procedure Mediation Rules 2006 issued by Hon'ble Bombay High Court''

38.0 CONCILIATION:

If any dispute, difference, question or disagreement arises between the parties hereto or their respective representatives or assignees, in connection with construction, meaning, operation, effect, interpretation of the contract or breach thereof which parties are unable to settle mutually, the same may first be referred to conciliation through Outside Expert Committee ("OEC") to be constituted by CMD, SCI as provided hereunder:

- i.) The party desirous of resorting to conciliation shall send a notice of 30 (thirty) days to the other party of its intention of referring the dispute for resolution through OEC. The notice invoking conciliation shall specify all the points of disputes with details of the amount claimed to be referred to OEC and the party concerned shall not raise any new issue thereafter.
- ii.) CMD, SCI shall nominate three outside experts, one each from Financial/Commercial, Technical and Legal fields from the Panel of Outside Experts maintained by SCI who shall together be referred to as OEC (Outside Experts Committee).
- iii.) Parties shall not claim any interest on claims/counterclaims from the date of notice invoking conciliation till execution of settlement agreement, if so arrived at. In case, parties are unable to reach a settlement, no interest shall be claimed by either party for the period from the date of notice invoking conciliation till the date of OEC recommendations in any further proceeding.
- iv.) The Proceedings of the OEC shall be broadly governed by Part III of the Arbitration and Conciliation Act, 1996 including any modifications thereof.
- v.) OEC shall hear both the parties and recommend possible terms of settlement between the parties. The recommendations of OEC shall be non-binding and

the parties may decide to accept or not to accept the same. Parties shall be at liberty to accept the OEC recommendation with any modification they may deem fit.

- wi.) Where recommendations are acceptable to both the parties, a settlement agreement will be drawn up in terms of the OEC recommendations or with such modifications as may be agreed upon by the parties. The settlement agreement shall be signed by both the parties and authenticated by all the OEC members either in person or through circulation. This settlement agreement shall have the same legal status and effect as that of an arbitration award on agreed terms on the substance of the dispute rendered by an arbitral tribunal under Section 30 of the Arbitration and Conciliation Act, 1996.
- vii.) The parties shall keep confidential all matters relating to the conciliation proceedings. Confidentiality shall extend also to the settlement agreement, except where its disclosure is necessary for purposes of implementation and enforcement.
- viii.) The parties shall not rely upon or introduce as evidence in any further arbitral or judicial proceedings, whether or not such proceedings relate to the dispute that is the subject of the conciliation proceedings,
 - a. Views expressed or suggestions made by the other party in respect of a possible settlement of the dispute;
 - b. Admissions made by the other party in the course of the OEC proceedings;
 - c. Proposals made by the OEC;
 - d. The fact that the other party had indicated his willingness to accept a proposal for settlement made by the OEC.
- ix.) The parties shall present their case before OEC only through their in-house executives. Neither party shall be represented by a lawyer unless OEC specifically desires that some issue of legal nature is in dispute that needs to be clarified / interpreted by a lawyer.
- x.) OEC members shall be entitled to benefits in respect of travelling, lodging etc. as per the existing policy of SCI.
- xi.) All the expenditure incurred in the OEC proceedings shall be shared by the parties in equal proportion. The parties shall maintain account of expenditure and present to the other for the purpose of sharing on conclusion of the OEC proceedings.

xii.) If the parties are not able to resolve the dispute through OEC or do not opt for conciliation through OEC, the party may invoke arbitration clause as provided in the contract.

39.0 **ARBITRATION**:

Any dispute or difference whatsoever arising between the Parties out of or in relation to the construction, interpretation, application, meaning, scope, operation, performance or effect of this tender/contract or the validity or breach thereof, shall first be an attempt to mutually settle the same amicably. If however, the said settlement being not possible shall thereafter be referred to a Sole Arbitrator, to be appointed/ nominated by the Corporation.

The venue of the said Arbitration shall be at Mumbai, India.

And the provision of the Arbitration and Conciliation Act, 1996 shall apply to the said proceedings. The Award of the Arbitrator shall be final and binding upon both the parties.

40.0 JURISDICTION:

This agreement including all matters connected with this tender / contract shall be governed by the Indian Law both substantive and procedural, for the time being in force and shall be subject to the exclusive jurisdictions of Indian Courts at Mumbai.

41.0 SAVING CLAUSE

Except as provided hereinabove, the contract shall be governed by the "Terms and Conditions" of the tender document and Terms and Conditions of Award of the Contract communicated to you and accepted by you.

It is expressly understood and agreed by and between the Contractor and the SCI that SCI is entering in to this agreement solely on its own behalf and not on behalf of any person or entity. In particular, it is expressly understood and agreed that the Government of India is not a party to this agreement and has no liabilities, obligations or rights, hereunder. It is expressly understood and agreed that SCI is an independent legal entity with power and authority to enter into contracts solely in its own behalf under the applicable law of India and general principles of Contract law. The contractor expressly agrees, acknowledges and understands that SCI is not an agent, representative or delegate of the Government of India. It is further understood and agreed that the Government of India is not and shall not be

liable for any acts, omission, commissions, breaches, or other wrong arising out of the contract. Accordingly the contractor hereby expressly waives, releases and foregoes any and all actions or claims, including cross claims, impleader claims, or counter claims, against the Government of India arising out of this contract and covenants not to sue the Government of India as to any manner, claim, cause of action, or things, whatsoever arising of or under this agreement.

42.0 DEFINITIONS

- A. The terms "CORPORATION" or "SCI" wherever used shall mean "The Shipping Corporation of India Ltd."
- B. The term "TENDERER" shall mean and include the person, firm or a body corporate which is submitting it stender.
- C. The term "CONTRACTOR" shall mean and include the person, firm or a body corporate with whom the Contract has been placed including their heirs, executors, administrators, successors and their permitted assigns, as the case, may be.

DECLARATION

We, the undersigned, have perused the above-mentioned Terms and Conditions and we agree to abide by them in case the contract is awarded to us and further state that we have quoted rates in the Price Offer (Part II) of this tender keeping in mind the above-mentioned terms and conditions.

	(Signature and Name of the Tenderer)
	with Rubber Stamp of the Firm
Place:	
Date:	

N.B. – Please ensure that all pages of the technical offer are signed and stamped on each page before scanning and uploading the same.

TECHNICAL OFFER – PART I (D)

TECHNICAL OFFER PART –I (D)

FORM OF PARTICULARS

E-Tender for Free on Board supply of Miscellaneous Deck, Engine & Saloon stores and Safety Stores (including Navigational Items) at DUBAI, FUJAIRAH & other UAE ports (Rfx No. 9000044647)

Due Date: 10/05/2024, 17:00 hours.

Sr.	Description		Particulars
1.0	Name of the tenderer and full postal address	:	
1.1	Telephone Number (Office)	:	
	Telephone Number (Residence)	:	
	Mobile Number	:	
1.2	E-Mail Address	:	
1.3	Fax Number	:	
2.0	Whether proprietary or partnership or limited company.	:	
	[Tenderer to attach copy of partnership deed / Memorandum & Article of Association and Organizational Chart of the firm / company on separate sheet]		
2.1	Year of constitution / Year and date of establishment of firm	:	
2.2	Name of the main Partner/s or name of proprietor in case of Proprietary Concern or name of the Directors in case of Limited company		
2.3	Please indicate financial standing:	:	
	[Attach audited Balance Sheet and Profit & Loss Account of last 3 (three) financial years]		
2.4	Approximate Annual Turnover:	:	
	[As per audited Balance Sheet and Profit & Loss Account of last 3 (three) financial years]		

10.3	Ship Chandling License No. (if any)		
	[Tenderer to enclose copy of Ship Chandling Licence].		
11.0	IMPA or ISSA Registration No.		
	[Tenderer to enclose copy of IMPA or ISSA registration no.].		
19.0	Tender Fee Remittance Detail		Amount: US\$ 100/-
	[Tenderer to enclose Swift copy of remittance made towards tender fee with Technical Offer (Part – I)]		Date or remittance : Bank Details :
20.0	Earnest Money Deposit Detail	• •	
			UTR / BG:
	[Tenderer to enclose Swift copy of remittance made or Bank Guarantee in lieu thereof with		Details of UTR/BG:
	Technical Offer (Part – I)]		Details of OTR/DO:
	27,1		Amount: USD 9500/-

NOTE: Particulars requested above may be furnished on separate sheets, wherever necessary.

DECLARATION

I/We, hereby Certify that my/our firm/company has not been disqualified by any Office/Department/Undertaking of the Government of India, at any time for supplying tendered items.

	(Signature of Tenderer)
Place:	Full Name:
Date :	Designation:
	Firm /Company seal /Rubber Stamp

TECHNICAL
OFFER PART - I (E)

TECHNICAL OFFER PART –I (E)

E-Tender for Free on Board supply of Miscellaneous Deck, Engine & Saloon stores and Safety Stores (including Navigational Items) at DUBAI, FUJAIRAH & other UAE ports (Rfx No. 9000044647)

INTEGRITY PACT

Between

The Shipping Corporation of India Limited (SCI) hereinafter referred to as "The Principal", and

hereinafter referred to as "The Bidder/Contractor".

PREAMBLE

The Principal intends to award, under laid down organizational procedures, contract/s for Free on Board supply of Miscellaneous Deck, Engine & Saloon stores and Safety Stores (including Navigational Items) at DUBAI, FUJAIRAH & other UAE ports (Rfx No. 9000044647). The Principal values full compliance with all relevant laws of the land, rules, regulations, the principles of economical use of resources, and of fairness and transparency in its relations with its Bidder(s) and Contractor(s).

In order to achieve these goals, the Principal cooperates with renowned international Non-Governmental Organization "Transparency International" (TI). The Principal will appoint Independent External Monitors (IEMs) who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

<u>SECTION 1 – COMMITMENTS OF THE PRINCIPAL</u>

- 1. The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - a. No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for self or third person, any material or non-material benefit which the person is not legally entitled to.
 - b. The Principal will, during the tender process treat all Bidder(s) with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidder(s) the same information and will not provide to any Bidder confidential/additional information through which the Bidder could obtain an advantage in relation to the tender process or the contract execution.

- c. The Principal will exclude from the process all known prejudiced persons.
- 2. If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the relevant Anti-Corruption Laws of India, or if there be a substantive suspicion in this regard, the Principal will inform its Chief Vigilance Officer and in addition can initiate disciplinary actions.

SECTION 2 – COMMITMENTS OF THE BIDDER/CONTRACTOR

- 1. The Bidder/Contractor commits itself to take all measures necessary to prevent corruption. The Bidder/Contractor commits itself to observe the following principles during its participation in the tender process and during the contract execution.
 - a. The Bidder / Contractor will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or other benefit which they are not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.
 - b. The Bidder / Contractor will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelisation in the bidding process.
 - c. The Bidder / Contractor will not commit any offence under the relevant Anti-Corruption Laws of India; further the Bidder / Contractor will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
 - d. The Bidder / Contractor will, when presenting its bid, disclose any and all payments made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.
 - e. Bidder / Contractor who has signed the Integrity Pact shall not approach the Courts while representing the matter to IEMs and shall wait for their decision in the matter.
- 2. The Bidder / Contractor will not instigate third persons to commit offences outlined above or be an accessory to such offences.

<u>SECTION 3 – DISQUALIFICATION FROM TENDER PROCESS AND EXCLUSION FROM FUTURE CONTRACTS</u>

If the Bidder/Contractor, before contract award or during execution has committed a serious transgression through a violation of Section 2 or in any other form such as to put his reliability or credibility as Bidder into question, the Principal is entitled to disqualify the Bidder/Contractor from the tender process or take action as per the procedure mentioned inthe "Policy and Guidelines for Removal / Suspension / Banning of Entities". Copy of the "Policy and Guidelines for Removal / Suspension / Banning of Entities" is placed at Page Nos. 43 to 53.

SECTION 4 – COMPENSATION FOR DAMAGES

- 1. If the Principal has disqualified the Bidder from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover from the Bidder damages equivalent to Earnest Money Deposit / Bid Security.
- 2. If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to Section 3, the Principal shall be entitled to demand and recover from the Contractor liquidated damages equivalent to Security Deposit and / or Performance Bank Guarantee.
- 3. The Bidder agrees and undertakes to pay the said amounts without protest or demur subject only to condition that if the Bidder / Contractor can prove and establish that the exclusion of the Bidder from the tender process or the termination of the contract after the contract award has caused no damage or less damage than the amount of damages claimed by the Principal, the Bidder / Contractor shall compensate the Principal only to the extent of the damage in the amount proved.

SECTION 5 – PREVIOUS TRANSGRESSION

- 1. The Bidder declares that no previous transgressions occurred in the last three years with any other Company in any country conforming to the anti-corruption approach or with any Public Sector Enterprise in India that could justify its exclusion from the tender process. The date of such transgression, for the purpose of disclosure by the bidders in this regard, would be the date on which cognizance of the said transgression was taken by the competent authority. The period for which such transgression(s) is / are to be reported by the bidders shall be the last three years to be reckoned from the date of bid submission. The transgression(s), for which cognizance was taken even before the said period of three years, but are pending conclusion, shall also be reported by the bidders.
- 2. If the Bidder makes incorrect statement on this subject, the bidder can be

disqualified from the tender process and/or action can be taken as per the procedure mentioned in "Policy and Guidelines for Removal / Suspension / Banning of Entities".

SECTION 6 – EQUAL TREATMENT OF ALL BIDDERS / CONTRACTORS

- 1. In case of a joint venture, all the partners of the joint venture should sign the Integrity Pact.
- 2. In case of sub-contracting, the Principal Contractor shall take the responsibility of the adoption of Integrity Pact by the sub-contractor. It is to be ensured that all sub-contractors also sign the IP. In case of sub-contractors, the IP will be a tripartite arrangement to be signed by the Organization, the Contractor, and the sub-contractor.
- 3. The Principal will enter into agreements with identical conditions as this one with all Bidders and Contractors.
- 4. The Principal will disqualify from the tender process all Bidders who do not sign this Pact or violate its provisions.

<u>SECTION 7 – CRIMINAL CHARGES AGAINST VIOLATING BIDDERS /</u> CONTRACTORS

If the Principal obtains knowledge of conduct of a Bidder, Contractor or of an employee or a representative or an associate of a Bidder, Contractor which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the Chief Vigilance Officer.

SECTION 8 – EXTERNAL INDEPENDENT MONITOR/ MONITORS

- 1. The Principal appoints competent and credible Independent External Monitor(s) for this Pact after approval by the Central Vigilance Commission. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement on receipt of any compliant received by them from the bidder(s).
- 2. Integrity Pact, in respect of a particular contract, shall be operative from the date IP is signed by both the parties. It will be considered integral part of the contract. The IEMs shall examine all the representations / grievances / complaints received by them from the bidders or their authorized representative related to any discrimination on account of lack of fair play in modes of procurement and bidding systems, tendering method, eligibility conditions, bid evaluation criteria, commercial terms & conditions, choice of technology / specifications etc.

- 3. The Monitor is not subject to instructions by the representatives of the parties and performs his/her functions neutrally and independently. The Monitor would have access to all Contract documents, whenever required. It will be obligatory for him/her to treat the information and documents of the Bidders/Contractors as confidential. He/she reports to the Chairman, SCI.
- 4. The Bidder/Contractor accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Contractor. The Contractor will also grant the Monitor, upon his/her request and demonstration of a valid interest, unrestricted and unconditional access to its project documentation. The same is applicable to Subcontractors.
- 5. The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.
- 6. As soon as the Monitor notices, or believes to notice, a violation of this agreement, he/she will so inform the Management of the Principal and request the Management to discontinue or heal the violation, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action.
- 7. The Monitor will submit a written report to the Chairman, SCI, within 8 to 10 weeks from the date of reference or intimation to him/her by the "Principal" and, should the occasion arise, submit proposals for correcting problematic situations.
- 8. If the Monitor has reported to the Chairman, SCI, a substantiated suspicion of an offence under relevant Anti-Corruption Laws of India, and the Chairman has not, within reasonable time, taken visible action to proceed against such offence or reported it to the Chief Vigilance Officer, the Monitor may also transmit this information directly to the Central Vigilance Commissioner, Government of India.
- 9. The word "Monitor" would include both singular and plural.

SECTION 9 – PACT DURATION

This pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the respective contract, and for all other Bidders 6 months after the contract has been awarded.

If any claim is made / lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged / determined by Chairman of the Principal.

SECTION 10 – OTHER PROVISIONS

- 1. This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered office of the Principal, i.e. Mumbai.
- 2. Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.
- 3. If the Contractor is a partnership or a consortium, this agreement must be signed by all partners or consortium members.
- 4. Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
- 5. Issues like Warranty / Guarantee etc. shall be outside the purview of IEMs.
- 6. In the event of any contradiction between the Integrity Pact and its Annexure, the Clause in the Integrity Pact will prevail.

For the Principal (Official Seal)	For the Bidder / Contractor (Official Seal)
Place:	Witness1: (Signature and Name & Address)
Date:	Witness2:

TECHNICAL
OFFER PART - I (E)

TECHNICAL OFFER PART –I (E)

E-Tender for Free on Board supply of Miscellaneous Deck, Engine & Saloon stores and Safety Stores (including Navigational Items) at DUBAI, FUJAIRAH & other UAE ports (Rfx No. 9000044647)

BANNING GUIDELINES DOCUMENT

Policy and Guidelines for Removal / Suspension / Banning of Entities

1.0 Introduction.

The Shipping Corporation of India Ltd. (SCI), a premier commercial organisation, is committed to maintaining ethics of the highest standard and adopt best industry practices in all its activities. During the course of business, SCI transacts with various firms and companies in their capacity as bidders / vendors / contractors / agents, hereinafter, referred to as the 'Entity'. SCI considers all its business dealings as a relationship and no relationship can be built on deceit or unethical conduct or repeated poor performance on the part of bidders/vendors/contractors/agents. SCI in all its business dealings endeavors to maintain competency, fairness, transparency, and it is expected that the other party to the deal will also uphold similar code of conduct.

This guideline on banning unscrupulous elements / parties is being adopted to weed out corrupt practices and repeated poor performance and their recurrence from the system.

Since banning of business dealings involves civil consequences for an Entity concerned, it is incumbent that adequate opportunity of hearing is provided and the explanation, if tendered, is considered before passing any order in this regard keeping in view the facts and circumstances of the case. Accordingly, during the proceedings as laid down in this document, the party / parties would be provided with ample opportunity to tender their explanations along with documentary evidence to present their case which would be duly considered based on the principles of natural justice. The banning guidelines are not applicable to any inadvertent or unintentional lapse on part of the party.

The decision of banning any business dealings would be taken only after it is established beyond doubt that the party has committed an act of deception, fraud or other misconduct (including repeated poor performance) in the tendering process or in the execution of contracts awarded / orders issued to them.

2.0 Scope:

- 2.1 SCI reserves its rights to remove an entity from its list of approved suppliers / contractors or to ban business dealings and also to suspend business dealings pending investigation if that entity has been found to have committed misconduct.
- **2.2** The guiding principles and processes for
 - (i) Removal of an Entity from the list of approved suppliers / contractors
 - (ii) Suspension and
 - (iii) Banning of an Entity from doing business with the Corporation, for a specified period, are laid down herein.
- 2.3 These guidelines apply to all firms / bidders / vendors / contractors / agents, etc. including those on approved panels, who have or are expected to have business dealings with SCI, and shall extend to all units, offices, establishments, subsidiaries and vessels of the SCI including those which get set up in future.
- **2.4** Without prejudice to the claims and rights of SCI in relation to subsisting arrangements, action under these guidelines would take effect prospectively.

3.0 Definitions:

In these Guidelines, unless the context otherwise requires: -

- The Expression 'Party / Contractor / Supplier / Purchaser / Customer / Bidder / Vendor /Agent/ Entity' includes a company incorporated in law, a firm (whether registered or not), an individual, HUF, a co-operative society or an association or a group of persons engaged in or expected to be engaged in business dealings with SCI.
- ii. 'Inter-connected Entity' shall mean two or more companies having any of the following features:
 - **a.** If any or all of the Partner(s) / Functional Director(s) are common,
 - **b.** If the Management is common,

- **c.** If the entity is controlled or is otherwise subservient to an entity against which action under these guidelines is taken or contemplated.
- iii. 'Competent Authority' and 'Appellate Authority' shall mean the following:
 - **a.** For banning any Entity, Indian or foreign, the "Competent Authority" would be a "Committee of Directors" comprising of the Director of the Division awarding the contract, Director (Finance) and the Director/s of the concerned Operations Divisions. The Committee will consist minimum three Directors. In case Director of the Division awarding the contract and the Director of the concerned operating Division are same, the Committee should co-opt one more Director from other Division.

The Chairman & Managing Director, SCI, shall be the 'Appellate Authority' in respect of such cases.

- **b.** In case the original contract has been approved by the Chairman, then, for banning of the party, the competent authority would include the Chairman &Managing Director, Director (Finance) and Directors of the concerned operating divisions. In such a case an Appellate Authority would be the SCI Board of Directors or a committee formed by the Board for the purpose.
- **c.** For contracts where Board approval is mandatory for award, the Board or nominees of the Board would constitute the competent authority. In such cases any appeal would also lie with the Board.
 - Banning proposals initiated by the SCI branch offices would be heard by the same authorities as mentioned at 3.0 iii (a) and 3.0 iii (b) above, and would have a company-wide effect, unless otherwise specified by the Competent Authority.
- iv. 'Investigating Department' shall mean any department / division / office of SCI investigating into the conduct of the Entity and shall include the Vigilance Department, "Central Bureau of Investigation, the State Police or any other

- authority or entity set up by the Central or State Government having powers to investigate".
- v. List of 'Approved Entities' shall mean and include list of approved Parties /Contractors / Suppliers / Purchases / Customers / Bidder / Vendor / Agents', if registered / contracted with SCI.

4.0 Grounds for initiation of Banning Business Dealings:

- **4.1** If considerations of security, sovereignty, or friendly relations of the state with other countries or reasons of trade or commercial confidence of SCI so warrant.
- 4.2 If any persons by whatever designation / name holding control of the entity or having substantial influence in the affairs of the entity is convicted by a Court of Law for offences involving moral turpitude, during the last five years.
- **4.3** If there is strong reason to believe that the Directors, Proprietors, Partners, Managers of the Entity have been guilty of malpractices such as bribery, corruption, fraud, misrepresentation of facts, interpolations or other unfair /unethical practices, formation of cartel with other entities with a view to artificially hike the prices
- **4.4** If the Entity continuously refuses to return / refund the dues of SCI without showing adequate reason and this is not due to any reasonable dispute which would attract proceedings in arbitration or Court of Law.
- 4.5 If business dealings with the Entity have been banned by the Govt. or any other Central Public sector enterprise, then, such banning may also be extended for the same period as banned by the concerned Govt. / CPSE.
- **4.6** If any recommendation is received from Vigilance Division to ban business dealings with the Entity.
- **4.7** If the Entity has resorted to corrupt, fraudulent practices, coercion, undue influence, and other violations including misrepresentation of facts and / or fudging / forging / tampering of documents.
- **4.8** If the Entity uses intimidation / threats or brings undue outside pressure on the Corporation (SCI) or its officials in acceptance / performance of the job under the contract.

- **4.9** If the Entity indulges in repeated and / or deliberate use of delay tactics in complying with contractual obligations.
- **4.10** Established litigant nature of the Entity to derive undue benefit.
- **4.11** If the Entity misuses the premises or facilities of the Corporation (SCI), forcefully occupies tampers or damages the Corporation's properties including land, water resources, forests / trees, etc.
- **4.12** If the Entity employs a dismissed / removed public servant or employs a person convicted for an offence involving corruption or abetment of such offence.
- **4.13** Willful indulgence by the Entity in supplying substandard material irrespective of whether inspection was carried out by the company, its agents or its representatives.
- **4.14** Based on the findings of the investigation report of CBI / Police against the Entity for malafide/unlawful acts or improper conduct on the Entity's part in matters relating to SCI or even otherwise.
- **4.15** If the entity supplies poor/substandard materials as against mentioned in the Purchase Order/samples provided, if any or performs substandard quality of service and fails to rectify/replace the same even after reasonable extension of time given to such entity.
- **4.16** Continued poor performance or any other action of the vendors/contractors/Agents—which may result in damage to the brand image and/or result into commercial loss to SCI.
- **4.17** delete to be added as "Failed to honor the bid without sufficient grounds" (Note: The examples given above are only illustrative and not exhaustive. The Competent Authority may decide to ban business dealings for any good and sufficient reason).

5.0 Initiation of Banning / Suspension:

The contracting Department on receiving request to ban the Entity on any of the above grounds (as listed under clause 4) will initiate the banning process by forming a Investigating Committee comprising of Representatives from concerned User Division, Contracting Division and Finance Division. The User / Reporting Division to provide all relevant facts /material to the contract initiating Department / Division which will present

it to the Investigating Committee. The Committee so formed will study the case and then submit its recommendations to the Competent Authority to decide on banning the Entity from all dealings with SCI. The Competent Authority and the appellate Authority would be as defined in Clause 3 (iii) as above.

6.0 Suspension of Business Dealings during Investigation period:

- 6.1 If the conduct of any Entity dealing with SCI is under investigation, the Investigating Department will inform the concerned Divisional Director, who in turn will convene a meeting of the Competent Authority. The Vigilance Department will be informed as well, and the Chief Vigilance Officer can send his recommendations to the Competent Authority based on the same.
- 6.2 The Competent Authority may consider whether the allegations (under investigation) are of a serious nature and whether, pending investigation, it would be advisable to continue business dealings with the Entity. If the Competent Authority, after consideration of the matter, including the recommendations of the Investigating Department (if any), decides that it would not be in the interests of the Corporation to continue business dealings pending investigation, it may decide in favor of suspending business dealings with the Entity. The report of the Competent Authority must be submitted to the CMD, SCI, within 21 days from the receipt of the reference by the concerned Divisional Director and within the effective date of suspension.
- 6.3 The order of suspension will be passed by the concerned Divisional Director and would operate for a period of not more than six months from the date of issuance of such order, and may be communicated to the Entity as also to the Investigating Department.
- 6.4 The Investigating Department must ensure that their investigation is completed and the whole process of final order is over within such period. However, if investigations are not completed in six months' time, the Competent Authority may extend the period of suspension by another three months, during which period the investigations must be completed.

- 6.5 The order of suspension shall be communicated to all Departments / Divisions / branch offices of SCI. During the period of suspension, no business dealing may be held with the Entity.
- As far as possible, other existing contract(s) with the Entity may continue, unless the Competent Authority, having regard to the circumstances of the case, decides otherwise.
- 6.7 If the Entity concerned asks for detailed reasons of suspension, the Entity maybe informed that its conduct is under investigation. It is not necessary to enter into correspondence or argument with the Entity at this stage.
- 6.8 It is necessary to give a show-cause notice to the Entity along with the order for suspension unless it is not expedient in the public interest to do so. The Entity has to be allowed to submit its written defense to the show-cause notice within 15 days. Competent Authority has to take the decision within thirty days of receipt of written defense.
- **6.9**. Period of suspension shall be accounted for in the final order passed for Holiday listing (Banning business dealing) with the "Entity".

7.0 Banning of Business Dealings:

- 7.1 A decision to ban business dealings with any Entity shall normally apply throughout SCI, unless otherwise specified by the Competent Authority. The Competent Authority may restrict the ban to a Division/s or branch Office/s if in the particular case, banning of business dealings by the respective Unit will serve the purpose and achieve its objective and banning throughout the Corporation is not required in view of the local conditions and limited impact of the non-performance/misconduct / default.
- 7.2 There will be an Investigating Committee in each Division / branch office, to be appointed by the Divisional Director, for processing cases of "Banning of Business Dealings as referred in Clause 5 above. The functions of the committee shall, inter-alia include:

- (i) To examine and report material and other circumstances to determine whether or not if a prima-facie case for banning exists.
- (ii) To recommend for issue of show-cause notice to the Entity by the concerned department as per clause 9.1.
- (iii) To examine the reply to show-cause notice and call the Entity for personal hearing, if required.
- (iv)To submit recommendations to the Competent Authority for banning or otherwise.
- 7.3 If the Competent Authority is prima-facie of the view that action for banning business dealings with the Entity is called for, a show-cause notice may be issued to the Entity as per paragraph 8.1 and an enquiry held accordingly.

8.0 Show-cause Notice:

- **8.1** In case where the Competent Authority decides that action against an Entity is called for, a show-cause notice has to be issued to the Entity. A statement containing the imputation of misconduct or misbehavior may be appended to the show-cause notice and the Entity should be asked to submit within 15 days a written statement in its defense.
- **8.2** On request from the Entity, necessary facility will be provided for inspection of relevant document/s in possession of SCI that establishes the grounds for banning (under clause 4).
- **8.3** If no reply is received from the "Entity" within the specified period, the decision may be taken ex-parte. The Competent Authority will pass an appropriate speaking order after examining the materials on record.
- **8.4** The Competent Authority may consider and pass an appropriate order:
 - **a.** For exonerating the Entity if the charges are not established or
 - **b.** For removing the Entity from the list of approved Suppliers / Contactors, etc. or
 - **c.** For banning business dealings with the Entity.
- 8.5 The period for which the ban would be operative may be mentioned in the order.

 The period of Banning will be of two (2) years. The Competent Authority will

have a right to extend the banning period for cases where issues are not resolved. It should also state explicitly that whether the ban would extend to the Interconnected Entities based on case to case basis.

9.0 Removal from List of Approved Entities - Suppliers/Contractors, etc.:

- 9.1 If the Competent Authority decides that the charge against the Entity is of a minor nature, it may consider removing the name of the Entity from the list of approved Entities Suppliers / Contractors, etc. without recourse to an outright ban for a period of one (1) year or for the balance period of the contract whichever is longer.
- 9.2 The effect of such a removal order would be that the Entity would not be entitled to participate in both Open and Limited Tender Enquiries of SCI during such removal period.

10.0 Appeals against the Decision of the Competent Authority:

- 10.1 No Appeal is permitted in case an Agency is Holiday Listed (Banning of business dealing) based on Ministry's advice
- 10.2 The Entity may file an appeal against the order of the Competent Authority banning business dealing etc. The appeal shall be filed to the Appellate Authority. Such an appeal shall be made within one month from the date of receipt of the order banning business dealing, etc.
- 10.3 The Appellate Authority would consider the appeal and pass appropriate orders which shall be communicated to the Entity as well as the Competent Authority.
- **10.4 Duration of Banning:** Ordinarily the period for which an Agency is banned should not be less than six months and should not exceed 2 years. However, in extraordinary circumstances the period can be more than 2 years.

11.0 Review of the Decision by the Competent Authority

Any petition / application filed by the Entity concerning the review of the banning order passed originally by Competent Authority under the existing guidelines either before or after filing of appeal before the Appellate Authority or after disposal of appeal by the Appellate Authority, the review petition can be decided by the Competent Authority upon disclosure of new facts / circumstances or

subsequent development necessitating such review. The Competent Authority may refer the same petition to the Investigating Committee for examination and recommendation.

12.0 Circulation of the names of Entities with whom Business Dealings have been banned:

- 12.1 The banning order will be issued to the Entity by the concerned contracting Divisional Director. It will also be circulated to all the Divisions and branch offices of the Corporation and the names of the banned entities will be posted on the SCI website.
- 12.2 Depending upon the gravity of misconduct established, the Competent Authority of the Corporate Office may circulate the names of the Entity with whom business dealings have been banned, to Government Departments, other Central Public Sector Enterprises, etc. for such action as they deem appropriate.
- 12.3 If a Government Department or a Central Public Sector Enterprise requests for more information about the Entity with whom business dealings have been banned, a copy of the report of Investigating Department together with a copy of the order of the Competent Authority/Appellate Authority may be furnished.
- 12.4 If business dealings with any Entity have been banned by the Central or State Government or any other Central Public Sector Enterprise, SCI may, without any further enquiry or investigation, issue an order banning business dealing with the Entity and its inter-connected Entities.

13.0 Effect of Banning and Suspension of an Entity:

- (a) The entity after issue of order of banning /suspension shall be debarred from participating in any of the tenders of SCI during the banning/suspension period and the same shall also be hosted on SCI website.
- (b) If the entity has already participated in the tender and price bids are not opened, the technical bids of such entity will be rejected. If the price bid of the tender is already opened and happened to be L1, the tender has to be cancelled and re-tender has to be issued. If the entity is not L1, the tender can be processed further.
- (c) Banning does not preclude a claim for damages for non-performance.

(d) Banning does not affect any provision in the contract for the settlement of disputes or any other term of the contract which is to operate even after termination.

14.0 Revocation:

Suspension/ Removal of an entity shall be deemed to have been automatically revoked on the expiry of suspension/ Removal period and it will not be necessary to issue a specific formal order of revocation. However, in case of Banned entities, the same shall continue to remain in force unless it is specifically revoked based on the firm's representation with the approval of the Competent Authority who has earlier accorded approval for banning.

- 14.1 In banning cases, where the proprietor of the entity, its employee, partner or representative is convicted by a court of law for offences involving moral turpitude in relation to business dealings, may be revoked if in respect of the same facts, accused has been wholly exonerated by court of Law.
- 14.2 A banning / suspension order may, on a review be revoked by the competent authority if it is of the opinion that the disability already suffered is adequate in the circumstances of the case.

TECHNICAL
OFFER PART - I (F)

TECHNICAL OFFER PART –I (F)

E-Tender for Free on Board supply of Miscellaneous Deck, Engine & Saloon stores and Safety Stores (including Navigational Items) at DUBAI, FUJAIRAH & other UAE ports (Rfx No. 9000044647)

PROFORMA BANK GUARANTEE FOR EARNEST MONEY DEPOSIT

To The Shipping Corporation of India Ltd 'Shipping House' 245-Madame Cama Road, Mumbai – 400 021
Financial/ Bank Guarantee No dated for USD 9500/- (US Dollar Nine Thousand five hundred only) as Earnest Money Deposit for Tender for Free on Board supply of supply of Miscellaneous Deck, Engine & Saloon stores and Safety Stores (including Navigational Items) at DUBAI, FUJAIRAH & other UAE ports (Rfx No. 9000044647)
Dear Sirs,
We,(the name of the bank with complete postal address), hereby guarantee M/s(tenderer's name with complete postal address) and undertake to pay you on first written demand without any demur irrespective of any dispute between the Shipping Corporation of India Ltd. and M/s(tenderer's name) the sum of USD 9500/-(US Dollar Nine Thousand five hundred only) only in respect of Earnest Money Deposit Guarantee. This Guarantee is valid until
Notwithstanding any other provision in this Guarantee, our maximum liability under this Guarantee, inclusive of any interest shall in no event exceed in aggregate the sum USD 9500/-(US Dollar Nine Thousand five hundred only) .
This Guarantee will expire on and notwithstanding any other provision in this Guarantee we shall not be liable to you unless a valid claim is received by us at our counters in writing on or before the expiry date aforementioned. Any claim made under this Guarantee must be received by us in writhing in this office on or before, after which date this Guarantee shall automatically null and void.
No claim will be entertained after the date of
This Guarantee shall be governed by and construed in all respects in accordance with the laws of Government of India. This Guarantee must be returned to us upon its expiry or upon fulfillment of its undertaking, whichever is earlier. However, it shall be null and void after the aforementioned expiry date, whether returned to us or not.
Yours faithfully, For (Name of the Bank)

(Authorized Signature with Bank Stamp)

TECHNICAL
OFFER PART - I (G)

TECHNICAL OFFER PART – I (G)

E-Tender for Free on Board supply of Miscellaneous Deck, Engine & Saloon stores and Safety Stores (including Navigational Items) at DUBAI, FUJAIRAH & other UAE ports (Rfx No. 9000044647)

GUIDELINES FOR ELIGIBILITY OF A "BIDDER" FROM A COUNTRYWHICH SHARES A LAND BORDER WITH INDIA

- I. Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority.
- II. "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
- **III.** "Bidder from a country which shares a land border with India" for the purpose of this Order means:
 - a) An entity incorporated, established or registered in such a country; or
 - b) A subsidiary of an entity incorporated, established or registered in such a country; or
 - c) An entity substantially controlled through entities incorporated, established or registered in such a country; or
 - d) An entity whose beneficial owner is situated in such a country; or
 - e) An Indian (or other) agent of such an entity; or
 - f) A natural person who is a citizen of such a country; or
 - g) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.
- **IV.** The *beneficial owner* for the purpose of (III) above will be as under:
 - 1. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.

Explanation -

- a) "Controlling ownership interest" means ownership of or entitlement to more than twenty-five percent of share or capital or profits of the company;
- b) "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their

shareholding or management rights or shareholders agreements or voting agreements;

- 2. In case of a partnership firm, the beneficial owner is the natural person(s) who, whether alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
- 3. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
- 4. Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official:
- 5. In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- **V.** An Agent is a person employed to do any act for another, or to represent another in dealings with third person.
- VI. The successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

UNDERTAKING

I/We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I/We hereby certify that I/we am/are not from such a country OR from such a country and my/our certificate of registration with the Competent Authority is attached herewith (strike out whichever is not applicable). I/we hereby certify that I/we fulfill all requirements in this regard and are eligible to be considered.

Place:	Signature of the Bidder
Date :	with rubber stamp of the
Company	

Enclosures: Wherever applicable, evidence of valid registration by the Competent Authority shall be attached.

TECHNICAL OFFER PART –I (H)

TECHNICAL OFFER – PART I (H)

E-Tender for Free on Board supply of Miscellaneous Deck, Engine & Saloon stores and Safety Stores (including Navigational Items) at DUBAI, FUJAIRAH & other UAE ports (Rfx No. 9000044647)

DOCUMENTS REQUIRED TO BE ATTACHED WITH TECHNICAL OFFER, PART-I

- 01. Copy of Partnership Deed or Memorandum and Article of Association of the Company, as the case may be.
- 02. Organizational Chart of the firm / company.
- 03. Authority letter for the person nominated to sign the tender documents on behalf of the firm /CEO of the company
- 04. Signed & stamped Tender Notice, Technical offer (Part-I) and Price offer (Part-II) (without price quote) and corrigendum's (if any).
- 05. Copy of Audited Balance Sheet and Profit & Loss Account for the last three years.
- 06. Documentary evidence to substantiate your experience in supplying tendered items (as per Clause 2.2 (Part-I(B)- Eligibility Criteria) Free On Board vessel at berth / in stream/at OPL at Dubai, Fujairah and other UAE ports.
- 07. Copy of Company's registration certificate with local authorities as required by applicable Act of the Country.
- 08. Copy of dock entry permit for Dubai, Fujairah and other UAE Ports.
- 09. Copy of ISSA or IMPA registration certificate.
- 10. Copy of Ship Chandling Licence (if any)
- 11. Bank Swift Copy of remittance made towards Tender Fee.
- 12. Bank Swift Copy of remittance made towards EMD or Bank Guarantee in lieu thereof.
- 13. Signed & stamped Integrity Pact, Banning guidelines & guidelines for eligibility of a "bidder" from a country which shares a land border with India

TECHNICAL OFFER – PART I (I)

TECHNICAL OFFER PART –I (I)

E-Tender for Free on Board supply of Miscellaneous Deck, Engine & Saloon stores and Safety Stores (including Navigational Items) at DUBAI, FUJAIRAH & other UAE ports (Rfx No. 9000044647)

TECHNICAL DETAILS OF OFFERED PRODUCTS

Sr.No	SAP MATERIAL CODE	IMPA	Material Description	Unit	Brand Offered by the Bidder	Name of Approving Authority and Approving Details	Valid Till (Date)
	WELFARE ITEMS (IMPA	INDEX CODE1	[1]				
1	150000000000001316	110141	NET FOR TABLE TENNIS, SIZE: 6 INCH X 72 INCH	PCS			
2	15000000000001315	110143	TABLE TENNIS BAT, RUBBER FACE, SHAKE HAND	PCS			
3	150000000000007897	110145	TABLE TENNIS BALL , 40MM.	DOZ			
4	15000000000001313		POLES FOR TABLE TENNIS NET (METAL) (STANDARD SIZE)	PRS			
5	150000000000001312	110401	PLAYING CARDS PLASTIC COATED	PACK			
6	150000000000001296	110406/07	CHESS BOARD WITH CHESSMEN	SET			
7	150000000000001299	110410	DARTBOARD WITH ARROW 6'S	SET			
8	150000000000001301	110411	DARTS 3'S / SET	SET			
9	150000000000001318	110425	SCRABBLE GAME (35MM X37.5 MM)	SET			
10	150000000000001278		CARROM BOARD, SIZE 4FT X 4FT, 8MM THICK	PCS			
11	150000000000001279	-	CARROM COIN, WOOD, COMPLETE SET	SET			
12	150000000000001280	-	CARROM STRIKER PLASTIC HEAVY(15GMS)	PCS			
13	150000000000001281	-	POWDER FOR CARROM (BORIC POWDER), 500 gm/Pack	PACK			
14	150000000000001302	-	DRAUGHT COINS -SET OF 16 BLACK AND 16 WHITE COINS	SET			
15	150000000000001319	-	TAMBOLA TICKETS (600 NOS)	SET			
16	15000000000001310	-	LOTTO (HOUSIE) GAME COMPLETE	SET			
17	150000000000001309	-	LUDO & SNAKES AND LADDER SET	SET			
18	150000000000009482	-	LED TELEVISION , 26" , 220V WITH STD ACESSORIES (COMPLETE SET)	SET			
19	150000000000009483	-	LED TELEVISION, 32", 220V WITH STD ACESSORIES (COMPLETE SET)	SET			
20	150000000000007908	-	DIGITAL VIDEO DISC PLAYER, 220V MULTISYSTEM WITH REMOTE	SET			
21	150000000000001691	-	DVD WITH RECORDED ENGLISH MOVIE	PCS			
22	150000000000001692	-	DVD WITH RECORDED HINDI MOVIE	PCS PCS			
23 24	150000000000001687 1500000000000001688	-	AUDIO C.D (HINDI) PRE-RECORDED AUDIO C.D (ENGLISH) PRE-RECORDED	PCS			
25	150000000000001088	-	MP-3 AUDIO CD WITH RECORDED SONGS	PCS			
	CLOTH & LINEN PRODU	CTS (IMPA INI					
26	1500000000000000212	150103	BED SHEET WHITE, 100% COTTON, 1370 X 2600MM	PCS			
27	150000000000000210	150118	BED SHEET WHITE, 100% COTTON, 1828 X 2600MM	PCS			
28	15000000000005690	150118	BED SHEET COLOUR, 100% COTTON, 2400 X 2800MM	PCS			
29	150000000000003536	150141	BED SHEET COLOUR, 100% COTTON, 1370 X 2300MM	PCS			
30	150000000000003538	150206	CREW MATTRESSES, SPRING TYPE, 900 X 2000 X 150 MM	PACK			
31	150000000000006050		SINGLE BED MATRESS 72" x 36" x 4"	PCS		_	
32	150000000000006024	150281	PILLOW, POLYURETHAN FOAM, 690 X 460MM	PCS			
33	150000000000004993	150282	PILLOW, POLYURETHAN KAPOK, 690 X 460MM	PCS			
34	1500000000000000213	150286	PILLOW CASE WHITE, 100% COTTON, 750X500X200MM	PCS			
35	1500000000000000211	150287	PILLOW CASE BLUE, 100% COTTON, 750X500X200MM	PCS			
36	150000000000003533	150301- 03	WOOLLEN BLANKET FOR CREW, SIZE - 1400 MM X 2000 MM	PCS			

37	150000000000002975	150311- 13	WOOLEN BLANKET FOR OFFICER, SIZE - 1800 MM X 2300 MM	PCS		
38	150000000000000214	150371	COUNTERPANE / BED SPREAD COTTON CHECK, 1500X2400MM	PCS		
39	150000000000000215	150372	COUNTERPANE / BED SPREAD COTTON TARTAN CHECK, 1500X2400MM	PCS		
40	150000000000004849		CHEF CAP (WHITE) STANDARD SIZE	PCS		
41	150000000000004850	150462	APRON, WHITE COTTON, BIB TYPE	PCS		
42	1500000000000000216	150601	BATH TOWEL WHITE, 100% COTTON, 730X1330MM, WT.315GM/SHT.	PCS		
43	1500000000000000217	150602	BATH TOWEL BLUE, 100% COTTON, 730X1330MM, WT.315GM/SHT.	PCS		
44	1500000000000000218	150606	FACE TOWEL WHITE, 100% COTTON, 390X1000MM, WT. 115GM/SHT.	PCS		
45	1500000000000000219	150607	FACE TOWEL BLUE, 100% COTTON, 390X1000MM, WT. 115GM/SHT.	PCS		
46	150000000000001586	150616	TRAY (SPONGE) CLOTH 18"x14"	PCS		
47	150000000000003985	150617	PANTRY TOWEL COTTON 400MM X 690MM	PCS		
48	150000000000001945	150621	DUSTER CLOTH, 450 MM X 500 MM.	DOZ		
49	150000000000007898	150626	MUTTON CLOTH, APPROX 400 MM WIDE CONTINUOUS LENGTH.	KG		
50	150000000000001580	150641	PANTRY (TABLE) CLOTH SIZE 48" X 48"	PCS		
51	150000000000004002	150661	PLASTIC SHEET TRANSPARENT, 0.1X915MMX50MTR/ROLL	RLS		
52	150000000000000224		WHITE TABLECLOTH MATERIALS - 72(183*400CMS)	PCS		
53	1500000000000000225		WHITE TABLECLOTH MATERIALS - 72(183*600CMS)	PCS		
54	1500000000000000226		WHITE TABLECLOTH MATERIALS - 88(224*300CMS)	PCS		
55	150000000000000229	171471	TABLE NAPKIN COTTON DAMASK, WHITE 450MM SQUARE	PCS		
56	150000000000001626	171479	PAPER TABLE NAPKIN, 2 PLY CREPE, 450MM X 450MM, 100'S/PACK	PACK		
57	150000000000004590	150714	PLASTIC BATH CURTAIN WITH HOOK & RING, STANDARD SIZE	PCS		
	TABLEWARE & GALLEY	UTENSILS (II	MPA INDEX CODE 17)			
58	15000000000003997	172303	FRENCH KNIFE, CARBON STEEL BLADE LENGTH 300 MM	PCS		
58 59	150000000000003997 1500000000000004006	172303 172311	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM	PCS PCS		
			LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE.			
59	150000000000004006	172311	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM	PCS		
59 60	150000000000004006 1500000000000004005	172311 172321	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM VEGETABLE KNIFE, CARBON STEEL, BLADE 165MM	PCS PCS		
59 60 61	150000000000004006 1500000000000004005 1500000000000003503	172311 172321 172326	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM VEGETABLE KNIFE, CARBON STEEL,	PCS PCS PCS PCS PCS		
59 60 61 62	150000000000004006 1500000000000004005 1500000000000003503 1500000000000004784	172311 172321 172326 173312	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM VEGETABLE KNIFE, CARBON STEEL, BLADE 165MM VEGETABLE KNIFE, CARBON STEEL,	PCS PCS PCS PCS		
59 60 61 62 63	150000000000004006 1500000000000004005 1500000000000003503 1500000000000004784 1500000000000004792	172311 172321 172326 173312	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM VEGETABLE KNIFE, CARBON STEEL, BLADE 165MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM KNIFE, BLADE 120MM KNIFE, BREAD, SS, BLADE 120M, PLASTIC HANDLE	PCS PCS PCS PCS PCS		
59 60 61 62 63 64	150000000000004006 15000000000000004005 1500000000000003503 1500000000000004784 1500000000000004792 1500000000000004794	172311 172321 172326 173312 173315	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM VEGETABLE KNIFE, CARBON STEEL, BLADE 165MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE B & B KNIFE 4 MM KNIFE, BRAD, SS, BLADE 12", PLASTIC HANDLE KNIFE, DINNER, SS, PLAIN HANDLE, LEN: 237MM	PCS PCS PCS PCS PCS PCS		
59 60 61 62 63 64 65	150000000000004006 15000000000000003503 1500000000000004784 1500000000000004792 1500000000000004794 15000000000000001555	172311 172321 172326 173312 173315	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM VEGETABLE KNIFE, CARBON STEEL, BLADE 165MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE B & B KNIFE 4 MM KNIFE,BREAD,SS,BLADE 12",PLASTIC HANDLE KNIFE,DINNER,SS,PLAIN HANDLE,LEN:237MM BUTTER KNIFE 18-CHROME, STAINLESS STEEL PLAIN HANDLE	PCS PCS PCS PCS PCS PCS PCS		
59 60 61 62 63 64 65 66	150000000000004006 1500000000000004005 1500000000000003503 1500000000000004784 1500000000000004792 15000000000000004794 1500000000000001555 1500000000000001558	172311 172321 172326 173312 173315 172335 170160	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM VEGETABLE KNIFE, CARBON STEEL, BLADE 165MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE B & B KNIFE 4 MM KNIFE,BREAD,SS,BLADE 12",PLASTIC HANDLE KNIFE,DINNER,SS,PLAIN HANDLE,LEN:237MM BUTTER KNIFE 18-CHROME, STAINLESS STEEL PLAIN HANDLE TABLE SPOON 18-CHROME, STAINLESS STEEL PLAIN HANDLE, LEN 198MM	PCS PCS PCS PCS PCS PCS PCS PCS		
59 60 61 62 63 64 65 66	150000000000004006 15000000000000004005 1500000000000003503 1500000000000004784 1500000000000004792 1500000000000004794 1500000000000001555 15000000000000001558	172311 172321 172326 173312 173315 172335 170160 170173	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM VEGETABLE KNIFE, CARBON STEEL, BLADE 165MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE B & B KNIFE 4 MM KNIFE, BREAD, SS, BLADE 12", PLASTIC HANDLE KNIFE, DINNER, SS, PLAIN HANDLE, LEN:237MM BUTTER KNIFE 18-CHROME, STAINLESS STEEL PLAIN HANDLE TABLE SPOON 18-CHROME, STAINLESS STEEL PLAIN HANDLE, LEN 198MM FORK STAINLESS STEEL, DINNER / TABLE	PCS PCS PCS PCS PCS PCS PCS PCS PCS		
59 60 61 62 63 64 65 66 67	150000000000004006 150000000000004005 150000000000003503 150000000000004784 1500000000000004792 1500000000000004794 150000000000001555 1500000000000001558 150000000000	172311 172321 172326 173312 173315 172335 170160 170173	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM VEGETABLE KNIFE, CARBON STEEL, BLADE 165MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE B & B KNIFE 4 MM KNIFE,BREAD,SS,BLADE 12",PLASTIC HANDLE KNIFE,DINNER,SS,PLAIN HANDLE,LEN:237MM BUTTER KNIFE 18-CHROME, STAINLESS STEEL PLAIN HANDLE TABLE SPOON 18-CHROME, STAINLESS STEEL PLAIN HANDLE, LEN 198MM FORK STAINLESS STEEL, DINNER / TABLE DESSERT SPOON,SS,PLAIN HANDLE,LEN:180MM	PCS		
59 60 61 62 63 64 65 66 67 68	1500000000000004006 15000000000000004005 1500000000000003503 15000000000000	172311 172321 172326 173312 173315 172335 170160 170173 170162 170161	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM VEGETABLE KNIFE, CARBON STEEL, BLADE 165MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE B & B KNIFE 4 MM KNIFE,BREAD,SS,BLADE 12",PLASTIC HANDLE KNIFE,DINNER,SS,PLAIN HANDLE,LEN:237MM BUTTER KNIFE 18-CHROME, STAINLESS STEEL PLAIN HANDLE TABLE SPOON 18-CHROME, STAINLESS STEEL PLAIN HANDLE, LEN 198MM FORK STAINLESS STEEL, DINNER / TABLE DESSERT SPOON,SS,PLAIN HANDLE,LEN:180MM TEA SPOON 18-CHROME, STAINLESS STEEL PLAIN HANDLE, LEN 132MM	PCS		
59 60 61 62 63 64 65 66 67 68 69	1500000000000004006 15000000000000004005 1500000000000003503 15000000000000	172311 172321 172326 173312 173315 172335 170160 170173 170162 170161 170168	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM VEGETABLE KNIFE, CARBON STEEL, BLADE 165MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM KNIFE, BREAD, SS, BLADE 12", PLASTIC HANDLE KNIFE, DINNER, SS, PLAIN HANDLE, LEN:237MM BUTTER KNIFE 18-CHROME, STAINLESS STEEL PLAIN HANDLE TABLE SPOON 18-CHROME, STAINLESS STEEL PLAIN HANDLE, LEN 198MM FORK STAINLESS STEEL, DINNER / TABLE DESSERT SPOON, SS, PLAIN HANDLE, LEN:180MM TEA SPOON 18-CHROME, STAINLESS STEEL PLAIN HANDLE, LEN 132MM DINNER PLATE, SIZE 262 MM, SS, STANDARD QUALITY.	PCS		
59 60 61 62 63 64 65 66 67 68 69 70	150000000000004006 150000000000004005 1500000000000003503 150000000000004784 150000000000004792 150000000000001555 150000000000001558 150000000000	172311 172321 172326 173312 173315 172335 170160 170173 170162 170161 170168 170177	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM VEGETABLE KNIFE, CARBON STEEL, BLADE 165MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE B & B KNIFE 4 MM KNIFE, BREAD, SS, BLADE 12", PLASTIC HANDLE KNIFE, DINNER, SS, PLAIN HANDLE, LEN: 237MM BUTTER KNIFE 18-CHROME, STAINLESS STEEL PLAIN HANDLE TABLE SPOON 18-CHROME, STAINLESS STEEL PLAIN HANDLE, LEN 198MM FORK STAINLESS STEEL, DINNER / TABLE DESSERT SPOON, SS, PLAIN HANDLE, LEN: 180MM TEA SPOON 18-CHROME, STAINLESS STEEL PLAIN HANDLE, LEN 132MM DINNER PLATE, SIZE 262 MM, SS, STANDARD QUALITY. RIM SOUP PLATE, SIZE 233 MM, SS, STANDARD QUALITY.	PCS		
59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74	150000000000004006 150000000000004005 150000000000003503 150000000000004784 150000000000004792 150000000000001555 150000000000001558 150000000000	172311 172321 172326 173312 173315 172335 170160 170173 170162 170161 170168 170177 170311 170313	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM VEGETABLE KNIFE, CARBON STEEL, BLADE 165MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE B & B KNIFE 4 MM KNIFE, BREAD, SS, BLADE 12", PLASTIC HANDLE KNIFE, DINNER, SS, PLAIN HANDLE, LEN: 237MM BUTTER KNIFE 18-CHROME, STAINLESS STEEL PLAIN HANDLE TABLE SPOON 18-CHROME, STAINLESS STEEL PLAIN HANDLE, LEN 198MM FORK STAINLESS STEEL, DINNER / TABLE DESSERT SPOON, SS, PLAIN HANDLE, LEN: 180MM TEA SPOON 18-CHROME, STAINLESS STEEL PLAIN HANDLE, LEN 192MM DINNER PLATE, SIZE 262 MM, SS, STANDARD QUALITY. RIM SOUP PLATE, SIZE 233 MM, SS, STANDARD QUALITY. DESSERT PLATE, SIZE 210 MM, SS, STANDARD QUALITY.	PCS		
59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75	150000000000004006 150000000000004005 150000000000003503 150000000000004784 150000000000004792 150000000000001555 150000000000001558 150000000000	172311 172321 172326 173312 173315 172335 170160 170173 170162 170161 170168 170177 170311 170313 170315 170329	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM VEGETABLE KNIFE, CARBON STEEL, BLADE 165MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE B & B KNIFE 4 MM KNIFE, BREAD, SS, BLADE 12", PLASTIC HANDLE KNIFE, DINNER, SS, PLAIN HANDLE, LEN: 237MM BUTTER KNIFE 18-CHROME, STAINLESS STEEL PLAIN HANDLE TABLE SPOON 18-CHROME, STAINLESS STEEL PLAIN HANDLE, LEN 198MM FORK STAINLESS STEEL, DINNER / TABLE DESSERT SPOON, SS, PLAIN HANDLE, LEN: 180MM TEA SPOON 18-CHROME, STAINLESS STEEL PLAIN HANDLE, LEN 192MM DINNER PLATE, SIZE 262 MM, SS, STANDARD QUALITY. RIM SOUP PLATE, SIZE 210 MM, SS, STANDARD QUALITY. DESSERT PLATE, SIZE 210 MM, SS, STANDARD QUALITY. TEA CUP, SIZE 81MM, 210 CC.	PCS		
59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74	150000000000004006 150000000000004005 1500000000000003503 150000000000004784 150000000000004792 150000000000001555 150000000000001558 150000000000	172311 172321 172326 173312 173315 172335 170160 170173 170162 170161 170168 170177 170311 170313	LENGTH 300 MM BONNING KNIFE, CARBON STEEL, BLADE LENGTH 150MM BUTCHERS KNIFE, CARBON STEEL BLADE LENGTH 210MM WITH A WOOD HANDLE. FROZEN MEAT KNIFE, CARBON STEEL, BLADE LEGTH 230MM VEGETABLE KNIFE, CARBON STEEL, BLADE 165MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE, CARBON STEEL, BLADE 210MM VEGETABLE KNIFE B & B KNIFE 4 MM KNIFE, BREAD, SS, BLADE 12", PLASTIC HANDLE KNIFE, DINNER, SS, PLAIN HANDLE, LEN: 237MM BUTTER KNIFE 18-CHROME, STAINLESS STEEL PLAIN HANDLE TABLE SPOON 18-CHROME, STAINLESS STEEL PLAIN HANDLE, LEN 198MM FORK STAINLESS STEEL, DINNER / TABLE DESSERT SPOON, SS, PLAIN HANDLE, LEN: 180MM TEA SPOON 18-CHROME, STAINLESS STEEL PLAIN HANDLE, LEN 192MM DINNER PLATE, SIZE 262 MM, SS, STANDARD QUALITY. RIM SOUP PLATE, SIZE 233 MM, SS, STANDARD QUALITY. DESSERT PLATE, SIZE 210 MM, SS, STANDARD QUALITY.	PCS		

78	150000000000004020	170645	GLASS TUMBLER BARREL, 190CC, DIAM. 56 MM HEIGHT 94 MM.	PCS	
79	150000000000004836		JUICE GLASS 180 ML	PCS	
80	150000000000004024	170702	ICE CREAM CUP, GOBLET, DIAM. 100 MM HEIGHT 90 MM	PCS	
81	150000000000004003	170711	ICE CREAM SCOOP, STAINLESS STEEL, ROUND, 55MM X 50 CC.	PCS	
82	150000000000001609	170820	DISH, STAINLESS STEEL ROUND, DIAM. 305 MM	PCS	
83	150000000000001603	170847	CURRY DISH WITH COVER, SS, 287 X 206 X 38MM	PCS	
84	150000000000001582		SALT & PEPPER CELLAR, S.S., SET OF 2	SET	
85	150000000000001599	171064	BUTTER DISH WITH COVER, SS, L185 X W110 X H55MM	PCS	
86	150000000000001585	171090	WOODEN TOOTH PICK ROUND, 100'S / BOX	вох	
87	150000000000001610	171216	WATER JUG, STAINLESS STEEL PLAIN, 1.8 LTR CAPACITY.	PCS	
88	150000000000004007		WATER JUG, STAINLESS STEEL ICE-LIP, 2 LTR CAPACITY.	PCS	
89	150000000000004830		PLASTIC WATER JUG 2LTR CAPACITY	PCS	
90	150000000000001584	171231	THERMOS BOTTLE, STEEL BODY, 1 LTR CAPACITY	PCS	
91	15000000000001589		PLASTIC SERVICE TRAY,435MM X 325MM	PCS	
92	150000000000001590		PLASTIC SERVICE TRAY,475MM X 370MM	PCS	
93	150000000000004811	171427	SERVING TRAY, S.S, RECTANGULAR, 455 X 340MM	PCS	
94	150000000000004839	171729	FRYING PAN WITH HANDLE, NON STICK, DIA: 190MM	PCS	
95	150000000000004838	171733	FRYING PAN WITH HANDLE, NON STICK, DIA: 280MM	PCS	
96	150000000000004843	171734	FRYING PAN WITH HANDLE, NON STICK, DIA: 320MM	PCS	
97	150000000000001573		IRON FRYING PAN, (C.I.SKILLETS) SIZE 8"	PCS	
98	150000000000001574		IRON FRYING PAN, (C.I.SKILLETS) SIZE 10"	PCS	
99	150000000000001575		IRON FRYING PAN, (C.I.SKILLETS) SIZE 12"	PCS	
100	150000000000004828		CONTAINER FOR MASALA, PLASTIC, 1 KG CAPACITY	PCS	
101	150000000000001595		CONTAINER FOR MASALA, PLASTIC, 2 KG CAPACITY	PCS	
102	150000000000001596		CONTAINER FOR MASALA, PLASTIC, 5 KG CAPACITY	PCS	
103	150000000000001544	171941	STOCK POT STANDARD SS, 270 X 270 MM, CAPACITY 15.0 LTR, GUAGE 18	PCS	
104	150000000000001545	171942	STOCK POT STANDARD SS, 300 X 300 MM, CAPACITY 20.0 LTR, GUAGE 18	PCS	
105	150000000000001546	171943	STOCK POT STANDARD SS, 330 X 330 MM, CAPACITY 27.0 LTR, GUAGE 18	PCS	
106	150000000000001600	171982	CASSEROLE WITH HANDLE AND LID, 5 LTRS, INSULATED, STAINLESS STEEL	PCS	
107	150000000000001538	172121	PAN RECTANGULAR, SS, 300 X 230 X 45 MM, GUAGE 18	PCS	
108	150000000000001539	172122	PAN RECTANGULAR, SS, 320 X 260 X 50 MM, GUAGE 18	PCS	
109	150000000000001588	170759	SALAD BOWL, GLASS WITH ENGRAVED DESIGN, 210MM DIA	PCS	
110	150000000000001606	172161	MIXING BOWL, STAINLESS STEEL, DIAM. 300 MM	PCS	
111	15000000000001607	172165	MIXING BOWL, STAINLESS STEEL, DIAM. 420 MM	PCS	
112	150000000000004791		SERVING BOWL, STAINLESS STEEL, 6 "	PCS	
113	150000000000004793		SERVING BOWL, STAINLESS STEEL, 8 "	PCS	
114	150000000000004826		S.S. KATORI (BOWL), MEDIUM SIZE	PCS	
115	150000000000004004	173759	GRAVY BOWL, STAINLESS STEEL, DIA. 97MM	PCS	
116	150000000000005632		SOUP BOWL (4" DIA) WITH SPOON HOTELWARE, SET OF 12 BOWLS AND 12 SPOONS	SET	
117	150000000000000234		SOUP SPOON 18-CHROME, STAINLESS STEEL	PCS	
118	150000000000007810	172198	COLANDER WITH REVETED HANDLE, SS, DIAM. 450MM	PCS	
119	15000000000001549	-	SS IDLI MAKING VESSEL, 16 IDLIS, IDLI	PCS	

1200 15000000000001562 XLUMBRUM PURDING MOULD SIZE 6' PCS				SIZE: 75 MM DIA.		<u> </u>
121	120	150000000000001552			PCS	
122				RICE COLLANDERS, STAINLESS STEEL,		
150000000000001611 M. WATER TUMBLER, S.S., CAPACITY - 200 P.C.S M.	122	150000000000001623		UNBREAKABLE STORAGE DRUM WITH	PCS	
1256 15000000000004859 CCONNUT SCRAPPER PCS	123	150000000000001611	-	WATER TUMBLER, S.S., CAPACITY - 200	PCS	
126 150000000000001621 - MUG. PLASTIC. CAPACITY 1 IT IT R PCS	124	150000000000004859	-		PCS	
1286 150000000000001620 - MUG, PLASTIC, CAPACITY 1.5 / 2 LTRS PCS	125	15000000000003560	-	CREW MUGS S.S , 260CC	PCS	
129	126	150000000000001621	-		PCS	
129	127	15000000000001620	-	MUG, PLASTIC, CAPACITY -1.5 / 2 LTRS	PCS	
130	128	150000000000002956		FUNNEL, PLASTIC, DIAM. 50MM	PCS	
132 15000000000002898 172252 FUNNEL PLASTIC, DIAM_150MM PCS	129	150000000000002957		FUNNEL, PLASTIC, DIAM. 75MM	PCS	
132	130	150000000000006085	172250	FUNNEL, PLASTIC, DIAM. 90MM	PCS	
133	131	150000000000002959	172252	FUNNEL, PLASTIC, DIAM. 150MM	PCS	
135	132	150000000000006086	172254	FUNNEL, PLASTIC, DIAM. 210MM	PCS	
136	133	150000000000002962		FUNNEL, PLASTIC, DIAM. 300MM	PCS	
136	134	150000000000004153		CLOTH HANGER PLASTIC, LENGTH :18"	PCS	
137	135	150000000000004847	-	PRESSURE COOKER, SS, 10 LTRS CAPA	PCS	
138	136	150000000000004848	1	PRESSURE COOKER, SS, 5.5 LTRS CAPA	PCS	
139	137	15000000000001608	172226		PCS	
139	138	150000000000004013	172211		PCS	
141 15000000000001581 172362 BLADE WITH A FRANE HANDLE, LENGTH OVERALL 145 MM. PCS OVERAL 145 MM. PCS OVERALL	139	150000000000001602	172206	WITH HANDLE DIAM. 210 MM, DEPTH 180	PCS	
141 1500000000000151 172362 BLADE WITH A FRAME HANDLE, LENGTH OVERALL 145 MM OVER	140	15000000000005700			PCS	
142 15000000000001243 ELECTRIC POTATO PEELER PCS 143 150000000000007725 172421 CHOPPING BOARD, MADE OF HARD 144 150000000000001576 172421 CHOPPING BOARD, MADE OF HARD 145 1500000000001576 172431 CHOPPING BOARD, MADE OF HARD 146 1500000000001576 172431 CHOPPING BOARD, MADE OF HARD 146 1500000000001569 172541 BLADE SIZE 5M MT 15 GM 147 15000000000001569 172541 BLADE SIZE 75 M MT 29 GM, HANDLE 147 15000000000001568 172586 EGG TURNER, STAINLESS STEEL, DOUBLE ROTARY, OVERALL LENGTH PCS 148 15000000000001561 172555 SOUP LADLE, STAINLESS STEEL, DOUBLE ROTARY, OVERALL LENGTH PCS 149 150000000000004804 SPOON COOKING LADLE 12[S.S.] PCS 150 150000000000004805 HANDLE [SS] PCS 151 150000000000001559 172562 SPOON, RRYING, PERFORATED, ROUND, SPOON REYING, PERFORATED, ROUND, SPOON SIZE: 103 x 66 MM, HANDLE PCS 152 150000000000001560 172563 SPOON, SIZE: 103 x 66 MM, HANDLE PCS 154 150000000000001570 172567 SPOON SIZE: 103 x 66 MM, HANDLE PCS 155 1500000000000001570 172567 SPOON SIZE: 103 x 66 MM, HANDLE PCS 156 1500000000000001570 172567 SPOON SIZE: 103 x 66 MM, HANDLE PCS 156 150000000000001570 172567 SPOON SIZE: 103 x 66 MM, HANDLE PCS 156 150000000000001570 172567 SPOON SIZE: 103 x 66 MM, HANDLE PCS 156 150000000000001570 172567 SPOON SIZE: 103 x 66 MM, HANDLE PCS 156 150000000000001570 172567 SPOON SIZE: 103 x 66 MM, HANDLE PCS 157 MM X L210MM. SPOON SIZE: 103 x SETEL, DIAM. PCS STAINLESS STEEL, DIAM. SPOON SIZE: 103 x SETEL, DIAM. SETEL, DIAM. SEMM DIAM. PCS STAINLESS STEEL, DIAM. SEMM DIAM. PCS STAINLESS STEEL, DIAM. SEMM DIAM. PCS STAINLESS STEEL,			4=0000		500	
143			1/2362	OVERALL 145 MM.		
144 15000000000007725 172421 WOOD_SIZE 600 MM X 300 MM X 60MM						
144 150000000000001756 172431 WOOD, SIZE 600 MM X 300 MM X 60MM PCS	143	15000000000003548			PCS	
146	144	150000000000007725	172421	WOOD, SIZE 600 MM X 300 MM X 60MM	PCS	
146	145	150000000000001576	172431	PLASTIC, L44 CM X B25 CM X T15 CM	PCS	
147	146	15000000000001569	172541	BLADE SIZE 75 MM X 90 MM, HANDLE LENGTH 270 MM	PCS	
148	147	150000000000001568	172586	DOUBLE ROTARY, OVERALL LENGTH 250 MM	PCS	
150	148	150000000000001561	172555		PCS	
150	149	150000000000004804			PCS	
150						
151 15000000000001559 172562 SPOON SIZE : 103 x 66 MM, HANDLE PCS 152	150	15000000000004805		HANDLE [SS]	PCS	
152	151	150000000000001559	172562	SPOON SIZE : 103 x 66 MM, HANDLE	PCS	
153 150000000000004806 WOODEN SPOONS (LARGE), LENGTH PCS 154	152	15000000000001560	172563	SPOON,SS,COOKING,103X66MM,HANDLE	PCS	
153			000			
154	153	150000000000004806		:18"	PCS	
150 15000000000000000000000000000000	154	150000000000001570	172567	135MM X L210MM.	PCS	
156 1500000000000000014 172624 MAX. HEIGHT OF CAN APP. 350MM, OVERALL LENGTH 565MM, BASE SIZE 140MM X 205MM. PCS 157 1500000000000003493 172732 PUDDING MOULD WITH COVER, STAINLESS STEEL, SIZE 6" PCS 158 15000000000001550 172738 JELLY MOULD STAINLESS STEEL, DIAM. 145MM X 82MM DEPTH PCS 159 150000000000001587 172774 HARDWOOD ROLLING PIN (CHAPPATI ROLLER), LENGTH 380MM X 85MM DIAM. PCS 160 150000000000000000000000 172805 LEWON SQUEEZER, CAST ALUMINIUM LEVER TYPE, DIAM. 224 MM. PCS 160 15000000000000000000000000000000000000	155	150000000000001567	172601	137 MM	PCS	
157	156	150000000000004014	172624	MAX. HEIGHT OF CAN APP. 350MM, OVERALL LENGTH 565MM, BASE SIZE 140MM X 205MM.	PCS	
158	157	150000000000003493	172732	PUDDING MOULD WITH COVER,	PCS	
159 15000000000001587 172774 HARDWOOD ROLLING PIN (CHAPPATI ROLLER), LENGTH 380MM X 85MM DIAM. PCS 160 15000000000000000000000000000000000000	158	150000000000001550	172738		PCS	
160 150000000000000000000000000000000000	159	150000000000001587	172774	HARDWOOD ROLLING PIN (CHAPPATI	PCS	
	160	150000000000004008	172805	LEVER TYPE, DIAM. 224 MM.	PCS	
130 X 50 MM , 0.5 LTRS	161	150000000000001592	172886	COVER, PLASTIC, ROUND,	PCS	

162	150000000000001593	172887	FOOD CONTAINER WITH SEALED COVER, PLASTIC, ROUND, 155 X 63 MM , 1 LTRS	PCS		
163	150000000000001594	172888	FOOD CONTAINER WITH SEALED COVER, PLASTIC, ROUND, 185 X 76 MM , 1.5 LTRS	PCS		
164	150000000000007712	172940	FOOD CONTAINER WITH SEALED COVER, PLASTIC, ROUND, 185 X 145 MM , 3 LTRS	PCS		
165	150000000000007714	172937	FOOD CONTAINER PLASTIC W/TIGHT, SEALCOVER 310 X 235 X 105MM, 6 LTR	PCS		
166	150000000000007716	172938	FOOD CONTAINER PLASTIC W/TIGHT, SEALCOVER 355 X 270 X 120MM, 10LTR	PCS		
167	150000000000007729	172952	BREAD BIN PLASTIC, OVER SLIDE COVER 350 X 285 X 202 MM	PCS		
168	150000000000004609	174053	HAND SCOURER, STEEL	PACK		
169	150000000000004009	174033	SCOTCH BRITE (GREEN)	PCS		
170	150000000000005695		SCOTCH BRITE STEEL	PCS		
171	150000000000004036	174058	SPONGE CLEANER, 150 MM X 100 MM X 50 MM.	PCS		
172	150000000000004033	174063	STEEL WOOL, NO.1, 450 GRAMS/PCS	PCS		
173	150000000000001952		IRON WOOL	KG		
174	150000000000004134		PLASTIC BUCKET WITH HANDLE, 5 LTRS CAPA	PCS		
175	150000000000001618	174122	PLASTIC BUCKET WITH HANDLE, 10 LTRS CAPA	PCS		
176	150000000000006082	174124	PLASTIC BUCKET WITH HANDLE, 15 LTRS CAPA	PCS		
177	150000000000001617	-	PLASTIC BUCKET WITH HANDLE, 20 LTRS CAPA	PCS		
178	150000000000003999	174127	GALVANIZED BUCKET, 10 LTRS, DIAM.280MM HEIGHT 200MM.	PCS		
179	150000000000006083	174141	DUST PAN PLASTIC, FLAT, 320 MM X 270 MM X 495 MM.	PCS		
180	150000000000001577	174142	DUST PAN, GALV. STEEL, OPEN, SIZE 240MM X 110MM X 470MM	PCS		
181	150000000000001622	-	PLASTIC SCOOP STANDARD SIZE	PCS		
182	150000000000004025	174154	WASTE BASKET PEDAL FLIP, STAINLESS STEEL 20LTR	PCS		
183	150000000000004030	174174	POLYTHENE BAG FOR GARBAGE DISPOSAL, TRANSPARENT, 26" X 34" (650MM X 850MM), 10'S / PKT	PKT		
184	150000000000007887	174176	POLYTHENE BAG FOR GARBAGE DISPOSAL, BLACK, 500MM X 400MM X 1300MM, 50'S/PKT	PKT		
185	150000000000004618	-	BAG FOR COLLECTION OF GARBAGE, 300 GUAGE POLYTHENE, 28" X 48"	PCS		
186	150000000000005122		PAPER GARBAGE BAG 24"X30"	PCS		
187	150000000000007835	-	BIO-DEGRADABLE GARBAGE BAG 24"X30",10'S/PACK	PKT		
188	150000000000007837		BIO-DEGRADABLE GARBAGE BAG 22"X36",10'S/PACK	PKT		
189	150000000000004630		PAPER BAGS 24" X 34"	PCS		
190	150000000000007886	174180	MARINE REFUSE SACKS, BIODEGRADABLE, 700 MM X 1100 MM, 50'S/PKT	PKT		
191	150000000000001722		POLYTHENE ROLL,1MTR X 100 MTR,300MICRON	ROLL		
192	150000000000001565	174201	ALUMINIUM COOKING FOIL, 300MM X 25 MTR ROLL	ROLL		
193	150000000000001579	174206	WRAPPING FOIL, CELLOPHANE, 300MM X 10 MTR	ROLL		
194	150000000000006121	174241	TOILET PAPER, 1 PLY, 114MM X 45 MTR, 100'S /BOX	вох		
195	150000000000007750		TOILET PAPER, 2-PLY, 114MM X 32.5 MTR, 4/PKT	PKT		
196	15000000000001929	174252	TOILET BRUSH NYLON, LENGTH : 24"	PCS		
197	150000000000004019	174256	TOILET PLUNGER, JAPANESE STYLE, CUP DIAM. 130 MM.	PCS		
198	150000000000001956	174261	SNAKE WIRE PIPE CLEANER, DIAM. 6 MM X 5 MTRS WITH ROTARY PIPE HANDLE.	PCS		
199	150000000000004034	174271	YACHT MOP COMPLETE, LENGTH OVERALL 1580 MM	PCS		
200	150000000000004035	174287	FLOOR WIPER WITH LONG HANDLE,	PCS		

		1	I MOD WIDTH 400 MM	1	1	1
			MOP WIDTH 400 MM			
201	150000000000004621		FLOOR WIPER WITHOUT HANDLE, MOP WIDTH 400 MM	PCS		
202	150000000000001955	174296	SPONGE MOP WITH SPRING HANDLE, SPONGE WIDTH 180 MM	PCS		
203	150000000000001957	174277	HEAD FOR SPRING CLAMP MOP	PCS		
204	150000000000004040	174292	RUBBER SQUEEGEE, BLADE WIDTH 400MM FITTED WITH 1200MM LONG HANDLE	PCS		
205	150000000000006120	174301	SAFETY MATCHES, 12'S/PKT	PKT		
206	150000000000006115	174319	ASH TRAY STAINLESS STEEL, DIVIDE & DROP 120MM DIAM	PCS		
207	150000000000001725	174352	RAT TRAP/CAGE, MUNICIPAL PATTERN	PCS		
208	150000000000001192	174513	KETTLE ELECTRIC 1.7LTR 220V (WITH STD ACCESSORIES, COMPLETE SET)	PCS		
209	150000000000001173	174554	AUTO-ELECTRIC TOASTER, 4-SLICE, 220 VOLT (WITH STD ACCESSORIES, COMPLETE SET)	PCS		
210	150000000000001208	-	WET GRINDER, CAPACITY 5 LTR, 220V/1PHASE/50HZ WITH 1/2HP MOTOR (WITH STD ACCESSORIES, COMPLETE SET)	PCS		
211	150000000000006130	174645	REFRIGERATOR, 220V 170LTR (WITH STD ACCESSORIES, COMPLETE SET)	SET		
212	150000000000006131	174649	REFRIGERATOR, 220V 300LTR (WITH STD ACCESSORIES, COMPLETE SET)	SET		
213	150000000000006306	-	ELECTRIC WATER PURIFIER 20L CAPACITY (RO / UV) (WITH STD ACCESSORIES, COMPLETE SET)	PCS		
214	150000000000006133	174672	VACUUM CLEANER, 220V (WITH STD ACCESSORIES, COMPLETE SET)	SET		
215	150000000000006132	174707	WASHING MACHINE FULL AUTOMATIC, 220V, 6 KG CAPACITY, FRONT LOADING (WITH STD ACCESSORIES, COMPLETE SET)	SET		
216	150000000000001215	175520	WASHING MACHINE FULL AUTOMATIC, 220V, 7.5 - 8.5 KG CAPACITY, FRONT LOADING (WITH STD ACCESSORIES, COMPLETE SET)	PCS		
217	150000000000006140	174724	ELECTRIC PRESSING IRON, STEAM/DRY, 220VOLT (WITH STD ACCESSORIES, COMPLETE SET)	PCS		
218	150000000000004151	471504	ARM CHAIR, SWIVEL PIPE FRAME	PCS		
219	150000000000006114	174743	SEWING NEEDLE NO.14 10'S/PKT	PKT		
220	150000000000006122	174751	SEWING THREAD 100MTR/REEL	RLS		
221	150000000000001160	174764	CABIN FAN WALL TYPE 220V, 16" (WITH STD ACCESSORIES, COMPLETE SET)	PCS		
222	150000000000001185	175074	HOT WATER BOILER 20 LTRS , 220V / 2KW , WITH LEVEL INDICATOR, THERMOSTAT, MCB & ROTARY SWITCH , S.S BODY (WITH STD ACCESSORIES, COMPLETE SET)	PCS		
223	150000000000005008		MIXER 3 JAR 230V 50 HZ	PCS		
224	150000000000001260		SPARE ELEMENT FOR HOT WATER BOILER 20 ,LTRS CAP / 220 V	PCS		
225	150000000000001235	175096	MICROWAVE OVEN 20LTR 220V (WITH STD ACCESSORIES, COMPLETE SET)	PCS		
	CLOTHING (IMPA INDEX					
226	150000000000001802	190101	GLOVES, COTTON WORKING ORDINARY	PRS		1
227	150000000000001803	190102	GLOVES, COTTON WORKING RUBBER COATED PALM	PRS		
228	150000000000001801	190103	GLOVES COTTON WORKING NON-SLIP DOTS	PRS		
229	150000000000006540	190111	GLOVES, WORKING LEATHER PALM GLOVES, ARAMID FIBRE (ASBESTOS	PRS		
230	150000000000001799 1500000000000006541	190115 190122	FREE) GLOVES, RUBBER NATURAL LONG	PRS PRS		
232	150000000000000341	130122	RUBBER HAND GLOVES 14"	PRS		
232	150000000000004688	190132	GLOVES, OIL/ACID RESISTANT, LONG	PRS		1
234	150000000000004091	100102	LATEX RUBBER GLOVES	PRS		
235	150000000000000001732	190211	RUBBER BOOT (WATERPROOF RUBBER CONSTRUCTION WITH CLOTH LINING), SIZE: 25CM	PRS		
236	150000000000006503	190213	RUBBER BOOT (WATERPROOF RUBBER CONSTRUCTION WITH CLOTH LINING), SIZE: 27CM	PRS		

237	150000000000006504	190215	RUBBER BOOT (WATERPROOF RUBBER CONSTRUCTION WITH CLOTH LINING), SIZE: 29CM	PRS	
238	150000000000006505	190216	RUBBER BOOT (WATERPROOF RUBBER CONSTRUCTION WITH CLOTH LINING), SIZE: 30CM	PRS	
239	150000000000006800	190315	SAFETY WORK SHOE, WITH STEEL TOE, SIZE: 25.5CM	PRS	
240	150000000000003992	190316	SAFETY WORK SHOE, WITH STEEL TOE, SIZE: 26CM	PRS	
241	150000000000003993	190318	SAFETY WORK SHOE, WITH STEEL TOE, SIZE: 27CM	PRS	
242	150000000000003994	190320	SAFETY WORK SHOE, WITH STEEL TOE, SIZE: 28CM	PRS	
243	150000000000008435	190415	RAIN SUITS 3 PCS COMPRISED OF JACKET, TROUSER AND HOOD (CLOTH LINED RUBBER), SIZE : 4L	SET	
244	150000000000006553	190431	RAIN COAT WITH HOOD (CLOTH LINED RUBBER), SIZE: MEDIUM	PCS	
245	150000000000006554	190432	RAIN COAT WITH HOOD (CLOTH LINED RUBBER), SIZE: LARGE	PCS	
246	150000000000006555	190432	RAIN COAT WITH HOOD (CLOTH LINED RUBBER), SIZE: EXTRA LARGE	PCS	
247	150000000000001533	190556	BOILERSUIT MEDIUM, 100% COTTON, ORANGE COLOUR, FASTNER TYPE	PCS	
248	150000000000003990	190557	BOILERSUIT LARGE, 100% COTTON, ORANGE COLOUR, FASTNER TYPE	PCS	
249	150000000000003991	190559	BOILERSUIT XL, 100% COTTON, ORANGE COLOUR, FASTNER TYPE	PCS	
250	150000000000001518	-	WOOLEN SOCKS, SIZE : 28 CMS.	PRS	
251	150000000000001520		WOOLEN SERGE JACKET WITH LINING INSIDE, NAVY BLUE FAST COLOUR, SIZE 85 CMS.	PCS	
252	150000000000001522		WOOLEN LOOKOUT COAT (DUFFLE COAT), SIZE:85CM. CONSTRUCTION: KNEE LENGTH LONG OUTER MATERIAL WATER PROOF CLOTH MIXTURE OF NYLON PLUS POLYSTER AND WOOLEN CLOTH LINING IN THE INTERIAOR HOOD CAP WITH ITERIOR WOOLLEN CLOTH LINING. FULL SLEEVES, BUTTON FASTENER	PCS	
253	15000000000001527		WOOLEN JERSEY WITH LINING INSIDE, 95 CMS	PCS	
254	150000000000001528	-	WOOLEN SCARF (MUFLER) 140 CMS. LONG	PCS	
255	150000000000003982	190611	PARKA JACKET, WINTER WINDBREAKER HALF-COAT WITH POLYESTER INNER LINING & HOOD, SIZE: MEDIUM	PCS	
256	150000000000003983	190612	PARKA JACKET, WINTER WINDBREAKER HALF-COAT WITH POLYESTER INNER LINING & HOOD, SIZE: LARGE	PCS	
257	150000000000001523	190614	PARKA JACKET, WINTER WINDBREAKER HALF-COAT WITH POLYESTER INNER LINING & HOOD, SIZE: EXTRA LARGE	PCS	
	OTHERS (IMPA INDEX CO	ODE 21)	MADI INE TARRED DIAM 2MM V		
258	150000000000007022	211402	MARLINE TARRED , DIAM. 3MM X 2.5KGS/BALL MARLINE UNTARRED, DIAM. 3MM X	BALL	
259	150000000000009124	-	2.5KGS/BALL TWINE SEIZING POLYPROPYLENE,	BALL	
260	150000000000006696	211421	2.5KG/BALL	BALL	
261	150000000000006691	211434	SAIL TWINE COTTON WAXED 225GRM WIRE ROPE SLING, GSW (6 X 24),	BALL	+
262	150000000000006699	214501 (a)	THIMBLE-LOOP, DIAM.12 MM X 2 MTRS LENGTH, WITH TEST CERT.	PCS	
263	150000000000006700	214501 (b)	WIRE ROPE SLING, GSW (6 X 24), THIMBLE-LOOP, DIAM.18 MM X 2 MTRS LENGTH, WITH TEST CERT.	PCS	
264 265	15000000000001657 150000000000001658		THIMBLE, G.I, DIA - 16MM THIMBLE, G.I, DIA - 22MM	PCS PCS	
200		GENERAL DE	ECK ITEMS (IMPA INDEX CODE 23)	1.03	
266	1500000000000009720	230153	SHACKLE STRAIGHT EYE BOLT, UNGALV JIS-SC 10MM SWL 0.6TON	PCS	
267	150000000000006712	230154	SHACKLE STRAIGHT EYE BOLT, UNGALV	PCS	
268	150000000000006714	230156	JIS-SC 12MM SWL 0.9TON SHACKLE STRAIGHT EYE BOLT, UNGALV	PCS	
					•

			JIS-SC 16MM SWL 1.5TON			
269	150000000000009721	230157	SHACKLE STRAIGHT EYE BOLT, UNGALV JIS-SC 18MM SWL 2.0TON	PCS		
270	150000000000006713	230159	SHACKLE STRAIGHT EYE BOLT, UNGALV JIS-SC 22MM SWL 3.0TON	PCS		
271	150000000000006715	230161	SHACKLE STRAIGHT EYE BOLT, UNGALV JIS-SC 26MM SWL 4.2TON	PCS		
272	150000000000006716	230163	SHACKLE STRAIGHT EYE BOLT, UNGALV JIS-SC 30MM SWL 5.4TON	PCS		
273	150000000000006717	230165	SHACKLE STRAIGHT EYE BOLT, UNGALV JIS-SC 34MM SWL 7.0TON	PCS		
274	15000000000001660		ALLOY STEEL DEE SHACKLE SWL - 5 TONS, WITH IDLR T.C.	PCS		
275	15000000000001661		ALLOY STEEL DEE SHACKLE SWL - 3 TONS, WITH IDLR T.C	PCS		
276	150000000000001662		ALLOY STEEL DEE SHACKLE SWL - 2 TONS, WITH IDLR T.C	PCS		
277	15000000000001663		ALLOY STEEL DEE SHACKLE SWL - 1 TONS, WITH IDLR T.C	PCS		
278	15000000000001672		DEE SHACKLE,MS,GALV,SWL:0.5 TON,WITH T.C	PCS		
279	15000000000001673		DEE SHACKLE,MS,GALV,SWL:1 TON,WITH T.C.	PCS		
280	150000000000001674		DEE SHACKLE,MS,GALV,SWL: 2 TON,WITH T.C.	PCS		
281	150000000000001675		DEE SHACKLE,MS,GALV,SWL:3 TON,WITH T.C.	PCS		
282	15000000000001676		DEE SHACKLE,MS,GALV,SWL:4 TON,WITH T.C.	PCS		
283	150000000000001677		DEE SHACKLE,MS,GALV,SWL:5 TON,WITH T.C.	PCS		
284	150000000000007813		DEE SHACKLE,SCREW PIN,FS,GALV,SWL:0.5TON	PCS		
285	150000000000007817		DEE SHACKLE,SCREW PIN,FS,GALV,SWL:2 TON	PCS		
286	15000000000001664	230818	BULL DOG GRIP, MS, GALVANIZED, DIA - 8 MM	PCS		
287	150000000000001665		BULL DOG GRIP, MS, GALVANIZED, DIA - 10 MM	PCS		
288	150000000000001666	230820	BULL DOG GRIP, MS, GALVANIZED, DIA - 12 MM	PCS		
289	150000000000001667	230821	BULL DOG GRIP, MS, GALVANIZED, DIA - 16 MM	PCS		
290	150000000000001668	230822	BULL DOG GRIP, MS, GALVANIZED, DIA - 18 MM	PCS		
291	150000000000001669	230823	BULL DOG GRIP, MS, GALVANIZED, DIA - 22 MM	PCS		
292	150000000000007005	230865	WIRE CLIP DROP-FORGED JIS-FR, BLACK 16MM	PCS		
293	150000000000006181	231136	CHAIN STOPPER, 8MM DIA CHAIN, LENGTH 2 MTRS	PCS		
294	150000000000007992	231140	CHAIN STOPPER, 16MM DIA CHAIN, LENGTH 2 MTRS	PCS		
295	150000000000006703	232121	BOATSWAIN'S CHAIR, L 620 X W 160 X T 25MM WITH 20MM DIA ROPE	SET		
296	150000000000001644	232151	CARGO NET SLING , POLYPROPLENE ROPE , 16 MM INNER ROPE , 24 MM OUTER ROPE , MESH 200MM X 200MM , SIZE: 10 FT X 10 FT	PCS		
297	15000000000001643	232152	CARGO NET SLING , POLYPROPLENE ROPE , 16 MM INNER ROPE , 24 MM OUTER ROPE , MESH 200MM X 200MM , SIZE: 12 FT X 12 FT	PCS		
298	15000000000007829	232161	GANGWAY SAFETY NET, POLYPROPYLENE, SIZE: 5 X 10 MTRS, MESH SIZE: 150MM, RIM ROPE DIAM. 10MM, MESH ROPE DIAM. 8MM.(WITH ROPE T.C)	SHT		
299	150000000000007827	232162	GANGWAY SAFETY NET, POLYPROPYLENE, SIZE: 4 X 16 MTRS, MESH SIZE: 150MM, RIM ROPE DIAM. 10MM, MESH ROPE DIAM. 8MM.(WITH ROPE T.C)	SHT		
300	15000000000001821		GANGWAY NET 18MTR X 8 MTR,6MM P.P.ROPE,MESH SIZE 100MMX100MM	PCS		
301	15000000000001647	232191	NYLON SLING, BELT TYPE, 25MM X 3 MTRS, SWL 0.5 TON	PCS		
302	150000000000001648	232191	NYLON SLING, BELT TYPE, 50MM X 2	PCS		

		•			1	
			MTRS, SWL 1 TON			
303	150000000000001650	232191	NYLON SLING, BELT TYPE, 50MM X 6 MTRS, SWL 1 TON	PCS		
			NYLON SLING, BELT TYPE, 100MM X 2			
304	150000000000001651	232191	MTRS, SWL 2 TON	PCS		
305	150000000000008659		NYLON SLING, BELT TYPE, 150MM X 5	PCS		
			MTRS, SWL 3 TON WIRE SLING 1 MTRS LONG, SWL 1 T (
306	15000000000005157		WITH TEST CERTIFICATE)	PCS		
207	45000000000004540		WIRE SLING 2 MTRS LONG, SWL 1 T (PCS		
307	150000000000004512		WITH TEST CERTIFICATE)	PUS		
308	150000000000005155		WIRE SLING 2 MTRS LONG, SWL 5 T (PCS		
			WITH TEST CERTIFICATE) CANVAS COTTON WHITE NO.4. 915MM			
309	150000000000006718	232203	WIDTH	MTR		
0.40	4=0000000000000000000000000000000000000		WATERPROOF COTTON CANVAS, NO.4,			
310	150000000000007833	232211	WIDTH 915 MM,1.23MM THICK, 940 GRAM/SQ MTR	MTR		
044	450000000000004070	000050	HATCH TARPAULIN PVC HEAVY DUTY,	D00		
311	150000000000001679	232258	WITH EYELETS, SIZE: 4 MTRS X 4 MTRS	PCS		
312	150000000000008817	232261	SAIL MAKERS LEATHER PALMS, RIGHT	PCS		
			HAND USE SAIL MAKERS NEEDLE, NO.14, O'ALL			
313	150000000000007003	232268	LENGTH 75MM	PCS		
314	15000000000001726		SAIL NEEDLE, S.S. TRIANGULAR	PCS		
315	15000000000001720	232268	ROPING NEEDLE	PCS		
316	150000000000001710	232288	EYELET BRASS, SIZE - NO.30	DOZ		
317	150000000000001711	232289	EYELET BRASS, SIZE - NO.32	DOZ		
318	150000000000006766	232324	WOOD HAND FIDS, LENGTH 300 MM	PCS		
319	150000000000001718		MARLINE SPIKE, WOOD , SIZE - 30 CM	PCS		
320	150000000000007944	232334	STEEL MARLINE SPIKE, LENGTH 200MM	PCS		
321	150000000000001717	232334	STEEL MARLINE SPIKE, LENGTH 300MM	PCS		
322	15000000000001719	232336	STEEL MARLINE SPIKE, LENGTH 400MM	PCS		
323	150000000000001724	232362	RAT GUARD, DIAM. 600MM FOR 65MM DIAM ROPE	PCS		
204	4500000000000004000	000404	TYRE FENDER, USED TEMPO / TRUCK	DOG		
324	150000000000001699	232421	TYRE	PCS		
325	150000000000001701		CHAIN FOR TYRE FENDER, M.S., DIA	MTR		
326	150000000000004495	232422	10MM USED BICYCLE INTERIOR TUBE	PCS		
			HATCH COVER TAPE, W152MM X 2MM X			
327	150000000000006782	232446	20MTR, 2ROLL/BOX	BOX		
328	15000000000001709		DUCTING TAPE, SIZE 2"	FT		
329	150000000000007896		PVC ADHESIVE TAPE 0F 75MM WIDTH,	ROLL		
330	150000000000001713		50 MTR/ROLL HALYARD SHACKLE, S.S. FOR FLAG	PCS		
			MANDAL FAIRLEAD SHACKLES, SS, NOM			
331	150000000000005516	211157	B/S 120 TONS, WITH TEST CERTIFICATE	PCS		
332	150000000000001731	232483	SCUPPER PLUG 65MM DIAM X 65 MM	PCS		
	.3000000001101		LENGTH, DRAIN PIPE SIZE 3", SCH 40	. 50		
333	150000000000007850	232483	SCUPPER PLUG 65MM DIAM X 65 MM LENGTH, DRAIN PIPE SIZE 3", SCH 60	PCS		
224	15000000000007952	222402	SCUPPER PLUG 65MM DIAM X 65 MM	PCS		
334	150000000000007852	232483	LENGTH, DRAIN PIPE SIZE 3", SCH 80	703		
335	150000000000001732	232485	SCUPPER PLUG 90MM DIAM X 65 MM	PCS		
			LENGTH, DRAIN PIPE SIZE 4", SCH 40 SCUPPER PLUG 90MM DIAM X 65 MM			
336	150000000000007856	232485	LENGTH, DRAIN PIPE SIZE 4", SCH 80	PCS		
337	150000000000006165	-	TAPERED WOODEN PLUGS DIA 1"	PCS		
338	150000000000006166	-	TAPERED WOODEN PLUGS DIA 2"	PCS		
339	150000000000006167	-	TAPERED WOODEN PLUGS DIA 3"	PCS		
340	150000000000006168	-	TAPERED WOODEN PLUGS DIA 4"	PCS		
341	150000000000002951	232601	OIL FUNNEL, GALVANIZED, DIAM. 100MM	PCS		
342	150000000000006693	232603	OIL FUNNEL, GALVANIZED, DIAM. 150MM	PCS		
343	150000000000002952	000700	OIL FUNNEL, GALVANIZED, DIAM. 200MM	PCS		
344	1500000000000007002	232760	NAIL COMMON WIRE 50MM	KG		
345	150000000000003805	232901	WASTE, COTTON WHITE, STERILIZED RAGS, WHITE 100% COTTON,	KG		
346	15000000000003806	232907	STERILIZED	KG		
347	150000000000001721		GUNNY BAG NEW, SIZE 4 FT X 2.5 FT	PCS		
348	150000000000004516	232941	GUNNY BAG 4FT X 2.5FT, USED	PCS		
349	150000000000006259	232942	DRUM, USED, 200 LTR - SPARK PROOF	PCS		
350	150000000000006204	232946	SAWDUST, 10KGS/BAG	BAG		
351	15000000000001736	232950	SILICA SAND, BAG OF 50 KGS	BAG		

150000000000000135 232962 CEMENT GUICK PRY, 49KS9RAG BAG	352	150000000000006201	232951	CEMENT PORTLAND, 40KGS/BAG	BAG	
355						
15000000000000000000000000000000000000	354	15000000000001747	232954		KG	
150000000000000002872 239857 VIT 300GMSQ MTR	355	150000000000006676	232973		KG	
	356	150000000000006702	232987	_ , , , , , , , , , , , , , , , , , , ,	MTR	
1500000000000002411 INTERNAL / EXTERNAL CIRCLIP SIZE: 8	357	150000000000007004	233657		PCS	
1500000000000002411 MTERNAL / EXTERNAL CIRCLE SIZE: 8 PCS	358	150000000000002930	-		PKT	
15000000000002413 INTERNAL / EXTERNAL CIRCLIP SIZE: 10 PCS	359	150000000000002411		INTERNAL / EXTERNAL CIRCLIP SIZE: 8	PCS	
15000000000002418 MINTERNAL / EXTERNAL CIRCLE 932E: 15 PCS	360	150000000000002413		INTERNAL / EXTERNAL CIRCLIP SIZE: 10	PCS	
15000000000002935	361	150000000000002418		INTERNAL / EXTERNAL CIRCLIP SIZE: 15	PCS	
15000000000002336	362	150000000000002935	-	CANE FOR BOILER TUBE CLEANING, 3	PCS	
15000000000002937	363	150000000000002936	-	CANE FOR BOILER TUBE CLEANING, 4	PCS	
15000000000002938	364	150000000000002937	-	CANE FOR BOILER TUBE CLEANING, 5	PCS	
MM OD LEN'S MINS			_	CANE FOR BOILER TUBE CLEANING, 6		
Month Colon Colo			_	CANE FOR BOILER TUBE CLEANING, 7		
Month Colon Colo			-			
Section Container Lashing Loose Fittings Turnsbuckle Single Bar MBL—65TONS TURNSbuckle DOUBLE Bar MBL—65TONS (TENSION 258KN) PCS TURNSbuckle TO ELT-559 TURNSbuckle TO ELT			-			
150000000000003817 231836 TURNBUCKLE SINGLE BAR MBL=65TONS TURNBUCKLE SINGLE BAR MBL=65TONS TURNBUCKLE DOUBLE BAR TURNBUCKLE CLUCH SOUDCOTIN TURNBUCKLE CLUCH SOUDCOTIN TURNBUCKLE DOUBLE BAR TURNBUCKLE CLUCH SOUDCOTIN TURNBUCKLE DOUBLE BAR TURNBUCK CLUCH SOUDCOTIN TURNBUCKLE CLUCH SOUDCOTIN TURNBUCK CLE CLUCH SOUDCOTIN TURNBUCK CLUCH SOUDCOTIN TURNBUCK CLE CLUCH SOUDCOTIN TURNBUCK CLUCH SOUDCOTIN TURNBUCK CLUCH SOUDCOTIN TURNBUCKLE CLUCH SOUDCOTIN TURNBUCK CLUCH SOUDCOTIN TURNBUCK CLUCH SOUDCOTIN TURNBUCK CLUCH SOUDCOTIN TURNBUCK CLOR SOUDCOTIN TURNBUCK CLOR SOUDCOTIN TURNBUCK CLOR SOUDCOTIN TURNBUCK CR	368		<u>-</u>	MM O.D. LEN 3 MTRS	PCS	
368		CONTAINER LASHING LO	OOSE FITTING			
370	369	15000000000003817	231836	(TENSION 180 KN) (EQUIVALENT TO ELT-	PCS	
371	370	150000000000003818	231837	MBL=65 TONS (TENSION 258KN) (EQUIVALENT TO ELT-55)	PCS	
15000000000003813	371	150000000000003816	231851	LOAD LENGTH 4700 MM. WITH FLEXIBLE HOOK	PCS	
373 15000000000006975 251284 PAINT SPRAY MARKING, LACQUER ENAMEL COLOR 300CC/TIN TIN	372	150000000000003813		LOAD LENGTH 2300 MM. WITH FLEXIBLE	PCS	
373 1500000000000979 251284 ENAMEL COLOR 300CC/TIN TIN		PAINT SPRAY / MARKER	/ REMOVER	(IMPA INDEX CODE 25)		
374 15000000000005200	373	150000000000006975	251284		TIN	
375	27/	150000000000005200			DCS	
376						
377 1500000000007764 251466 FISH OIL			251432	` ,		
STATE STAT	377		251466	FISH OIL	LTR	
HOSE & COUPLINGS (IMPA INDEX CODE 35) 379	378	150000000000005124	251701		KG	
1500000000000006239 350103 HOSE AIR RUBBER MOULDED & BRAIDED CONSTRUCTION 10KG MTR 12MMX2B HOSE AIR RUBBER MOULDED & BRAIDED CONSTRUCTION 10KG MTR 19MMX2B HOSE AIR RUBBER MOULDED & BRAIDED CONSTRUCTION 10KG MTR 19MMX2B HOSE AIR RUBBER MOULDED & BRAIDED CONSTRUCTION 10KG MTR 1500000000000007748 350106 BRAIDED CONSTRUCTION 10KG MTR 25MMX2B HOSE AIR RUBBER MOULDED & BRAIDED CONSTRUCTION 7KG MTR 150000000000006240 350109 BRAIDED CONSTRUCTION 7KG MTR 50MMX3B RUBBER HOSE FOR AIR 12.5MM ID, PRESSURE: 7Kg/Cm2 RUBBER HOSE FOR AIR 25MM ID, PRESSURE: 7Kg/Cm2 RUBBER HOSE FOR AIR 25MM ID, PRESSURE: 7Kg/Cm2 RUBBER WATER HOSE,12MM ID, MOULDED/BRAIDED MTR 150000000000001848 HOSE WATER RUBBER CORRUGATED, SKG 12MMX2B HOSE WATER RUBBER CORRUGATED, SKG 19MMX2B MTR	070			_	1.0	
379		HUSE & COUPLINGS (IM	PA INDEX CO	,		
150000000000006760 350105 HOSE AIR RUBBER MOULDED & BRAIDED CONSTRUCTION 10KG MTR 19MMX2B HOSE AIR RUBBER MOULDED & BRAIDED CONSTRUCTION 10KG MTR 25MMX2B HOSE AIR RUBBER MOULDED & BRAIDED CONSTRUCTION 10KG MTR 25MMX2B HOSE AIR RUBBER MOULDED & BRAIDED CONSTRUCTION 7KG MTR	379	150000000000006239	350103	BRAIDED CONSTRUCTION 10KG	MTR	
381 15000000000007748 350106 BRAIDED CONSTRUCTION 10KG MTR 25MMX2B	380	150000000000006760	350105	HOSE AIR RUBBER MOULDED & BRAIDED CONSTRUCTION 10KG 19MMX2B	MTR	
382 150000000000006240 350109 BRAIDED CONSTRUCTION 7KG 50MMX3B MTR 383 1500000000000004143 RUBBER HOSE FOR AIR 12.5MM ID, PRESSURE : 7Kg/Cm2 MTR 384 150000000000004159 RUBBER HOSE FOR AIR 25MM ID, PRESSURE : 7Kg/Cm2 MTR 385 15000000000001848 RUBBER WATER HOSE,12MM ID, MOLLDED/BRAIDED MTR 386 150000000000006761 350141 HOSE WATER RUBBER CORRUGATED, 5KG 12MMX2B MTR 387 1500000000000006238 350143 HOSE WATER RUBBER CORRUGATED, 5KG 19MMX2B MTR	381	150000000000007748	350106	BRAIDED CONSTRUCTION 10KG	MTR	
383 150000000000004143 PRESSURE : 7Kg/Cm2 MTR 384 150000000000004159 RUBBER HOSE FOR AIR 25MM ID, PRESSURE : 7Kg/Cm2 MTR 385 150000000000001848 RUBBER WATER HOSE,12MM ID,MOULDED/BRAIDED MTR 386 15000000000006761 350141 HOSE WATER RUBBER CORRUGATED, 5KG 12MMX2B HOSE WATER RUBBER CORRUGATED, 5KG 19MMX2B HOSE WATER RUBBER CORRUGATED, 5KG 19MMX2B MTR 387 150000000000000238 350143 HOSE WATER RUBBER CORRUGATED, 5KG 19MMX2B MTR	382	150000000000006240	350109	BRAIDED CONSTRUCTION 7KG 50MMX3B	MTR	
384 15000000000001159 RUBBER HOSE FOR AIR 25MM ID, PRESSURE : 7Kg/Cm2 MTR	383	150000000000004143			MTR	
385 1500000000001848 RUBBER WATER HOSE,12MM ID,MOULDED/BRAIDED MTR	384	150000000000004159		RUBBER HOSE FOR AIR 25MM ID,	MTR	
386 150000000000006761 350141 HOSE WATER RUBBER CORRUGATED, 5KG 12MMX2B MTR 387 150000000000006238 350143 HOSE WATER RUBBER CORRUGATED, 5KG 19MMX2B MTR	385	15000000000001848		RUBBER WATER HOSE,12MM	MTR	
387 15000000000006238 350143 HOSE WATER RUBBER CORRUGATED, MTR	386	150000000000006761	350141	HOSE WATER RUBBER CORRUGATED,	MTR	
	387	150000000000006238	350143		MTR	
	388	150000000000006762	350144		MTR	

	T		I	1	
			5KG 25MMX2B		
389	150000000000008852	350147	HOSE WATER RUBBER CORRUGATED, 5KG 50MMX2B	MTR	
390	150000000000006764	350176	P.V.C. WATER SUCTION / DELIVERY HOSE, I.D.76.2MM O.D.85MM, WORKING PRS. 3.5KGF/CM2	MTR	
391	150000000000006763	350253	HOSE STEAM RUBBER 4KG 19MM, TEMP MIN 120 DEGREE CENTIGRADE	MTR	
392	150000000000006758	350326	HOSE PVC TETORON REINFORCED, ID- 12 X OD-18MM 10KG	MTR	
393	1500000000000006235	350328	HOSE PVC TETORON REINFORCED, ID- 19 X OD-26MM 8KG	MTR	
394	150000000000006236	350329	HOSE PVC TETORON REINFORCED, ID- 25 X OD-33MM 8KG	MTR	
395	150000000000006237	350331	HOSE PVC TETORON REINFORCED, ID- 38 X OD-48MM 7KG	MTR	
396	150000000000006759	350332	HOSE PVC TETORON REINFORCED, ID- 50 X OD-62MM 7KG	MTR	
397	150000000000001723	370204	CLOCK MARINE QUARTZ 200MM DIA	PCS	
398	150000000000004482	370309	SOUNDING ROD BRASS 5-FOLDED, SQUARE METRIC & INCH, 1MTR LENGTH.	PCS	
399	150000000000002383		SOUNDING TAPE, CARBON STEEL, WITH BRASS BOB, 15 MTRS LENGTH	PCS	
400	150000000000004477		SOUNDING TAPE, STAINLESS STEEL, WITH BRASS BOB, 30 MTRS LENGTH, WITH EMBOSSING.	PCS	
401	150000000000007890		CHAIN (BOTH END HOOK) FOR SOUNDING PIPE, CAP OF MATERIAL STAINLESS STEEL / BRASS.	PCS	
	PETROLEUM PRODUCTS	S ((IMPA INDE			
402	150000000000005368	450111	HIGH SPEED DIESEL	LTR	
403	150000000000000000000000000000000000000	450106	KEROSENE OIL	LTR	
404	1500000000000008330	450325	ANTIFREEZE LIQUID (GLYCOL)	LTR	
405	150000000000001903	450341	GREASE WIRE ROPE	KG	
406	1500000000000006995	450422	PENETRATING OIL, FERRYL RUST OIL	LTR	
407	150000000000007768	450512	MOLYKOTE G-N, 1KG/CAN	CAN	
408	150000000000007052	450514	G-RAPID AEROSOL SPRAY, MOLYKOTE, 330 ML /TIN	TIN	
409	15000000000001883	450520	ANTISEIZE AEROSOL, 1000, MOLYKOTE , 300ML/TIN	TIN	
410	150000000000005117	450522	MOLYKOTE 1000, 1KG/CAN	KG	
411	150000000000001886	450514	MOLYBEDENUM DISULPHIDE SPRAY, G- RAPID, MOLYKOTE, 330ML/TIN	TIN	
412	15000000000001887	450541	MOLYBEDENUM DISULPHIDE SPRAY, MOLYTACK,, 360ML/TIN	TIN	
413	150000000000007051	450564	ANTI-SEIZE COMPOUND	KG	
414	15000000000001904	450566	MOLYSLIP, COPASLIP (454 GRMS TIN)	TIN	
415	150000000000007910	450621	ELECTRIC CONTACT CLEANER & LUB., SPRAY KRYLON NO.1351 10 OZ/TIN	TIN	
416	150000000000004194		ELECTRIC CLEANER, VAPOURISING TYPE, 100ML/CAN	CAN	
417	1500000000000009134	450702	LUBRICANT WD-40 SPRAY 360ML / CAN	CAN	
418	150000000000006858	450841	LEAK DETECTION SPRAY, 400ML/TIN	TIN	
419	150000000000002703	450931- 33	CRACK DETECTION KIT (PENETRATING TYPE), SET OF 3 PCS - CRC CRICK 110 500ML, CRC CRICK 120 500ML & CRC CRICK 130 500ML	SET	
420	150000000000004197	450935	RUST REMOVER CRC 250ML/TIN	TIN	
421	150000000000007766		RUST REMOVER, 25 LTR/CAN	CAN	
422	15000000000001899		RUST SOLVENT, RUSTOLENE	LTR	_
423	15000000000001889	795521 / 23	INSULATION VARNISH SPRAY, RED / CLEAR, 300 CC/TIN	TIN	
424	150000000000001892	-	3 IN 1 OIL (MULTIPURPOSE) 50 ML/BOTTLE	BTL	
	STATIONERY (IMPA INDE	EX CODE 47)			
425	260000000000000802	470105	NOTEBOOK HARD COVERED A-4, 296X220MM, 200 PAGE/VOL	VOL	
426	260000000000000146		REGISTER , RULED, F.S. SIZE, 60 GSM, 100 PAGES	PCS	
427	2600000000000000904	-	REGISTER, RULED, F.S. SIZE, (4 QUIRE	PCS	
			OF 72 PAGES EACH), 60 GSM		
428	2600000000000000892	-	REGISTER , RULED, F.S. SIZE, (6 QUIRE OF 72 PAGES EACH), 60 GSM REGISTER , RULED, F.S. SIZE, 70 GSM,	PCS	

430	260000000000000157	470127	PAPER PAD , 8" X 5.7" X 100 PAGES , PERFORATED, RULED	PAD			
431	260000000000000166		PAPER WEIGHT 500 GRMS	PCS			
432	2600000000000000813	470134	MEMORANDUM PAD B-6 177X125MM	PAD			
433	2600000000000000801	470194	CARBON PAPER, A4, 216MM X 330MM, BLACK, 100'S/BOX	вох			
434	2600000000000000804	470201	FILE, HARD COVER, WITH ARCH HOLDER & FASTENER, 307X282X85MM, "A-Z"	PCS			
435	260000000000000803	470216	FILE SEMI-HARD COVER WITH SPRING, CLIP A-4S, 307X225X30MM	PCS			
436	260000000000000818	470297	POUCH FILM FOR LAMINATOR, A-4 (216X303MM) 100'S/PKT	PKT			
437	260000000000000817	470299	POUCH FILM FOR LAMINATOR, A-3 (303X426MM) 100'S/PKT	PKT			
438	260000000000000906	470375	PLASTIC FOLDER , WITH CLEAR POUCHES (50 NOS.) FOR CERTIFICATES	PCS			
439	260000000000000152		PLASTIC PAPER TRAY WITHOUT STAND	PCS			
440	260000000000000902		PLASTIC LAMINA MORROCO FOLDER F/S.	PCS			
441	260000000000000131		AIRMAIL ENVELOPE 9.5" X 4.5", 70 GSM, PRINTED	PCS			
442	260000000000001320		PAPER ENVELOPE, 11" X 5", 90 GSM, WHITE/BROWN/BUFF/GREEN	PCS			
443	260000000000001321		CLOTH ENVELOPE, 10" X 14.5", 90 GSM, WHITE/BROWN/BUFF/GREEN	PCS			
444	26000000000000134		PAPER ENVELOPES, 10" X 14.5", 90 GSM, WHITE/BROWN/BUFF/GREEN	PCS			
445	260000000000000171		CLOTH ENVELOPE, 16" X 12", 90 GSM, WHITE/BROWN/BUFF/GREEN	PCS			
446	260000000000000126		PAPER ENVELOPE, 12" X 9", 90 GSM, WHITE/BROWN/BUFF/GREEN	PCS			
447	260000000000000148		PAPER ENVELOPE, 6" X 4", 90 GSM, WHITE/BROWN/BUFF/GREEN	PCS			
448	260000000000001327		PAPER ENVELOPE, 9" X 4", 90 GSM, WHITE/BROWN/BUFF/GREEN	PCS			
449	260000000000001040		PAPER ENVELOPE, 9.5" X 4.5", 90 GSM, WHITE/BROWN/BUFF/GREEN	PCS			
450	260000000000000795	470503	PENCIL HB WITHOUT RUBBER TIP, OFFICE USE	PCS			
451	260000000000000794	470505	PENCIL 2B WITHOUT RUBBER TIP, OFFICE USE	PCS			
452	260000000000000620		COLOUR PENCIL (PACKETS OF 12 NOS)	PACK			
453	260000000000000798	470544	PENCIL SHARPENER, DESK FIXTURE	PCS			
454	260000000000000176	- 470570	PENCIL SHARPNER , SMALL, LONG POINT	PCS			
455	260000000000000161	470573	STAMP PAD, FULL SIZE, PURPLE	PCS			
456 457	260000000000000198 2600000000000000778	470601-	INK FOR STAMP PAD 30 ML BALL-POINT PEN BLUE / RED / BLACK /	PCS PCS			
	260000000000000784	04 470611-	GREEN BALL-POINT PEN, WATER-SOLUBLE, TIP				
458	260000000000000771	13 470641-	0.2MM, BLACK / RED / BLUE MEDIUM THICK FELT MARKER PEN,	PCS			
459	260000000000000773	44 470671-	BLACK / RED / BLUE / GREEN FLUORESCENT HIGH LIGHTER MARKER	PCS		1	
460		470671- 75	PEN, BLUE / PINK / YELLOW / GREEN / ORANGE	PCS			
461	2600000000000000090		PERMANENT MARKER PEN	PCS	<u> </u>		
462	260000000000000102		SKETCH PENS, ASSORTED COLOURS (Pack of 12 Pcs)	PACK			
463	260000000000000860	470741	ROTRING PEN INK, BLACK, 23ML/BTL	BTL			
464	260000000000000842	470752	ROTRING ISOGRAPH PEN, COMPLETE, DRAWING THICKNESS 0.13MM	PCS			
465	260000000000000274		CHART CORRECTING PEN (PURPLE, NIB- 0.20 MM, ROTRING ISOGRAPH)	PCS			
466	260000000000000850	470755	ROTRING ISOGRAPH PEN, COMPLETE, DRAWING THICKNESS 0.25MM	PCS			
467	260000000000000265		PENCIL CHART 2B	PCS	- 		
468	260000000000000797	470861	PLASTIC PENCIL ERASER LARGE FOR CHARTROOM/OFFICE	PCS			
469	260000000000000796	470864	RUBBER PENCIL ERASER MEDIUM FOR OFFICE	PCS			
470	260000000000000883	470872	CORRECTION FLUID, OIL BASED, QUICK DRY, 6ML	PCS			
471	26000000000000118	471002	SCISSOR PAPER,STAINLESS STEEL, OVER ALL LENGTH 155MM	PCS			

AFT 280000000000000153			1	T		1	1	
AFF	472	260000000000000084	471011	PAPER CUTTER, 9MM BLADE	PCS			
476 28000000000000130	473	260000000000000800	471021	OF HOLE 2	PCS			
477 20000000000000159	474	260000000000000155			PCS			
### ###	475		471082					
478 2800000000000000739	476	260000000000000169						
179 20000000000000158 471101 47	477	260000000000000785	471092		PCS			
480 26000000000000088 471105 STAPLE PIN X6L BOX OF 1000PINS PKT	478	260000000000000799	471101		PCS			
481 260000000000000088	479	260000000000000158	471102	STAPLERS LARGE DESK TYPE 24/6	PCS			
AB2 26000000000000766	480	260000000000000097	471105	STAPLE PIN NO.10 HAND TYPE, 1000/PKT	PKT			
483 26000000000000173	481	260000000000000098	471106	STAPLE PIN 24/6, BOX OF 1000PINS	PKT			
495	482	260000000000000766	471112		вох			
485 26000000000000133	483	260000000000000173	-	PIN CUSHION, VELVATE	PCS			
486	484	260000000000000884	471113	DRAWING PINS (METAL), 100'S/BOX	BOX			
Mathematical Program	185	260000000000000133	/71118		BOX			
487 2600000000000103				PAPER CLIPS, NO.10, 50MM (100				
Mars								
ASSISTANCE ASS								
490	488			25MM				
491 26000000000000870	489	260000000000000816	471142	FOLD BACK CLIP 25MM	PCS			
492 26000000000000142 RUBBER BAND 4", ASSORTED, 100GRM/PACKET PKT 493 2600000000000000767 471251 CELLOPHANE TAPE, 12MM X 35 MTR ROLL 494 26000000000000000000000000000000000000	490	260000000000001331	471143	BINDER CLIPS (BOX OF 12 NOS.), 35MM	BOX			
493 260000000000000767 471251 CELLOPHANE TAPE, 12MM X 35 MTR ROLL	491	260000000000000870	471155	BINDER CLIPS (BOX OF 12 NOS.), 51MM	BOX			
493 26000000000000000767 471251 CELLOPHANE TAPE, 12MM X 35 MTR ROLL 496 260000000000000000907 - CELLOPHANE TAPE, 18MM X 35 MTR ROLL 496 26000000000000000909 471253 MTRS. ROLL 497 260000000000000011 - CELLO TAPE, 2" WIDTH, ROLL OF 50 MTRS. ROLL 498 260000000000000861 471273 KRAFT PAPER SEALING TAPE, WIDTH SOMM, LENGTH BOMTR/ROLL ROLL 499 260000000000000014 471321 POST-IT MEMO 14X75MM, 100°S X PKT PKT 500 2600000000000000137 471367 MTRS. EACH 501 260000000000000075 471641 ERASER FOR WHITEBOARD PCS 502 26000000000000765 471641 ERASER FOR WHITEBOARD PCS 503 26000000000000019 471834 BATTERY & AC220V S-2 PCS 504 26000000000000019 471831 CALCULATOR DESK-TOP 12 DIGIT, BATTERY & AC220V S-2 PCS 505 260000000000000769 471851 CALCULATOR SCIENTIFIC PCS 505 2600	492	260000000000000142		100GRM/PACKET	PKT			
495 2600000000000000000000000000000000000	493	260000000000000893		100GRM/PACKET	PKT			
496 26000000000000999	494	260000000000000767	471251		ROLL			
496	495	260000000000000907	-		ROLL			
MTRS. ROLL	496	2600000000000000909	471253	MTRS.	ROLL			
498 26000000000000661 4712/3 50MM, LENGTH 50MTR/ROLL ROLL	497	260000000000000911	-	MTRS.	ROLL			
APAD/PKT	498	260000000000000861	471273	50MM, LENGTH 50MTR/ROLL	ROLL			
S00	499	260000000000000814	471321	4PAD/PKT	PKT			
502 260000000000000765 471641 ERASER FOR WHITEBOARD PCS 503 2600000000000000783 471645- 48 WHITE BOARD MARKER BLUE / RED / GREEN / BLACK PCS 504 2600000000000000819 471834 GALCULATOR DESK-TOP 12 DIGIT, BATTERY & AC220V S-2 PCS 505 26000000000000000830 471851 CALCULATOR SCIENTIFIC PCS 506 2600000000000000768 472186 COPY PAPER PLAIN A-4 500SHT/PKT PKT 507 2600000000000000769 472188 COPY PAPER PLAIN A-3 500SHT/PKT PKT 508 260000000000000121 - PHOTOCOPIER PAPER FS, 500SHT/REAM, 75 GSM PKT 509 26000000000000000 - RULED PAPER, DOUBLE SIDED, F.S SIZE, 60 GSM (PACK OF 12 PCS) PKT 510 26000000000000062 472656 CONTINUOUS STATIONERY), 1/3 LINED PER INCH, 9" X 11", 1PLY, 2000 SHEET/CASE CASE 511 260000000000000000 472681 PENDRIVE 64 GB PCS 513 260000000000000111 - RUBBER STAMP- SHIP'S NAME				MTRS.				
503 260000000000000783 471645- 48 WHITE BOARD MARKER BLUE / RED / GREEN / BLACK PCS 504 260000000000000019 471834 BALTERY & AC220V S-2 PCS 505 26000000000000000830 471851 CALCULATOR SCIENTIFIC PCS 506 260000000000000768 472186 COPY PAPER PLAIN A-4 500SHT/PKT PKT 507 260000000000000090 472188 COPY PAPER PLAIN A-3 500SHT/PKT PKT 508 260000000000000121 - PHOTOCOPIER PAPER FS, 500SHT/REAM, 75 GSM PKT 509 26000000000000000662 - RULED PAPER, DOUBLE SIDED, F.S PKT 510 260000000000000062 472656 PKT CONTINUOUS STATIONERY), 1/3 LINED PER INCH, 9" X 11", 1PLY, 2000 CASE 511 26000000000000000000000000000000000000								
S03	502				PCS			
S04 26000000000000819 471834 BATTERY & AC220V S-2 PCS	503	260000000000000783		GREEN / BLACK	PCS			
506 260000000000000768 472186 COPY PAPER PLAIN A-4 500SHT/PKT PKT 507 2600000000000000769 472188 COPY PAPER PLAIN A-3 500SHT/PKT PKT 508 2600000000000000121 - PHOTOCOPIER PAPER FS, 500SHT/REAM, 75 GSM PKT 509 2600000000000000 - RULED PAPER, DOUBLE SIDED, F.S SIZE, 60 GSM (PACK OF 12 PCS) PKT 510 26000000000000000862 472656 PG GSM (PACK OF 12 PCS) PKT 510 26000000000000000000000000000000000000				BATTERY & AC220V S-2				
507 2600000000000000000121 472188 COPY PAPER PLAIN A-3 500SHT/PKT PKT 508 2600000000000000121 - PHOTOCOPIER PAPER FS, 500SHT/REAM, 75 GSM PKT 509 260000000000000006 - RULED PAPER, DOUBLE SIDED, F.S SIZE, 60 GSM (PACK OF 12 PCS) PKT 510 26000000000000000000 472656 DATA FORMS (COMPUTER PAPER CONTINUOUS STATIONERY), 1/3 LINED PER INCH, 9" X 11", 1PLY, 2000 CASE 511 26000000000000000000 472681 PENDRIVE 32 GB PCS 512 2600000000000000111 - RUBBER STAMP- SHIP'S NAME				0.1000000000000000000000000000000000000				
508 260000000000000121 - PHOTOCOPIER PAPER FS, 500SHT/REAM, 75 GSM PKT 509 260000000000000006 - RULED PAPER, DOUBLE SIDED, F.S SIZE, 60 GSM (PACK OF 12 PCS) PKT 510 26000000000000000862 472656 DATA FORMS (COMPUTER PAPER CONTINUOUS STATIONERY), 1/3 LINED PER INCH, 9" X 11", 1PLY, 2000 CASE 511 2600000000000000000 472681 PENDRIVE 32 GB PCS 512 260000000000001410 472682 PENDRIVE 64 GB PCS 513 26000000000000000111 - RUBBER STAMP-SHIP'S NAME	\vdash							
SUSHT/REAM, 75 GSM				PHOTOCOPIER PAPER FS,				
SIZE , 60 GSM (PACK OF 12 PCS)				RULED PAPER, DOUBLE SIDED, F.S				
STAMP:"CHIEF ENGINNER,NAME OF VSL", SELF PCS	555			DATA FORMS (COMPUTER PAPER	7.131			
511 26000000000000000000000000000000000000	510	260000000000000862	472656	PER INCH, 9" X 11", 1PLY, 2000	CASE			
512 26000000000001410 472682 PENDRIVE 64 GB PCS 513 26000000000000111 - RUBBER STAMP- SHIP'S NAME PCS 514 2600000000000000881 - STAMP:"MASTER,NAME OF VSL", SELF INKING PCS 515 2600000000000000000 - STAMP:"CHIEF ENGINNER,NAME OF VSL", SELF INKING PCS 516 26000000000000000000 - STAMP:"PURSER,NAME OF VSL", SELF PCS	511	260000000000000730	472681		PCS			
513 26000000000000111 - RUBBER STAMP- SHIP'S NAME PCS 514 260000000000000881 - STAMP:"MASTER,NAME OF VSL", SELF INKING PCS 515 2600000000000000000 - STAMP:"CHIEF ENGINNER,NAME OF VSL", SELF INKING PCS 516 2600000000000000000 - STAMP:"PURSER,NAME OF VSL", SELF PCS								
514 26000000000000881 - STAMP:"MASTER,NAME OF VSL", SELF INKING PCS 515 2600000000000000000 - STAMP:"CHIEF ENGINNER,NAME OF VSL", SELF INKING PCS 516 2600000000000000000000000 - STAMP:"PURSER,NAME OF VSL", SELF PCS								
515 2600000000000000000 - STAMP:"CHIEF ENGINNER,NAME OF VSL", SELF INKING PCS 516 2600000000000000000000000000000000000			-	STAMP:"MASTER,NAME OF VSL", SELF				
516 2600000000000000000000000000000000000	515	260000000000000890	-	STAMP: "CHIEF ENGINNER, NAME OF	PCS			
INKING INCOME I	516	260000000000000891	-		PCS			
517 2600000000000000 - STAMP:"CHIEF OFFICER,NAME OF VSL", PCS	517	260000000000000900	-	SELF INKING	PCS			
518 26000000000000000 - STAMP:"CAT. OFFICER, NAME OF VSL",SELF INKING PCS	518	2600000000000000901	=		PCS			

519	260000000000000104	_	SUTLI 500GMS/ ROLL	ROLL	
520	260000000000000117	-	WATER SPONGE (ROUND DAMPER- PLASTIC)	PCS	
521	15000000000001905	470285	LAMINATING MACHINE, MAX WIDTH 230MM (A-4), AC 220V, 50 HZ	PCS	
522	15000000000001907	470291	LAMINATING POUCHES A/4 (216X303 MM)	PCS	
523	15000000000001906	470293	LAMINATING POUCHES A/3 (303X426 MM)	PCS	
524	150000000000005696		MENU CARD HOLDERS	PCS	
525	150000000000008831		HD BIN LINER BAGS, 33" X 15" X 13"	PCS	
526	15000000000001706	470701	SCHOOL CHALK WHITE, 100'S/BOX	BOX	
527	15000000000001705	470702	CHALK SCHOOL RED 100'S/BOX	BOX	
528	15000000000005191	470873	CORRECTION FLUID, PENCIL TYPE, 13CC.	PCS	
529	150000000000005205	471013	STENCILE CUTTING KNIFE	PCS	
530	15000000000005137	471031	MOUNTED PAPER CUTTERS, 275X484X61 MM	PCS	
531	15000000000005138		PAPER CUTTER SMALL SIZE	PCS	
532	15000000000001729	471262	SCOTCH TAPE, WIDTH 3/4", ROLL OF 33 MTRS	ROLL	
533	150000000000001730		SCOTCH TAPE, WIDTH 1", ROLL OF 65 MTRS	ROLL	
534	150000000000007801	471283	DUCTING TAPE, WIDTH: 2", 50 MTR/ROLL	ROLL	
535	150000000000005133	-	VELCRO TAPE, 2" WIDTH, ROLL OF 50 MTRS.	ROLL	
536	150000000000001910	471632	WHITE BOARD, 4'X2.5'	PCS	
537	2600000000000000625		STEEL RULER 12"	PCS	
	STATIONERY (TONER / C	CARTRIDGES			
538	260000000000000282	-	TONER CARTRIDGE LEXMARK X264H11G / X364H11G, HIGH YIELD	PCS	
539	26000000000001121	-	TONER CARTRIDGE LEXMARK X264A11G / X364A11G, STANDARD	PCS	
540	260000000000001095	472685	RIBBON EPSON LQ-300+, BLACK	PCS	
541	260000000000000840	472685 (a)	CASSETTE RIBBON FOR COMPUTER PRINTER, GMDSS TELEX PRINTER NKG800	PCS	
542	15000000000005601		CARTRIDGE NO. HP 85A	PCS	
543	150000000000006093		CATRIDGE HP BLACK INK-61	PCS	
544	150000000000006094		CATRIDGE HP TRICOLOUR INK 61	PCS	
545	150000000000006896		CARTRIDGE HP DESKJET D2660, TRICOLOUR AND BLACK, COMPLETE SET OF FOUR	EACH	
546	150000000000006895		TONER CARTRIDGE C388A/88 A HP LASERJET P1007, BLACK	PCS	
547	150000000000006292		TONER CARTRIDGE FOR XEROX MACHINE SHARP AR-5516	PCS	
548	150000000000006264		CARTRIDGE HP LASERJET P1102, BLACK	PCS	
549	150000000000008836		CARTRIDGE HP DESKJET 2000 / J210, BLACK	PCS	
550	150000000000008837		CARTRIDGE HP DESKJET 2000 / J210, COLOUR	PCS	
551	15000000000005569		CARTRIDGE FURUNO for SAT C (GMDSS PRINTER PP 510)	PCS	
552	15000000000005427		CARTRIDGE NKG-800 (Ribbon Cartridge for JRC GMDSS PRINTER NKG-800)	PCS	
	HARDWARE (IMPA INDE	X CODE 49)			
553	,	X 00DL 40)			
	150000000000004526	490406	BUTT HINGE FOR CABINET DOOR, BRASS, L 76MM X W 50MM, SCREW DIA 3.5MM	PCS	
554	·	ĺ	BRASS, L 76MM X W 50MM, SCREW DIA	PCS PCS	
	150000000000004526	490406	BRASS, L 76MM X W 50MM, SCREW DIA 3.5MM PADLOCK BRASS, 40MM WITH TWO /		
554	150000000000004526 1500000000000001923	490406 490503	BRASS, L 76MM X W 50MM, SCREW DIA 3.5MM PADLOCK BRASS, 40MM WITH TWO / THREE KEYS PADLOCK BRASS, 50MM WITH TWO /	PCS	
554 555	150000000000004526 1500000000000001923 1500000000000001921	490406 490503 490505	BRASS, L 76MM X W 50MM, SCREW DIA 3.5MM PADLOCK BRASS, 40MM WITH TWO / THREE KEYS PADLOCK BRASS, 50MM WITH TWO / THREE KEYS PADLOCK BRASS, 60MM WITH TWO /	PCS PCS	
554 555 556 557 558	150000000000001923 150000000000001921 150000000000001922 1500000000000000973 1500000000000001914	490406 490503 490505 490506 490512	BRASS, L 76MM X W 50MM, SCREW DIA 3.5MM PADLOCK BRASS, 40MM WITH TWO / THREE KEYS PADLOCK BRASS, 50MM WITH TWO / THREE KEYS PADLOCK BRASS, 60MM WITH TWO / THREE KEYS PADLOCK MASTER KEY SYSTEM, BRASS, 50MM DOOR HOOK BRASS, SIZE - 3"	PCS PCS PCS PCS PCS	
554 555 556 557 558 559	15000000000001923 150000000000001921 150000000000001922 1500000000000006973 1500000000000001914 1500000000000001915	490406 490503 490505 490506 490512 - 490531	BRASS, L 76MM X W 50MM, SCREW DIA 3.5MM PADLOCK BRASS, 40MM WITH TWO / THREE KEYS PADLOCK BRASS, 50MM WITH TWO / THREE KEYS PADLOCK BRASS, 60MM WITH TWO / THREE KEYS PADLOCK MASTER KEY SYSTEM, BRASS, 50MM	PCS PCS PCS PCS PCS PCS	
554 555 556 557 558	150000000000001923 150000000000001921 150000000000001922 1500000000000000973 1500000000000001914	490406 490503 490505 490506 490512	BRASS, L 76MM X W 50MM, SCREW DIA 3.5MM PADLOCK BRASS, 40MM WITH TWO / THREE KEYS PADLOCK BRASS, 50MM WITH TWO / THREE KEYS PADLOCK BRASS, 60MM WITH TWO / THREE KEYS PADLOCK MASTER KEY SYSTEM, BRASS, 50MM DOOR HOOK BRASS, SIZE - 3" DOOR HOOK BRASS, SIZE - 4"	PCS PCS PCS PCS PCS	

			DOOR WEIGHT 65KGS		
562	15000000000001920	_	LATCH FOR SHIP CABIN DOOR, BRASS,	PCS	
302		A INDEX COR	SIZE: 2" X 2"	100	
563	1500000000000004770	510101	BRUSH PAINT FLAT 25MM WIDTH	PCS	
564	1500000000000004770	510102	BRUSH PAINT FLAT 40MM WIDTH	PCS	
565	150000000000004772	510103	BRUSH PAINT FLAT 50 MM WIDTH	PCS	
566	150000000000004774	510105	BRUSH PAINT FLAT 80MM WIDTH	PCS	
567	150000000000004776	510107	BRUSH PAINT FLAT 100MM WIDTH	PCS	
568	150000000000004753	510165	BRUSH RADIATOR ANGLE (DOG LEG), 25MM WIDTH	PCS	
569	150000000000004754	510167	BRUSH RADIATOR ANGLE (DOG LEG), 50MM WIDTH	PCS	
570	150000000000006961	510168	BRUSH RADIATOR ANGLE (DOG LEG), 65MM WIDTH	PCS	
571	150000000000004756	510169	BRUSH RADIATOR ANGLE (DOG LEG), 80MM WIDTH	PCS	
572	150000000000001757		BRUSH RADIATOR ANGLE(DOG LEG), 100MM WIDTH	PCS	
573	15000000000005118	510186	BRUSH PENCIL FLAT 12MM WIDTH	PCS	
574	15000000000005147		BRUSH PENCIL ROUND 2MM DIAM	PCS	
575	150000000000005148	540404	BRUSH PENCIL ROUND 4MM DIAM	PCS	
576	150000000000006957 150000000000005149	510194	BRUSH PENCIL ROUND 6MM DIAM	PCS PCS	
577 578	150000000000005149	510198	BRUSH PENCIL ROUND 8MM DIAM BRUSH PENCIL ROUND 10MM DIAM	PCS	
			PAINT ROLLER WOOL 100MM WIDTH,		
579	150000000000006755	510304	COMPLETE WITH HANDLE PAINT ROLLER WOOL 150MM WIDTH,	SET	
580	150000000000006756	510306	COMPLETE WITH HANDLE PAINT ROLLER WOOL 250MM WIDTH,	SET	
581	150000000000006757	510310	COMPLETE WITH HANDLE PAINT ROLLER NYLON / POLYPROPLENE	SET	
582	150000000000001770	510317	50MM WIDTH, COMPLETE WITH HANDLE PAINT ROLLER NYLON 75MM WIDTH,	PCS	
583	1500000000000006962	510318	COMPLETE WITH HANDLE, SUITABLE FOR EPOXY PAINT PAINT ROLLER NYLON 100MM WIDTH,	SET	
584	1500000000000006963	510319	COMPLETE WITH HANDLE, SUITABLE FOR EPOXY PAINT	SET	
585	150000000000006964	510320	PAINT ROLLER NYLON 125MM WIDTH, COMPLETE WITH HANDLE, SUITABLE FOR EPOXY PAINT	SET	
586	150000000000006970	510321	PAINT ROLLER NYLON 150MM WIDTH, COMPLETE WITH HANDLE, SUITABLE FOR EPOXY PAINT	SET	
587	1500000000000006972	510323	PAINT ROLLER NYLON 200MM WIDTH, COMPLETE WITH HANDLE, SUITABLE FOR EPOXY PAINT	SET	
588	150000000000006954	510324	PAINT ROLLER NYLON 230MM WIDTH, COMPLETE WITH HANDLE, SUITABLE FOR EPOXY PAINT	SET	
589	150000000000005409	510334	SPARE PAINT ROLLER WOOL, 100MM WIDTH	PCS	
590	15000000000005411		SPARE PAINT ROLLER WOOL, 150MM WIDTH	PCS	
591	150000000000006955	510461	BRUSH PAINT ROLLER MINI, WITH HANDLE 100MM WIDTH	SET	
592	15000000000001778		ROLLER PAINT BRUSH FOR EPOXY PAINT 2"	PCS	
593	15000000000005119		PENCIL ROLLER BRUSH	PCS	
594	150000000000005120	510603	COIR DECK BRUSH WITH LONG HANDLE, 300 MM X 60 MM X 40 MM	PCS	
595	150000000000004727	510613	NYLON DECK BRUSH WITH LONG HANDLE, 300 MM X 65 MM X 50 MM	PCS	
596	150000000000001926		BRUSH,DECK,12", NYLON, WITHOUT HANDLE	PCS	
597	150000000000001927		BRUSH, SCRUBBING, PLASTIC BRISTLE, 200X45MM, WITH HANDLE	PCS	
598	150000000000004729		NYLON SCRUBBER	PCS	
599	150000000000004728	510653	SQUARE HAND SCRUB NYLON BRUSH, 190 MM X 65 MM X 45 MM	PCS	
600	150000000000006956	510662	BRUSH, WIRE, STRAIGHT HANDLE, 270MM	PCS	
601	150000000000002006	510766	CUP WIRE BRUSH, KNOT TYPE, SIZE: 75MM DIA X 25MM THICK	PCS	

		1		1		1
602	15000000000001936	510806	BROOM, CORN, SHORT HANDLED,	PCS		
603	150000000000001935	510807	739MM BROOM, COIR, SHORT HANDLED, 750MM	PCS		
604	150000000000001935	510607	BROOM, SYNTHETIC, STANDARD SIZE	PCS	+	
			GOA BROOM WITH HANDLE, STANDARD			
605	150000000000005121		SIZE	PCS		
606	150000000000004603		BROOM SOFT 450GRM WT.	PCS		
607	150000000000004619		BROOM HARD 450GRM WT.	PCS		
608	150000000000006936	510837	CARPET CLEANER ROLLER BRUSH,	PCS		
			MANUAL CARPET BRUSH WITH NYLON BRISTLES			
609	150000000000004586		S1ZE 10	PCS		
610	150000000000004589	511004	YELLOW DUSTER, 280 MM X 370 MM	PCS		
611	150000000000001943	511006	DONGRI CLOTH, SIZE 20" X 20"	PCS		
612	150000000000001612	511021	COIR DOOR MATS, 4CM X 36CM X 60CM	PCS		
613	150000000000001613	511023	COIR DOOR MATS, 4CM X 60CM X 90CM	PCS		
614	15000000000001614	511031	COMBINATION DOOR MATS 36CM X 60CM	EACH		
615	150000000000006935	511036	VINYL MATS, COLOURED, PERFORATED MESH, MADE OF E.V.A., 45CM X 60CM	PCS		
616	150000000000006952	511066	RUBBER JOINTED DOOR MATS, 36CM X 60CM	PCS		
617	15000000000005390	511078	CORRUGATED PLASTIC MATTING (GREEN), 2MM X 910MM	MTR		
618	15000000000001702	-	BAMBOO SOILD, LEN 10 FEET	PCS		
619	150000000000004592		1/2 INCH FRESH WATER TAP (STEEL)	PCS		
	LAVATORY EQUIPMENT	(IMPA INDEX	·			
620	150000000000006983	530102	FAUCET WALL 20(3/4)	PCS		
621	150000000000006981	530116	FAUCET WALL SELF-CLOSING, 13(1/2)	PCS		
622	150000000000006984	530156	FAUCET WALL COMBINATION WITH, OVERHEAD SWIVEL SPOUT 13(1/2)	PCS		
623	150000000000001630		MONOBLOCK MIXER, FOR WASH BASIN	PCS		
624	150000000000001631	530334	PLASTIC COMMODE SEAT WITH COVER	PCS		
625	150000000000001629	530351	FLUSH VALVE MODEL T-160	PCS		
626	150000000000004593	530375	SHOWER HEAD HAND HELD PF1/2, PLASTIC WITH 1.2MTR RUBBER HOSE	PCS		
627	150000000000008604		SHOWER HOSE, 1200MM LONG	PCS		
628	150000000000006982	530387	SHOWER MIXING VALVE (HOT/COLD) SOAP TRAY WALL MOUNT, STAINLESS	PCS		
629	150000000000006958	530413	STEEL, 80MM X 125MM	PCS		
630	150000000000006980	530426	TOWEL BAR ROUND DOUBLE 610MM	PCS		
631	150000000000004594		TAP WASHER	PCS		
	CLEANING MATERIAL AN	ND CHEMICA	LS (IMPA INDEX CODE 55)			
632	150000000000001977	550101	LAUNDRY SOAP, SOLID CAKE, 225	PCS		
			GRM/PCS			
633	150000000000004866	550111	LAUNDRY SOAP POWDER WITH ENZYME WASHING DETERGENT POWDER (WITH	KG		
634	150000000000004868		1 KG FACTORY PACKING)	KG		1
635	15000000000001978	550884	CRYSTAL / WASHING SODA	KG		
636	150000000000001962	550873	CAUSTIC SODA	KG		
637	150000000000004907	-	LAUNDRY BLUE POWDER, 500 GRMS/PKT	PKT		
638	150000000000006989	550121	BLEACHING WATER, 1.5 KGS / BTL	BTL		
639	150000000000001971	-	LIQUID BLEACH, 500 ML/TIN	TIN		
640	150000000000001960	-	BLEACHING POWDER	KG		
641	150000000000001976	-	STARCH POWDER 150GMS/TIN	TIN		-
642 643	150000000000004873	550128	SOFT SOAP	KG PCS		+
644	150000000000004862 1500000000000006537	550143	SAMPLE SOAP 18 GMS SOAP LIQUID, TEEPOL	LTR		+
645	150000000000000000000000000000000000000	550154	CLEANSER, VIM, 500 GRM/TIN	TIN		+
646	150000000000001973	000104	VIM BAR 250 GRM	PCS		
647	1500000000000003254	550254	TOILET SOAP, 100 GRAM	PCS		1
648	150000000000004858		TOILET SOAP, 120 GRAM	PCS		
649	15000000000005037		LIQUID DETERGENT	LTR		
650	150000000000008661		SYNTHETIC DETERGENT, 18 LTR /TIN	TIN		
651	15000000000001968	550264	LIQUID SOAP, FOR HAND CLEANING	LTR		
652	150000000000003591	550266	HAND CLEANER RAPID, 1KG TIN	KG		
653	150000000000004587	FF00	CARPET SHAMPOO	LTR		
654	150000000000006968	550276	VASELINE 500GRM/PACK	PACK		1
655	150000000000007001	550301	OVEN CLEANER, AEROSOL TYPE, 226 GRM/TIN	TIN		

656	150000000000001950	550307	TOILET CLEANER 500 ML/TIN	TIN		
657	1500000000000006965	550313	GLASS CLEANER AEROSOL SPRAY, 480	TIN		
658	150000000000004860		ML/TIN AIR FRESHNER CAKE 75GRM	PCS		
		550000	AIR FRESHNER SPRAYER IN AEROSAL			
659	15000000000001959	550332	PACK, 420ML/TIN	TIN		
660	150000000000006988	550336	TOILET ODOR BALL	PCS		
661	150000000000001963		DEODORANT BLOCK 100GRM/PKT	PKT		
662 663	15000000000001969 1500000000000007006	- 550617	NAPTHALENE BALL DISINFECTANT LIQUID PHENOL	KG LTR		
			INSECT KILLER, AEROSOL SPRAY,			
664	15000000000001951	550624	300CC / TIN	TIN		
665	150000000000007774	550624	INSECTICIDE FLUID, 5 LTR/CAN	CAN		
666	150000000000004639		TIK 20, 60 ML/BOTTLE HANDY SPRAYER FOR INSECTICIDES. 6	BTL		
667	15000000000001949	550660	TO 9 LTRS CAPACITY	PCS		
668	150000000000001953		KIWI DRAINEX, 50 GMS/PACK	PACK		
669	150000000000006765	550342	DRAIN PIPE CLEANER, 1KG /PACK	PACK		
670	15000000000001707	550676	CHLORINNATED ISOCYANURATE TABLET (SEWAGE SANITARY DISINFECTANT), 15GRM/TABLET X 20 TAB/PKT X 50 PKT	PACK		
671	150000000000004484	550689	DISTILLED WATER	LTR		
672	1500000000000006967	550951	SILICA GEL, 500 GRMS/ PACK	PACK		-
673 674	15000000000001954 1500000000000004652		METAL POLISH 500 ML TIN, BRASSO WOOD POLISH	TIN LTR		
675	150000000000004652	550602	PINE OIL 4 LTRS/CAN	CAN		
676	240000000000000129	-	VEGETABLE OIL 4 LTRS/TIN	TIN	+	
677	150000000000001958	-	SWEAT RAGS	PCS		
	PNEUMATIC & ELECTRIC	CAL TOOLS (I	MPA INDEX CODE 59)			
678	150000000000006990	590483	PNEUMATIC NEEDLE SCALER, TYPE 3BPG, OA LEN 342MM, NEEDLE SIZE 2MMX65S, 3MMX28S, 4MMX19S, AIR INLET PT 1/4. BRAND: TERYAIR / SKA	SET		
679	150000000000009742	590466	SPARE NEEDLE FOR NEEDLE SCALING MACHINE, 2MM	PCS		
680	150000000000009743	590468	SPARE NEEDLE FOR NEEDLE SCALING MACHINE, 3MM	PCS		
681	150000000000009744	590469	SPARE NEEDLE FOR NEEDLE SCALING MACHINE, 4MM	PCS		
682	150000000000008306	590611	HEAVY DUTY NEOPRENE(RUBBER) SLUDGE BUCKET FOR SOPEP, 10 LTRS, WITH BRASS HANDLE	PCS		
683	15000000000005447		SCOOPS FOR SOPEP ELECTRIC DRILL PORTABLE 10MM.	PCS		
684	150000000000006969	591012	AC220V 1-PHASE	SET		
685	15000000000001151	591031	ELECTRIC GRINDER ANGLE 100MM, AC220V 1-PHASE	PCS		
686	150000000000006991	591251	PNEUMATIC SCALING MACHINE, TYPE KC-60, MAX.AIR CONS. 0.8M3/MIN. RPM 5000, COMPLETE SET	SET		
687	15000000000001991	591265	SPARE WIRE CUP BRUSH P/N.3, FOR SCALING MACHINE KC-50/60	PCS		
688	150000000000007015	591274	SPARE GRINDING STONE 4" P/N.6, FOR SCALING MACHINE KC-50/60	PCS		
689	150000000000002016		GRINDING WHEEL CIRCULAR (BLACK) 100MM DIA X 6MM THK ELECTRIC PORTABLE BLOWER . 2.3	PCS		
690	150000000000001150	591182	m3/MIN, 220V SINGLE PHASE, 335W, 13000 RPM	PCS		
691	150000000000001168	591407	ELECTRICAL PORTABLE VENTILATION FANS, 220V, 280MM CASE DIAM, 70 m3/min AIR VOLUME, 30mm Aq PRESSURE, 3000 RPM, 0.55 Kw OUTPUT	PCS		
692	150000000000001169	591408	ELECTRICAL PORTABLE VENTILATION FANS, 220V, 400MM CASE DIAM, 110 m3/min AIR VOLUME, 50mm Aq PRESSURE, 3000 RPM, 1.5 Kw OUTPUT	PCS		
693	150000000000008828	591601	DIAPHRAGM PUMP AIR-OPERATED, WILDEN T-2, ALUMNIUM, 1" SUCTION, COMPLETE SET	SET		
694	150000000000008829	591603	DIAPHRAGM PUMP AIR-OPERATED, WILDEN T-8, ALUMINIUM, 2" SUCTION, COMPLETE SET	SET		
	HAND TOOLS (IMPA INDI	EX CODE 61)				

695	1500000000000006971	610126	SOCKET WRENCH / SPANNER SET, 12.7MM SQ DRIVE, 8-32MM 18 SOCKETS & 8 TOOLS #160M	SET	
696	150000000000002278		SOCKET SPANNER SET WITH ACCESSORIES (1/2' SQ DRIVE), 22 SOCKET & 6 ACCESSORIES	SET	
697	150000000000007559	610486	WRENCHES / SPANNERS STUD REMOVER 1/2' SQ. DRIVE FOR BOLT SIZE 8-19MM	PCS	
698	150000000000006739	610501	WRENCHES / SPANNERS SET DOUBLE OPEN END, #25M 6X7MM TO 14X17MM, 6'S/SET	SET	
699	150000000000007575	-	DOUBLE OPEN END WRENCHES / SPANNERS, MADE OF FORGED ALLOY STEEL, HEAT TREATED AND CHROME PLATED, OPENING 6MM X 7MM, 8MM X 9MM, 10MM X 11MM, 12MM X 13MM, 14MM X 15MM, 16MM X 17MM, 18MM X 19MM, 20MM X 22MM, 21MM X 23MM, 24MM X 27MM, 25MM X 28MM, 30MM X 32MM, 12'S/SET]	SET	
700	150000000000006811	610516	WRENCH / SPANNER SET 12-POINT DOUBLE OFFSET, #0F0610 10X12MM- 23X26MM 6'S/SET	SET	
701	150000000000007498	610534	12 POINT DOUBLE OFFSET WRENCH / SPANNERES SET (45 DEGREE DOUBLE OFFSET), DROP FORGED ALLOY STEEL, HEAT TREATED AND CHROME PLATED, OPENING SIZE: 6MM X 7MM, 8MM X 9MM, 10MM X 11MM, 12MM X 13MM, 14MM X 15MM, 16MM X 17MM, 18MM X 19MM, 20MM X 22MM, 21MM X 23MM, 24MM X 27MM, 25MM X 28MM, 30MM X 32MM, SET OF 12 PCS	SET	
702	150000000000008072		MONKEY WRENCH 300 MM	PCS	
703	150000000000008093		MONKEY WRENCH 200 MM	PCS	
704	150000000000006726	610552	WRENCH / SPANNER DOUBLE OPEN END, MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 6X7MM	PCS	
705	1500000000000006727	610555	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 8X9MM	PCS	
706	150000000000002161		WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 9X10MM	PCS	
707	150000000000006728	610559	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 10X11MM	PCS	
708	150000000000006729	610549	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 12X13MM	PCS	
709	150000000000006730	610550	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 14X15MM	PCS	
710	150000000000007558	610566	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 13X17MM	PCS	
711	150000000000006731	610567	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 14X17MM	PCS	
712	150000000000002166	-	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 16X17MM	PCS	
713	150000000000006732	610568	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 17X19MM	PCS	
714	150000000000002168	-	WRENCH / SPANNER DOUBLE OPEN END, MADE OF DROP FORGED ALLOY	PCS	

			STEEL, HEAT-TREATED AND CHROME			
715	150000000000006733	610571	PLATED, 18X19MM WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 19X22MM	PCS		
716	150000000000002169	-	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 20X22MM	PCS		
717	150000000000006734	610573	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 21X23MM	PCS		
718	150000000000006735	610576	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 23X26MM	PCS		
719	150000000000002171	-	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 24X26MM	PCS		
720	150000000000006736	610577	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 24X27MM	PCS		
721	150000000000002173	-	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 25X28MM	PCS		
722	150000000000006737	610583	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 30X32MM	PCS		
723	150000000000007547	610585	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 32X36MM	PCS		
724	150000000000006738	610588	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 36X41MM	PCS		
725	150000000000007549	610589	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 41X46MM	PCS		
726	150000000000007571	610591	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 46X50MM	PCS		
727	150000000000007573	610597	WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 55X60MM	PCS		
728	150000000000006740	610726	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 6X7MM	PCS		
729	150000000000006741	610727	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 8X9MM	PCS		
730	150000000000006742	610729	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 10X11MM	PCS		
731	150000000000006743	610724	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 12X13MM	PCS		
732	150000000000006744	610725	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 14X15MM	PCS		

733	150000000000006745	610735	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 14X17MM	PCS		
734	150000000000002062	-	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 16X17MM	PCS		
735	150000000000007532	610736	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 17X19MM	PCS		
736	150000000000006746	610736	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 18X19MM	PCS		
737	150000000000006747	610739	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 19X22MM	PCS		
738	150000000000002065	-	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 20X22MM	PCS		
739	150000000000006748	610741	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 21X23MM	PCS		
740	150000000000006749	610743	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 22X24MM	PCS		
741	150000000000006750	610744	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 23X26MM	PCS		
742	150000000000007540	610744	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 24X26MM	PCS		
743	150000000000006751	610745	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 24X27MM	PCS		
744	150000000000007542	610747	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 25X28MM	PCS		
745	150000000000006752	610751	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 30X32MM	PCS		
746	150000000000007494	610753	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END, MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 32X36MM	PCS		
747	150000000000006810	610755	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 36X41MM	PCS		
748	150000000000007544	-	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND	PCS		

		I	CHROME PLATED, 41X46MM		
749	150000000000007545	-	WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END, MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND	PCS	
750	150000000000007496	-	CHROME PLATED, 46X50MM WRENCH / SPANNER 12-POINT DOUBLE OFFSET, WRENCH / SPANNER DOUBLE OPEN END,MADE OF DROP FORGED ALLOY STEEL, HEAT-TREATED AND CHROME PLATED, 55X60MM	PCS	
751	150000000000008298		TUBULAR BOX SPANNER 4 X 5 MM	PCS	
752	1500000000000008299		TUBULAR BOX SPANNER 6 X 7 MM	PCS	
753	150000000000008310		TUBULAR BOX SPANNER 8 X 9 MM	PCS	
754	150000000000008311		TUBULAR BOX SPANNER 10 X 11 MM	PCS	
755	150000000000008312		TUBULAR BOX SPANNER 12 X 13 MM	PCS	
756	150000000000008313		TUBULAR BOX SPANNER 14 X 15 MM	PCS	
757	150000000000008314		TUBULAR BOX SPANNER 24 X 26 MM	PCS	
758	150000000000008315		TUBULAR BOX SPANNER 32 X 36 MM	PCS	
759	150000000000004317		BOX SPANNER SET(6 TO 32 MM)	SET	
760	150000000000002275		RATCHET REVERSIBLE, (1/2" SQ DRIVE)	PCS	
761	150000000000004334		RACHET HANDLE FOR BOX SPANNER 12"	SET	
762	1500000000000002256	611111	SLOGGING WRENCH / SPANNER RING END, 60MM / 2.3/8" WRENCH STRIKING SINGLE OPEN END,	PCS	
763	150000000000006813	611145	15DEG BENT 41MM OPENING WRENCH STRIKING SINGLE OPENEND,	PCS	
764	150000000000006812	611146	15DEG BENT 46MM OPENING	PCS	
765	150000000000006814	611147	WRENCH STRIKING SINGLE OPENEND, 15DEG BENT 50MM OPENING	PCS	
766	150000000000002259	611149	SLOGGING WRENCH / SPANNER OPEN END, 55MM	PCS	
767	150000000000002260	611151	SLOGGING WRENCH / SPANNER OPEN END, 60MM	PCS	
768	1500000000000009122	611243- 54	ALLEN HEXAGONAL WRENCHES / SPANNERS SETS, DIMENSIONS ACROSS FLAT 2, 2.4, 2.5, 3, 4, 5, 6, 7, 8, 9, 10, 12 MM 12'S/SET	SET	
769	1500000000000009104	611254- 63	ALLEN HEXAGONAL WRENCHES / SPANNERS SETS, DIMENSIONS ACROSS FLAT 12,14,16,17,19,21,22,23,24,26MM, 10'S/SET	SET	
770	1500000000000002053		ALLEN KEY (LONG SERIES), SET OF 9 PCS, SIZE: 1.5MM, 2MM, 2.5MM, 3MM, 4MM, 5MM, 6MM, 8MM,10MM	SET	
771	150000000000002054		ALLEN KEY (LONG SERIES), SET OF 10 PCS, SIZE: 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	SET	
772	150000000000002089		COMBINATION RING & OPEN END WRENCHES / SPANNERS, 6MM / 1/4"	PCS	
773	1500000000000002090		COMBINATION RING & OPEN END WRENCHES / SPANNERS, 7MM	PCS	
774	150000000000002091		COMBINATION RING & OPEN END WRENCHES / SPANNERS, 8MM / 5/16" COMBINATION RING & OPEN END	PCS	
775	150000000000002092		WRENCHES / SPANNERS, 9MM COMBINATION RING & OPEN END	PCS	
776	1500000000000002093		WRENCHES / SPANNERS, 10MM / 3/8" COMBINATION RING & OPEN END	PCS	
777	150000000000000000000000000000000000000		WRENCHES / SPANNERS, 11MM / 7/16" COMBINATION RING & OPEN END	PCS	
778	150000000000000000000000000000000000000		WRENCHES / SPANNERS, 12MM COMBINATION RING & OPEN END	PCS	
779 780	1500000000000002101 15000000000000002109		WRENCHES / SPANNERS, 18MM COMBINATION RING & OPEN END	PCS PCS	
781	150000000000002109		WRENCHES / SPANNERS, 26MM / 1" COMBINATION RING & OPEN END	PCS	
782	15000000000000006815	611301	WRENCHES / SPANNERS, 38MM WRENCH / SPANNER PIPE STRAIGHT,	PCS	
783	150000000000006816	611303	HEAVY-DUTY 150MM WRENCH / SPANNER PIPE STRAIGHT, HEAVY-DUTY 250MM	PCS	
784	150000000000006817	611304	WRENCH / SPANNER PIPE STRAIGHT, HEAVY-DUTY 300MM	PCS	
785	150000000000006818	611306	WRENCH / SPANNER PIPE STRAIGHT,	PCS	
					•

			HEAVY-DUTY 450MM		
786	150000000000006827	611307	WRENCH / SPANNER PIPE STRAIGHT,	PCS	
		011001	HEAVY-DUTY 600MM WRENCH / SPANNER ADJUSTABLE		
787	150000000000006820	611331	HEAVY-DUTY, 100MM, MAX. JAW OPENING 13MM	PCS	
788	150000000000006821	611332	WRENCH / SPANNER ADJUSTABLE HEAVY-DUTY, 150MM, MAX. JAW OPENING 20MM	PCS	
789	150000000000006822	611333	WRENCH / SPANNER ADJUSTABLE HEAVY-DUTY, 200MM, MAX. JAW OPENING 24MM	PCS	
790	150000000000006823	611334	WRENCH / SPANNER ADJUSTABLE HEAVY-DUTY, 250MM, MAX. JAW	PCS	
791	150000000000006824	611335	OPENING 29MM WRENCH / SPANNER ADJUSTABLE HEAVY-DUTY, 300MM, MAX. JAW	PCS	
792	150000000000006825	611336	OPENING 34MM WRENCH / SPANNER ADJUSTABLE HEAVY-DUTY, 375MM, MAX. JAW	PCS	
793	150000000000006948	611432	OPENING 44MM WRENCH / SPANNER TORQUE PRESET	PCS	
—			TYPE, 40-280N.M-CM 19MM SQ.DRIVE WRENCH / SPANNER TORQUE WITH		
794	150000000000006949	611443	RATCHET, 100-850N.M-CM 25.4MM SQ DR.	PCS	
795	150000000000002141	615940	SPANNER 'F' TYPE FOR OPENING VALVE, 900 MM LEN , 37 MM GAP BETWEEN TONG , MADE FROM 10 MM STEEL	PCS	
796	15000000000005449		HAMMER HEAD SPANNER SIZE 30	PCS	
797	15000000000005460		HAMMER HEAD SPANNER SIZE 32	PCS	
798 799	150000000000005461 150000000000005438		HAMMER HEAD SPANNER SIZE 36 HAMMER HEAD SPANNER SIZE 42	PCS PCS	
800	1500000000000005438		AMERICAN SPANNER 8" PIPE WRENCH	PCS	
801	150000000000004328		AMERICAN SPANNER 24" 116R	PCS	
802	1500000000000002181		PIPE WRENCH STILLSON PATTERN, 8	PCS	
			INCH		
803 804	150000000000002196 1500000000000008016	611626	WATER PUMP PLIER, 10 INCH WIREMAN'S INSULATED PLIER	PCS PCS	
805	150000000000000000000000000000000000000	611627	PLIER VISE-GRIP COMBINATION, 250MM	PCS	
806	1500000000000002188	611657	COMBINATION PLIER (INSULATED), 6	PCS	
807	150000000000002189	611659	INCH COMBINATION PLIER (INSULATED), 8 INCH	PCS	
808	150000000000006828	611659	PLIER SIDE-CUTTING INSULATED, 200MM	PCS	
809	150000000000002140		IRON SHOVEL 970 MM WITH WOODEN HANDLE	PCS	
810	150000000000001753		NON SPARKING SHOVEL, HARD RUBBER, 970 MM WITH HANDLE	PCS	
811	150000000000007799	615961	SHOVEL SQUARE NON-SPARK, FIBREGLASS 290X1040MM	PCS	
812	150000000000006829	611687	PLIER LONG NEEDLE NOSE, PLASTIC COVERED HANDLE 150MM	PCS	
813	150000000000002194		LONG NOSE PLIER (INSULATED), 6 INCH	PCS	
814	150000000000002195	611687	LONG NOSE PLIER (INSULATED), 8 INCH	PCS	
815	150000000000002191	611717	DIAGONAL CUTTING PLIER (INSULATED), 6 INCH CIRCLIP PLIER, INTERNAL/EXTERNAL,	PCS	
816	150000000000002186		BENT/STRAIGHT, 8 INCH CIRCLIP PLIER, INTERNAL/EXTERNAL, CIRCLIP PLIER, INTERNAL/EXTERNAL,	PCS	
817	1500000000000002187	044700	BENT/STRAIGHT, 12"	PCS	
818 819	150000000000006826 1500000000000007982	611730	PLIER CABLE SHOE 1.25-8MM/SQ PLIER FOR CUTTING PACKING, 8"	PCS PCS	
820	15000000000007982	611732	CRIMPING TOOL, CABLE SHOE AND ITS CLAMPING TOOL KIT	PCS	
821	150000000000006841	611772	HAND SNIP, STRAIGHT EDGE, FORGED STEEL, LEN 240MM	PRS	
822	150000000000002213	611844	SCISSOR FOR SHEET JOINT CUTTING LAMP ARC TYPE	PRS	
823	15000000000005448		SCISSOR FOR WIRE MESH	PCS	
824	150000000000006819	611901	WIRE ROPE CUTTER COMPLETE, LEN 600MM, MAX. CUT DIAM. 10MM.	PCS	
825	150000000000006830	611906	SPARE JAW FOR WIRE ROPE CUTTER, LEN 600MM, MAX. CUT DIAM. 10MM.	PCS	

150000000000000411 151000000000000211 151000000000000211 151000000000000211 1510000000000002202 1510000000000002202 15100000000000002202 151000000000000002202 1510000000000000000000000000000000000	826	150000000000002210	611973	HYDRAULIC WIRE ROPE CUTTER, MAX. CUT DIAM. 50MM, DIMENSION 485X130X220MM	EACH		
	827	150000000000004413		TIN CUTTER, TABLE MOUNTED HEAVY	PCS		
	828	1500000000000002211	612001	CUTTER, GASKET AND WASHER SET	PCS		
150000000000002212 1512005 151	829	150000000000002201			PCS		
	830	150000000000002202	612008		PCS		
	831	150000000000002208	612031		PCS		
1500000000000223 150000000000223 1500000000000222 15000000000000222 1500000000000000000000000000000000000			612262	SCREW DRIVER, ENGINEER'S PATTERN,	PCS		
	833	150000000000002231		,	PCS		
15000000000002222 SCREW DRIVER, ENGINEERS PATTERN, PCS	834	150000000000002232			PCS		
15000000000002226 INSULATED, SMM X 200MM PCS	835	150000000000002219	612264	INSULATED, 6MM X 125MM	PCS		
15000000000002227 SCREW DRIVER, ENGINEER'S PATTERN, PCS	836	1500000000000002222		INSULATED, 6MM X 200MM	PCS		
150000000000002230 SCREW DRIVER, PIGNER'S PATTERN, INSULATED SIGNEM P.CS	837	150000000000002226	-	INSULATED, 8MM X 250MM	PCS		
1500000000000002230	838	150000000000002227		INSULATED, 8MM X 300MM	PCS		
15000000000000000000000000000000000000	839	150000000000002230		INSULATED,10MM X 450MM	PCS		
15000000000000831	840	150000000000006840	612183	INSULATED SLOTTED 6X100MM	PCS		
	841	150000000000006831	612185	INSULATED SLOTTED 8X150MM	PCS		
150000000000000842	842	150000000000006832	612186	INSULATED SLOTTED 9X200MM	PCS		
15000000000000000842 512194 SCREW DRIVER, PLUS (+), 6" PCS	843	150000000000006833	612188	INSULATED SLOTTED 10X300MM	PCS		
15000000000000000843	844	150000000000006842	612194	INSULATED PHILLIPS #2 100MM	PCS		
15000000000000238 12196 INSULATED PHILLIPS #4 200MM PCS	845	1500000000000002233	612195	INSULATED PHILLIPS #3 150MM	PCS		
15000000000002241 - 250MM	846	150000000000006843	612196	INSULATED PHILLIPS #4 200MM	PCS		
SOCIETY DETAILS PCS SOCIETY DETAILS PCS	847	1500000000000002238	-	250MM	PCS		
850 15000000000002242 - 250MM	848	150000000000002241	-	200MM	PCS		
SOUND SOUN	849	1500000000000002242	-	250MM	PCS		
851 15000000000002244 612411 SLOTTED, BLADE WIDTH 0.9-3.5MM, 6'S/SET DETACHABLE SCREWDRIVER SETS WITH PLASTIC HANDLE, BIT SIZE -3/-5, NO.1&2 AUGER, BIT LEINGTH 100MM OVERALL LENGTH 182MM, 5'S/SET PCS SCREW DRIVER, PLUS (+), 4" PCS P	850	1500000000000002239	-	300MM	PCS		
852 150000000000002244 612442 WITH PLASTIC HANDLE,BIT SIZE -3/-5, NO.1&2 AUGER, BIT LENGTH HOOMM OVERALL LENGTH HOOMM OVERAL	851	1500000000000002246	612411	SLOTTED, BLADE WIDTH 0.9-3.5MM, 6'S/SET	SET		
854 150000000000004415 SCREW DRIVER, PLUS (+), 6" PCS 855 150000000000004416 SCREW DRIVER, PLUS (+), 8 " PCS 856 150000000000004417 SCREW DRIVER, PLUS (+), 10" PCS 857 150000000000004418 - SCREW DRIVER, PLUS (+), 12" PCS 858 150000000000004419 SCREW DRIVER, MINUS (-), 4" PCS 859 15000000000004420 SCREW DRIVER, MINUS (-), 6" PCS 860 150000000000004421 SCREW DRIVER, MINUS (-), 8" PCS 861 150000000000004422 SCREW DRIVER, MINUS (-), 10" PCS 862 150000000000004396 SCREW DRIVER, MINUS (-), 12" PCS 863 150000000000002121 612502 BALL / CROSS PEIN HAMMER WITH HANDLE, 1/2 LB PCS 864 150000000000002123 612504 BALL / CROSS PEIN HAMMER WITH HANDLE, 1 LB PCS 865 150000000000002124 612506 BALL / CROSS PEIN HAMMER WITH HANDLE, 1.5 LB PCS 866 150000000000002124 612507 BALL / CROSS PEIN HAMMER WITH HANDLE, 2 LB PCS	852	150000000000002244	612442	WITH PLASTIC HANDLE,BIT SIZE -3/-5, NO.1&2 AUGER, BIT LENGTH 100MM OVERALL LENGTH 182MM, 5'S/SET			
855 150000000000004416 SCREW DRIVER, PLUS (+), 8 " PCS 856 150000000000004417 SCREW DRIVER, PLUS (+), 10" PCS 857 150000000000004418 - SCREW DRIVER, PLUS (+), 12" PCS 858 150000000000004419 SCREW DRIVER, MINUS (-), 4" PCS 859 150000000000004420 SCREW DRIVER, MINUS (-), 6" PCS 860 150000000000004421 SCREW DRIVER, MINUS (-), 8" PCS 861 150000000000004422 SCREW DRIVER, MINUS (-), 10" PCS 862 150000000000004396 SCREW DRIVER, MINUS (-), 12" PCS 863 150000000000002121 612502 BALL / CROSS PEIN HAMMER WITH HANDLE, 1/2 LB PCS 864 150000000000002122 612504 BALL / CROSS PEIN HAMMER WITH HANDLE, 1.5 LB PCS 865 150000000000002123 612506 BALL / CROSS PEIN HAMMER WITH HANDLE, 1.5 LB PCS 866 15000000000002124 612507 BALL / CROSS PEIN HAMMER WITH HANDLE, 2 LB PCS							
856 150000000000004417 SCREW DRIVER, PLUS (+), 10" PCS 857 150000000000004418 - SCREW DRIVER, PLUS (+), 12" PCS 858 150000000000004419 SCREW DRIVER, MINUS (-), 4" PCS 859 150000000000004420 SCREW DRIVER, MINUS (-), 6" PCS 860 150000000000004421 SCREW DRIVER, MINUS (-), 8" PCS 861 150000000000004422 SCREW DRIVER, MINUS (-), 10" PCS 862 150000000000004396 SCREW DRIVER, MINUS (-), 12" PCS 863 1500000000000002121 612502 BALL / CROSS PEIN HAMMER WITH HANDLE, 1/2 LB PCS 864 150000000000002122 612504 BALL / CROSS PEIN HAMMER WITH HANDLE, 1.5 LB PCS 865 150000000000002123 612506 BALL / CROSS PEIN HAMMER WITH HANDLE, 1.5 LB PCS 866 150000000000002124 612507 BALL / CROSS PEIN HAMMER WITH HANDLE, 2 LB PCS							
857 150000000000004418 - SCREW DRIVER, PLUS (+), 12" PCS 858 150000000000004419 SCREW DRIVER, MINUS (-), 4" PCS 859 15000000000000420 SCREW DRIVER, MINUS (-), 6" PCS 860 150000000000004421 SCREW DRIVER, MINUS (-), 8" PCS 861 150000000000004422 SCREW DRIVER, MINUS (-), 10" PCS 862 150000000000004396 SCREW DRIVER, MINUS (-), 12" PCS 863 150000000000002121 612502 BALL / CROSS PEIN HAMMER WITH HANDLE, 1/2 LB PCS 864 150000000000002122 612504 BALL / CROSS PEIN HAMMER WITH HANDLE, 1 LB PCS 865 150000000000002123 612506 BALL / CROSS PEIN HAMMER WITH HANDLE, 1.5 LB PCS 866 150000000000002124 612507 BALL / CROSS PEIN HAMMER WITH HANDLE, 2 LB PCS							
858 150000000000004419 SCREW DRIVER, MINUS (-), 4" PCS 859 150000000000004420 SCREW DRIVER, MINUS (-), 6" PCS 860 150000000000004421 SCREW DRIVER, MINUS (-), 8" PCS 861 150000000000004422 SCREW DRIVER, MINUS (-), 10" PCS 862 15000000000004396 SCREW DRIVER, MINUS (-), 12" PCS 863 150000000000002121 612502 BALL / CROSS PEIN HAMMER WITH HANDLE, 1/2 LB PCS 864 150000000000002122 612504 BALL / CROSS PEIN HAMMER WITH HANDLE, 1 LB PCS 865 1500000000000002123 612506 BALL / CROSS PEIN HAMMER WITH HANDLE, 1.5 LB PCS 866 150000000000002124 612507 BALL / CROSS PEIN HAMMER WITH HANDLE, 2 LB PCS			-			+	
860 150000000000004421 SCREW DRIVER, MINUS (-), 8" PCS 861 150000000000004422 SCREW DRIVER, MINUS (-), 10" PCS 862 150000000000004396 SCREW DRIVER, MINUS (-), 12" PCS 863 15000000000002121 612502 BALL / CROSS PEIN HAMMER WITH HANDLE, 1/2 LB PCS 864 150000000000002122 612504 BALL / CROSS PEIN HAMMER WITH HANDLE, 1 LB PCS 865 150000000000002123 612506 BALL / CROSS PEIN HAMMER WITH HANDLE, 1.5 LB PCS 866 150000000000002124 612507 BALL / CROSS PEIN HAMMER WITH HANDLE, 2 LB PCS							
861 150000000000004422 SCREW DRIVER, MINUS (-), 10" PCS 862 150000000000004396 SCREW DRIVER, MINUS (-), 12" PCS 863 150000000000002121 612502 BALL / CROSS PEIN HAMMER WITH HANDLE, 1/2 LB PCS 864 150000000000002122 612504 BALL / CROSS PEIN HAMMER WITH HANDLE, 1 LB PCS 865 150000000000002123 612506 BALL / CROSS PEIN HAMMER WITH HANDLE, 1.5 LB PCS 866 150000000000002124 612507 BALL / CROSS PEIN HAMMER WITH HANDLE, 2 LB PCS							
862 150000000000004396 SCREW DRIVER, MINUS (-), 12" PCS 863 15000000000002121 612502 BALL / CROSS PEIN HAMMER WITH HANDLE, 1/2 LB PCS 864 150000000000002122 612504 BALL / CROSS PEIN HAMMER WITH HANDLE, 1 LB PCS 865 150000000000002123 612506 BALL / CROSS PEIN HAMMER WITH HANDLE, 1.5 LB PCS 866 150000000000002124 612507 BALL / CROSS PEIN HAMMER WITH HANDLE, 2 LB PCS							
863 15000000000002121 612502 BALL / CROSS PEIN HAMMER WITH HANDLE, 1/2 LB PCS 864 15000000000002122 612504 BALL / CROSS PEIN HAMMER WITH HANDLE, 1 LB PCS 865 150000000000002123 612506 BALL / CROSS PEIN HAMMER WITH HANDLE, 1.5 LB PCS 866 15000000000002124 612507 BALL / CROSS PEIN HAMMER WITH HANDLE, 2 LB PCS							
864 15000000000002122 612504 BALL / CROSS PEIN HAMMER WITH HANDLE, 1 LB PCS 865 150000000000002123 612506 BALL / CROSS PEIN HAMMER WITH HANDLE, 1.5 LB PCS 866 15000000000002124 612507 BALL / CROSS PEIN HAMMER WITH HANDLE, 2 LB PCS			612502	BALL / CROSS PEIN HAMMER WITH			
865 15000000000002123 612506 BALL / CROSS PEIN HAMMER WITH HANDLE, 1.5 LB PCS 866 15000000000002124 612507 BALL / CROSS PEIN HAMMER WITH HANDLE, 2 LB PCS	864	150000000000002122	612504	BALL / CROSS PEIN HAMMER WITH	PCS		
866 15000000000002124 612507 BALL / CROSS PEIN HAMMER WITH HANDLE, 2 LB	865	150000000000002123	612506	BALL / CROSS PEIN HAMMER WITH	PCS		
	866	150000000000002124	612507	BALL / CROSS PEIN HAMMER WITH	PCS		
867 15000000000002125 612509 BALL / CROSS PEIN HAMMER WITH HANDLE, 3 LB	867	150000000000002125	612509	BALL / CROSS PEIN HAMMER WITH	PCS		

		ı	T =	1		
868	150000000000006851	612524	BLACKSMITHS' SLEDGE HAMMER, DOUBLE FACE WITH HANDLE, WT. 2.2KGS	PCS		
869	150000000000007936		BLACKSMITHS' SLEDGE HAMMER, DOUBLE FACE WITH HANDLE, WT. 5KGS	PCS		
870	150000000000007919		CARPENTER'S HAMMER (ONE SIDE ROUND)	PCS		
871	150000000000002127	612607	CLAW HAMMER WITH RUBBER GRIP, 1 LB	PCS		
872	150000000000007938		CLAW HAMMER WITH RUBBER GRIP, 0.8 KG	PCS		
873	150000000000006852	612612	CHIPPING HAMMER HANDLED, 450GRM	PCS		
874	150000000000007552	612683	LEAD HAMMER, 1.1/2 KG, WITH HANDLE	PCS		
875	150000000000002132		WOODEN BAMBOO HANDLES FOR 3.25 KGS HAMMER	PCS		
876	150000000000002133		WOODEN HANDLES FOR 900 GMS HAMMER	PCS		
877	150000000000002116	612886	CROWBAR, LENGTH 1500MM X WT.10KGS	PCS		
878	150000000000006844	612906	COLD CHISEL(FLAT) OF ALLOY STEEL BLADE WIDTH 22MM X 200MM LENGTH	PCS		
879	150000000000006853	612931	CHISEL OFFSET CAULKING, 150MM	PCS		
880	150000000000002080	-	FLAT CHISELS, SS, 100MM X 1/2"	PCS		
881	1500000000000002081	-	FLAT CHISELS, SS, 150MM X 5/8"	PCS	-	
882	1500000000000002082	-	FLAT CHISELS, SS, 200MM X 3/4"	PCS	-	
883	15000000000000002084	-	FLAT CHISELS, SS, 300MM X 1"	PCS PCS		
884	150000000000002087	-	OCTAGONAL CHISELS, 300MM GREASE GUN NIPPLES M.S. SIZE: 1/4"			
885	150000000000002151	-	NPT	PCS		
886	150000000000002152	-	GREASE GUN NIPPLES M.S, SIZE: 1/2" NPT	PCS		
887	150000000000005131	-	GREASE NIPPLE SIZE 10 ROUND HOLE PUNCHES, HOLE DIA 4MM,	PCS		
888	150000000000002207	613002- 30	5MM,6MM, 7MM, 8MM, 9MM, 10MM, 11MM, 12MM, 13MM, 14MM, 15MM, 16MM, 17MM, 18MM, 19MM, 20MM, 21MM, 22MM, 23MM, 24MM, 25MM, 26MM, 27MM, 28MM, 29MM, 30MM, 31MM, 32MM, 29'S/SET	SET		
889	150000000000006846	613056	PUNCHING TOOL SET DIES & TABLE, 6- 38MM 16'S/SET	SET		
890	150000000000002205	613060	CENTER PUNCH, MADE OF FORGED SPECIAL ALLOY STEEL, LENGTH 100MM	PCS		
891	150000000000002206	613061	CENTER PUNCH, MADE OF FORGED SPECIAL ALLOY STEEL, LENGTH 125MM	PCS		
892	150000000000006845	613062	CENTER PUNCH, MADE OF FORGED SPECIAL ALLOY STEEL, LENGTH 150MM.	PCS		
893	150000000000001714	613110	LETTER PUNCH SET, A TO Z (SET OF 26 ALPHABETS), CHARACTER SIZE: 12MM	SET		
894	150000000000001715	613125	NUMBER PUNCH SET, 0 TO 9 (SET OF 10 NUMBERS), NUMBER SIZE: 12MM	SET		
895	150000000000006178	613133	STENCIL, LETTER & FIGURE, ADJUSTABLE BRASS, 25MM, 76'S/SET	SET		
896	150000000000006179	613137	STENCIL, LETTER & FIGURE, ADJUSTABLE BRASS, 50MM, 76'S/SET	SET		
897	150000000000006210	613139	STENCIL, LETTER & FIGURE, ADJUSTABLE BRASS, 75MM, 76'S/SET	SET		
898	150000000000006211	613140	STENCIL, LETTER & FIGURE, ADJUSTABLE BRASS, 100MM, 76'S/SET	SET		
899	150000000000001742	-	STENCIL, INTERLOCKING, BRASS FIGURE "0" TO "9" AND "A" TO "Z", 150MM, 74'S/SET	SET		
900	150000000000001743	-	STENCIL, INTERLOCKING, BRASS FIGURE "0" TO "9" AND "A" TO "Z", 200MM, 74'S/SET	SET		
901	150000000000002215	613243	DOUBLE END ANGLE SCRAPER, LENGTH 300MM	PCS		
902	150000000000002216	613246	DECK SCRAPER WITH LONG HANDLE, 65 X 1200MM	PCS		
903	1500000000000002217	613250	TRIANGULAR SHAPED 70MM STEEL EDGE SCRAPER WITH A 300MM WOODEN HANDLE	PCS		
904	150000000000002139	613281	INDUSTIRAL STRONG MAGNETS SIZE - 1" X 2" X 4", 4.5 KG CAPACITY	PCS		
905	150000000000007918		CARPENTER HANDSAW 18"	PCS	 +	+
906	1500000000000007310	613426	HACKSAW FRAME ADJUSTABLE PIPE,	PCS		
500	1300000000000002120	010420	250-300MM	, 55	1	1

	907	150000000000002118	613456	HACKSAW BLADE 1" X 12" , HIGH SPEED STEEL	PCS		
PARALLEL BENCH VISE, SQLARE PCS PCS	908	150000000000002119	613456		PCS		
150000000000002864	909	150000000000007020	613777	PARALLEL BENCH VISE, SQUARE CYLINDER, JAW WIDTH 152MM X 200MM OPENING X 90MM DEPTH.	PCS		
1911 15000000000000225	910	150000000000002964	614007	BARREL AND REFUELING PUMP UNIT COMPLETE WITH SPOUT, SUCTION PIPE	PCS		
1912 15000000000001824	911	150000000000006225	614057	HOSE BAND GALV STEEL 44-56MM	PCS		
150000000000001825	912	150000000000001822			PCS		
150000000000001825	913	15000000000001823			PCS		
150000000000001826	914	15000000000001824			PCS		
HOSE BAND / WORM HOSE CLIP	915	15000000000001825			PCS		
918	916	150000000000001826		HOSE BAND / WORM HOSE CLIP	PCS		
HOSE BAND / WORM HOSE CLIP PCS	917	15000000000001827		HOSE BAND / WORM HOSE CLIP	PCS		
1500000000000199	918	15000000000001828		HOSE BAND / WORM HOSE CLIP	PCS		
15000000000005380	919	150000000000006199	614068	HOSE BAND, STAINLESS STEEL, SIZE 15-	PCS		
150000000000001835	920	15000000000005380	614069		PCS		
15000000000001836 614073 HOSE BAND/ WORM HOSE CLIP PCS HOSE BAND/ WORM BAND STANILESS STEEL, RLS HOSE BAND/ WORM BAND STANILESS STEEL, RLS HOSE BAND/ WORM BAND STANILESS STEEL, RLS HOSE BAND/ WORM BUCKLE STANILESS STEEL, RLS HOSE BAND/ WORM BUCKLE STANILESS STEEL, RLS HOSE BAND/ WORM BUCKLE STANILESS TIPE, RAND/ WORM BUCKLE STANILESS STEEL, RLS HOSE BAND/ WORM BUCKLE STANILESS STEEL, RLS HOSE BAND/ WORM BUCKLE STANILESS	921	15000000000005381	614071		PCS		
923 1500000000001836 614073 HOSE BAND / WORM HOSE CLIP (JUBILEE), STAINLESS STEEL, SIZE 3' PCS 1500000000001838 614074 HOSE BAND / WORM HOSE CLIP (JUBILEE), STAINLESS STEEL, SIZE 4' PCS 1500000000001840 HOSE GAND / WORM HOSE CLIP (JUBILEE), STAINLESS STEEL, SIZE 5' PCS 1500000000001840 HOSE BAND / WORM HOSE CLIP (JUBILEE), STAINLESS STEEL, SIZE 6' PCS 1500000000001841 HOSE BAND / WORM HOSE CLIP (JUBILEE), STAINLESS STEEL, SIZE 6' PCS 15000000000001841 HOSE BAND / WORM HOSE CLIP PCS HOSE BAND / WORM HOSE CLIP PCS 15000000000001842 HOSE BAND / WORM HOSE CLIP PCS PCS 15000000000001842 HOSE BAND / WORM HOSE CLIP PCS PCS 15000000000001843 HOSE BAND / WORM HOSE CLIP PCS PCS 150000000000001844 HOSE BAND / WORM HOSE CLIP PCS PCS 150000000000001844 HOSE BAND / WORM HOSE CLIP PCS PCS 1500000000000000000000000000000000000	922	150000000000001835	614072	HOSE BAND / WORM HOSE CLIP	PCS		
924 1500000000001838 614074 HOSE BAND / WORM HOSE CLIP (JUBILEE), STAINLESS STEEL, SIZE 4' PCS HOSE BAND / WORM HOSE CLIP (JUBILEE), STAINLESS STEEL, SIZE 5' PCS HOSE BAND / WORM HOSE CLIP (JUBILEE), STAINLESS STEEL, SIZE 6' (JUBILEE), STAINLESS STEEL, SIZE 6' PCS HOSE BAND / WORM HOSE CLIP (JUBILEE), STAINLESS STEEL, SIZE 6' PCS HOSE BAND / WORM HOSE CLIP PCS HOSE BAND / WORM / W	923	15000000000001836	614073	HOSE BAND / WORM HOSE CLIP	PCS		
HOSE BAND / WORM HOSE CLIP PCS	924	15000000000001838	614074	HOSE BAND / WORM HOSE CLIP	PCS		
Post	925	15000000000001839	614075	HOSE BAND / WORM HOSE CLIP	PCS		
927 1500000000001841 - HOSE BAND / WORM HOSE CLIP (JUBILEE), STAINLESS STEEL, SIZE 7" PCS (JUBILEE), STAINLESS STEEL, SIZE 8" PCS (JUBILEE), STAINLESS STEEL, SIZE 8" PCS (JUBILEE), STAINLESS STEEL, SIZE 8" PCS (JUBILEE), STAINLESS STEEL, SIZE 10" PCS (JUBILEE), STAINLESS STEEL, SIZE 12" STAINLESS STEEL, SIZE 12" STAINLESS STEEL, SIZE 12" STAINLESS STEEL, STAINLES	926	15000000000001840	-	HOSE BAND / WORM HOSE CLIP	PCS		
928 1500000000001842 - HOSE BAND / WORM HOSE CLIP (JUBILEE), STAINLESS STEEL, SIZE 8" PCS	927	15000000000001841	-	HOSE BAND / WORM HOSE CLIP	PCS		
939 1500000000001843 -	928	15000000000001842	-		PCS		
930 150000000000001844 -	929	15000000000001843	-		PCS		
931 150000000000006724 614101 BANDING TOOL SET 932 150000000000006725 614105 BANDING BAND STAINLESS STEEL, 12.7MMX30MTR/ROLL RLS 933 15000000000006847 614106 BANDING BAND STAINLESS STEEL, 16.0MMX30MTR/ROLL RLS 934 15000000000006849 614111 BANDING BUCKLE STAINLESS STEEL, 12.7MMX100PCS/BOX BOX 935 15000000000006860 614112 BANDING BUCKLE STAINLESS STEEL, 16.0MMX30MTR/ROLL BOX 936 15000000000000007735 614196 // 16MMX100PCS/BOX BOX 937 1500000000000004654 614206 // TUBE // TUBE 938 1500000000000002020 LAPPING PASTE FOR FUEL VALVE, 24PPING PASTE 100 GMS TIN TIN 939 1500000000000000220 LAPPING PASTE FOR FUEL VALVE, EXTRA FINE, 50 GMS/TIN TIN 940 150000000000006670 614221 PASTE NOZZLE LAPPING, FINE, GRIT #1200, 60GRM/TIN TIN 941 150000000000004218 614304 MACHINIST FILE, FLAT BASTARD, 200 MM LENGTH PCS 943 150000000000004217 614311 MACHINIST FILE, FLAT MEDIUM	930	15000000000001844	-		PCS		
932 15000000000006847 614105 12.7MMX30MTR/ROLL BANDING BAND STAINLESS STEEL, 16.0MMX30MTR/ROLL BANDING BAND STAINLESS STEEL, 12.7MMX100PCS/BOX 1500000000006849 614111 BANDING BUCKLE STAINLESS STEEL, 12.7MMX100PCS/BOX BANDING BUCKLE STAINLESS STEEL, 16.0MMX30MTR/ROLL BOX 15000000000006860 614112 BANDING BUCKLE STAINLESS STEEL, 16.0MMX100PCS/BOX 1500000000000000000000000000000000000	931	150000000000006724	614101		SET		
933 15000000000006847 614106 BANDING BAND STAINLESS STEEL, 16.0MMX30MTR/ROLL RLS 934 15000000000006849 614111 BANDING BUCKLE STAINLESS STEEL, 12.7MMX100PCS/BOX BOX 935 150000000000006860 614112 BANDING BUCKLE STAINLESS STEEL, 16MMX100PCS/BOX BOX 936 1500000000000087 S.S.BUCKLE, SIZE - 1" PCS 937 15000000000007735 614196 BLUE PASTE (PRUSSIAN BLUE), 120 GMS / TUBE TUBE 938 150000000000004654 614206 FUEL VALVE LAPPING PASTE 100 GMS / TIN TIN 939 1500000000000002020 LAPPING PASTE FOR FUEL VALVE, EXTRA FINE, 50 GMS/TIN TIN 940 1500000000000006670 614221 PASTE NOZZIE LAPPING, FINE, GRIT #1200, 60GRM/TIN TIN 941 1500000000000002286 614302 MACHINIST FILE, FLAT BASTARD, 200 MM LENGTH PCS 942 150000000000004218 614304 MACHINIST FILE, FLAT BASTARD, 300 MM LENGTH PCS 943 150000000000002290 614311 MACHINIST FILE, FLAT MEDIUM, 300 MM LENGTH PCS 944 150000000000002290 614316	932	150000000000006725	614105		RLS		
15.00000000000006849	933	150000000000006847	614106	BANDING BAND STAINLESS STEEL,	RLS		
12.7MmX100PCS/BOX			614111	BANDING BUCKLE STAINLESS STEEL,			
936	935	150000000000006860		BANDING BUCKLE STAINLESS STEEL,			
937 150000000000007735 614196 BLUE PASTE (PRUSSIAN BLUE), 120 GMS / TUBE 938 150000000000004654 614206 FUEL VALVE LAPPING PASTE 100 GMS TIN 939 150000000000002020 LAPPING PASTE FOR FUEL VALVE, EXTRA FINE, 50 GMS/TIN 940 15000000000006670 614221 PASTE NOZZLE LAPPING, FINE, GRIT #1200, 60GRM/TIN 941 150000000000002286 614302 MACHINIST FILE, FLAT BASTARD, 200 MM LENGTH 942 150000000000004218 614304 MACHINIST FILE, FLAT BASTARD, 300 MM LENGTH 943 1500000000000004217 614311 MACHINIST FILE, FLAT MEDIUM, 300 MM PCS 944 1500000000000002290 614316 MACHINIST FILE, FLAT SMOOTH, 200 MM PCS 945 PCS 946 15000000000000000000000000000000000000	036	15000000000000000			PCS		
938 150000000000004654 614206 FUEL VALVE LAPPING PASTE 100 GMS TIN TIN 939 1500000000000002020 LAPPING PASTE FOR FUEL VALVE, EXTRA FINE, 50 GMS/TIN TIN 940 15000000000006670 614221 PASTE NOZZLE LAPPING, FINE, GRIT #1200, 60GRM/TIN TIN 941 150000000000002286 614302 MACHINIST FILE, FLAT BASTARD, 200 MM LENGTH PCS 942 150000000000004218 614304 MACHINIST FILE, FLAT BASTARD, 300 MM LENGTH PCS 943 150000000000004217 614311 MACHINIST FILE, FLAT MEDIUM, 300 MM LENGTH PCS 944 1500000000000002290 614316 MACHINIST FILE, FLAT SMOOTH, 200 MM LENGTH PCS			614196	BLUE PASTE (PRUSSIAN BLUE), 120 GMS			
939 15000000000002020	938	150000000000004654	614206	FUEL VALVE LAPPING PASTE 100 GMS	TIN		
940 150000000000006670 614221 PASTE NOZZLE LAPPING, FINE, GRIT #1200, 60GRM/TIN TIN 941 150000000000002286 614302 MACHINIST FILE, FLAT BASTARD, 200 MM LENGTH PCS 942 150000000000004218 614304 MACHINIST FILE, FLAT BASTARD, 300 MM LENGTH PCS 943 15000000000004217 614311 MACHINIST FILE, FLAT MEDIUM, 300 MM LENGTH PCS 944 150000000000002290 614316 MACHINIST FILE, FLAT SMOOTH, 200 MM LENGTH PCS	939	150000000000002020		LAPPING PASTE FOR FUEL VALVE,	TIN		
941 15000000000002286 614302 MACHINIST FILE, FLAT BASTARD, 200 MM LENGTH 942 15000000000004218 614304 MACHINIST FILE, FLAT BASTARD, 300 MM LENGTH 943 150000000000004217 614311 MACHINIST FILE, FLAT MEDIUM, 300 MM PCS 944 150000000000002290 614316 MACHINIST FILE, FLAT SMOOTH, 200 MM PCS LENGTH 946 PCS 947 PCS 947 PCS 948 PCS 949 PCS	940	150000000000006670	614221	PASTE NOZZLE LAPPING, FINE, GRIT	TIN		
942 15000000000004218 614304 MACHINIST FILE, FLAT BASTARD, 300 MM LENGTH 943 15000000000004217 614311 MACHINIST FILE, FLAT MEDIUM, 300 MM PCS 944 15000000000002290 614316 MACHINIST FILE, FLAT SMOOTH, 200 MM PCS LENGTH PCS				MACHINIST FILE, FLAT BASTARD, 200			
943 15000000000004217 614311 MACHINIST FILE, FLAT MEDIUM, 300 MM LENGTH 944 15000000000002290 614316 MACHINIST FILE, FLAT SMOOTH, 200 MM LENGTH PCS LENGTH PCS	942	150000000000004218	614304	MACHINIST FILE, FLAT BASTARD, 300	PCS		
944 15000000000002290 614316 MACHINIST FILE, FLAT SMOOTH, 200 MM LENGTH PCS				MACHINIST FILE, FLAT MEDIUM, 300 MM			
				MACHINIST FILE, FLAT SMOOTH, 200 MM			
	945	150000000000006950	614318		PCS		

			LENCTH	<u> </u>	1	1
	.=	0440=0	LENGTH MACHINIST FILE, ROUND BASTARD, 150	200		
946	1500000000000006951	614356	MM LENGTH MACHINIST FILE, ROUND BASTARD, 200	PCS		
947	150000000000002297	614357	MM LENGTH	PCS		
948	1500000000000006937	614364	MACHINIST FILE, ROUND 2ND CUT, 200 MM LENGTH	PCS		
949	150000000000006938	614391	MACHINIST FILE, SQUARE 2ND CUT, 150 MM LENGTH	PCS		
950	150000000000006939	614392	MACHINIST FILE, SQUARE 2ND CUT, 200 MM LENGTH	PCS		
951	150000000000002292		STEEL HALF ROUND FILES, ROUGH, 10" MACHINIST FILE, TRIANGULAR	PCS		
952	150000000000004225	614418	BASTARD, 300 MM LENGTH MACHINIST FILE, TRIANGULAR MEDIUM,	PCS		
953	150000000000004301	614425	300 MM LENGTH	PCS		
954	150000000000004240	614432	MACHINIST FILE, TRIANGULAR FINE, 300 MM LENGTH	PCS		
955	150000000000006720	614541	FILE NEEDLE SET, 170MM, SMOOTH, 12'S/SET	SET		
956	150000000000002007	614701	EMERY CLOTH, COARSE 1" WIDTH, 50 MTR ROLL	ROLL		
957	150000000000002008	614708	EMERY CLOTH, MEDIUM 1" WIDTH, 50 MTR ROLL	ROLL		
958	150000000000002009		EMERY CLOTH, FINE, 1" WIDTH, 50 MTR ROLL	ROLL		
959	150000000000002010	614682	EMERY CLOTH ABRASIVE 230X280MM, GRIT #36 / COARSE	SHT		
960	150000000000002011	614687	EMERY CLOTH ABRASIVE 230X280MM, GRIT #100 / MEDIUM	SHT		
961	150000000000002012	614691	EMERY CLOTH ABRASIVE 230X280MM, GRIT #220 / FINE	SHT		
962	150000000000002013	-	EMERY PAPER SHEET GRIT #36 / COARSE, 230 MMX 280 MM	SHT		
963	150000000000002014	-	EMERY PAPER SHEET GRIT #100 / MEDIUM, 230 MM X 280 MM	SHT		
964	150000000000002015	-	EMERY PAPER SHEET GRIT #220 / FINE, 230MM X 280MM	SHT		
965	1500000000000006244	614701	EMERY TAPE ABRASIVE, GRIT 30 / COARSE, 25MM WIDTH, ROLL OF 36.5 MTR.	ROLL		
966	150000000000006307	614706	EMERY TAPE, ABRASIVE, GRIT 100 / MEDIUM, 25MM WIDTH, ROLL OF 36.5 MTR	ROLL		
967	150000000000006308	614710	EMERY TAPE ABRASIVE, GRIT 240 / FINE, 25MM WIDTH, ROLL OF 36.5 MTR	ROLL		
968	150000000000006857	614751	SAND PAPER ABRASIVE 230X280MM, GRIT #40	SHT		
969	150000000000006834	614755	SAND PAPER ABRASIVE 230X280MM, GRIT #100	SHT		
970	150000000000006835	614759	SAND PAPER ABRASIVE 230X280MM, GRIT #220	SHT		
971	150000000000006854	614766	SILICON PAPER WATER-PROOF, ABRASIVE 230X280MM GRIT #80	SHT		
972	150000000000006855	614769	SILICON PAPER WATER-PROOF, ABRASIVE 230X280MM GRIT #150	SHT		
973	150000000000006856	614774	SILICON PAPER WATER-PROOF, ABRASIVE 230X280MM GRIT #320	SHT		
974	150000000000002005	614788	CARBORUNDUM OIL STONE #0, 205X50X25MM	PCS		
975	15000000000001930		WIRE BRUSH STRAIGHT HANDLE, STANDARD, L:300MM	PCS		
976	150000000000001931		WIRE BRUSH STRAIGHT HANDLE, LONG,L:375MM	PCS		
977	15000000000001999	-	BUFFING WHEELS WIRE BRUSH , SIZE: 6" OD, 1" WIDTH	PCS		
978	150000000000002000	-	BUFFING WHEELS WIRE BRUSH , SIZE: 8" OD, 1" WIDTH	PCS		
979	150000000000002001	-	BUFFING WHEEL CIRCULAR WIRE BRUSH, SIZE 6" O.D. X 1" THICK	PCS		
980	150000000000002003	-	BUFFING WHEELS WIRE BRUSH, SIZE: 10" OD, 1" WIDTH	PCS		
981	150000000000005232	-	STENCIL BRUSH	PCS		
982	150000000000002004	614194	CARBORUNDUM PASTE,400GM TIN,GRIT COARSE	TIN		
983	150000000000009089	614213	CARBORUNDUM PASTE,400GM TIN,GRIT MEDIUM	TIN		

004	150000000000009130	64.404.0	CARBORUNDUM PASTE,400GM TIN,GRIT	TINI	
984	1500000000000009130	614210	FINE CHAIN PULLY BLOCK, COMPACT, LIGHT	TIN	
985	15000000000001636		WEIGHT, SWL 1 TON, 3 MTR LIFT, WITH TEST CERTIFICATE	PCS	
986	150000000000006933	615006	HOIST CHAIN SPUR-GEAR 1/2TON, 2.5MTR	SET	
987	150000000000006925	615007	HOIST CHAIN SPUR-GEAR 1TON, 2.5MTR	SET	
988	150000000000002197		BEARING PULLER MANUAL (FORGED STEEL), 2 LEG, 8 INCH	PCS	
989	150000000000002198		BEARING PULLER MANUAL (FORGED STEEL), 2 LEG, 10 INCH	PCS	
990	150000000000002199	615071	BEARING PULLER MANUAL (FORGED STEEL), 3 LEG, 8 INCH	PCS	
991	150000000000002200		BEARING PULLER MANUAL (FORGED STEEL), 3 LEG, 10 INCH	PCS	
992	150000000000006848	615072	PULLER GEAR & WHEEL 3-ARM, 0-300MM	SET	
993	150000000000002135	615146	PORTABLE HYDRAULIC JACKS, UPTO 5 TON CAP	PCS	
994	150000000000002134	615162	HAND-OPERATED PUMP FOR HYDRAULIC RETURN JACK	PCS	
995	1500000000000006721	615230	HAND RIVETER TOOLS, PLIER TYPE, OVERALL LENGTH 260MM, CAPACITY RIVET DIA 2.4MM, 3.2MM, 4.0MM, 4.8MM	PRS	
996	150000000000006722	615236	RIVET BLIND OPENTYPE ALUM-BODY, STEEL-MANDREL 2.4X5.7MM 100'S/PKT	PKT	
997	150000000000001989	615251	RIVETING MACHINE, PNEUMATIC, LIGHT DUTY, RIVET DIA 2.4 - 4.8MM	PCS	
998	1500000000000008912	616773	FLARING TOOLS, TUBE DIAMETER O.D. 1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 8'S/SET	SET	
999	150000000000002931	617005	BLOW LAMP, CAPACITY - 1 PINT	PCS	
1000	150000000000002932	-	PIN FOR BLOW LAMP [PACKET OF 2 NOS.]	PKT	
1001	150000000000006723	617014	LEAK DETECTOR FOR REFRIGERANT GAS	SET	
1002	150000000000002917	617020	LEAK DETECTOR MACKINLEY, FOR REFRIGERANT GAS	PCS	
1003	150000000000008911	617101	STRAIGHT LADDER ALLUMINIUM ALLOY, 2.4 MTR LENGTH, WT 4.3 KGS	PCS	
1004	150000000000008910	617137	FOLDING LADDER ALLUMINIUM ALLOY, 2.7 MTR EXTENDED, 1.2 MTR FOLDED, WT 7.6 KGS	PCS	
1005	150000000000006557	617501	PNEUMATIC GREASE LUBRICATORS, CAPACITY 16-18 KGS, PUMP RATIO 40:1	PCS	
1006	150000000000002142	617551	FLEXIBLE MICRO HOSE FOR GREASE GUNS, 12 INCH LENGTH	PCS	
1007	150000000000002143	617552	FLEXIBLE MICRO HOSE FOR GREASE GUNS, 30 INCH LENGTH	PCS	
1008	150000000000002153	617703	GREASE GUN, LEVER TYPE KH-1100, STANDARD 1000CC	PCS	
1009	150000000000008308		HAND GRASE GUN-PIPE WITH ADAPTOR	PCS	
1010	150000000000002154	617737	OILER PUMP WITH FLEXIBLE SPOUT, H.D. 500CC	PCS	
1011	150000000000002155	617736	OILER PUMP WITH FLEXIBLE SPOUT, H.D. 250CC	PCS	
1012	150000000000007010	617738	OILER PUMP WITH SOLID SPOUT, H.D. 125CC	PCS	
1013	150000000000007011	617739	OILER PUMP WITH SOLID SPOUT, H.D. 250CC	PCS	
1014	15000000000001749	617763	JERRY CAN PLASTIC, CAPACITY 20 LTRS.	PCS	
1015	150000000000008104		KNIFE SHARPENER	PCS	
1016	150000000000008217	NDEV CODE	COPPER PIPE, 16MM I.D.	MTR	
	CUTTING TOOLS (IMPA I	NDEX CODE	DRILL BITS PARALLEL SHANK , HSS,		
1017	150000000000002327	630255	SIZE: 1MM TO 13 MM (IN STEPS OF 0.5MM)	SET	
1018	1500000000000002203	632486	SCREW EXTRACTOR SET, 2.0 - 7.2MM	PCS	
1019 1020	150000000000002879 1500000000000004423		SILICON SEALENT EXTRACTOR LATHE TOOL METAL PARTING	PCS PCS	
1021	150000000000004425		LATHE TOOL METAL BORING	PCS	
1022	150000000000004436		LATHE TOOL METAL CUTTING	PCS	
	MEASURING TOOLS (IMP	PA INDEX CO			
1023	150000000000008214		SPRING DIAL WEIGHING SCALE, 0-100 KGS	PCS	

1024	150000000000008216	I	STEEL SCALE, 1 MTR	PCS	T	1
1024	130000000000000210		MICROMETER - OUTSIDE 225-250MM	F03		
1025	150000000000002380	650310	ANVIL AND SPINDLE CARBIDE TIPPED, GRADUATION: 0.01MM WITH RATCHOT STOP	PCS		
1026	150000000000002387	650512	VERNIER CALIPERS, STAINLESS STEEL WITH CHROME FINISH, BOTH METRIC AND INCH GRADUATION, LENGTH 200MM (8 INCH), GRADUATION 0.001	PCS		
1027	150000000000004431		INSIDE CALIPERS, STAINLESS STEEL WITH CHROME FINISH, BOTH METRIC AND INCH GRADUATION, LENGTH 450MM (18 INCH), GRADUATION 0.001	PCS		
1028	1500000000000006928	650558	THICKNESS (FEELER) GAUGE, TYPE 150A13, RANGE 0.03-3.0MM, LENGTH 150MM, 13 LEAVES	PCS		
1029	150000000000006929	650555	THICKNESS (FEELER) GAUGE, TYPE 300A10, RANGE 0.03-0.3MM, LENGTH 300MM, 10 LEAVES	PCS		
1030	150000000000002368		THICKNESS (FEELER) GAUGE Metric Size 0.05 -1.00mm, 4"	SET		
1031	150000000000002369		THICKNESS (FEELER) GAUGE Metric Size 0.05 -1.00mm, 6"	SET		
1032	150000000000002370		THICKNESS (FEELER) GAUGE Metric Size 0.05 -1.00mm, 8"	SET		
1033	150000000000002371		THICKNESS (FEELER) GAUGE Metric Size 0.05 -1.00mm, 12"	SET		
1034	150000000000003934	650604	SCREW PITCH (THREAD GUAGE), METRIC	PCS		
1035	150000000000004703		PRESSURE GUAGE, 0 TO 25 BAR, 2-1/2" DIAL, SS BODY	PCS		
1036	150000000000004707		PRESSURE GUAGE, 0 TO 5 BAR, 3" DIAL, SS BODY	PCS		
1037	150000000000004708		PRESSURE GUAGE, 0 TO 6 BAR, 2-1/2" DIAL, SS BODY	PCS		
1038	150000000000004720		PRESSURE GUAGE, 0 TO 10 BAR, 2-1/2" DIAL, SS BODY	PCS		
1039	150000000000007773	650827	CONVEX RULES, 12MM WIDE FLEXIBLE STEEL BLADE IN A PLASTIC CASE, GRADUATED IN METRIC & INCHES, LENGTH 3.5 MTRS / 12 FT	PCS		
1040	1500000000000006934	650828	CONVEX RULES, 12MM WIDE FLEXIBLE STEEL BLADE IN A PLASTIC CASE, GRADUATED IN METRIC & INCHES, LENGTH 5 MTRS / 16 FT	PCS		
1041	150000000000002379	650838	MEASURING TAPES STEEL, METRIC GRADUATION, CONTAINED IN VINYL LAMINATED METAL CASE, LENGTH 30 MTRS, WIDE 13MM	PCS		
1042	150000000000002376		MEASURING TAPES STEEL, METRIC GRADUATION, CONTAINED IN VINYL LAMINATED METAL CASE, LENGTH 15 MTRS, WIDE 13MM	PCS		
1043	1500000000000006926	650876	TAPE OIL GAUGE STAINLESS STEEL, MM & INCH, 15MTR/50'	PCS		
1044	150000000000006927	650878	TAPE OIL GAUGE STAINLESS STEEL, MM & INCH 30MTR/100'	PCS		
1045	150000000000006940	650890	WATER FINDING PASTE, 75 GRM/TUBE	TUBE		
1046	150000000000002971		WATER FINDING PASTE 100GMS TIN, KOLORKUT	TUBE		
1047	150000000000006923	650891	GASOLINE AND OIL FINDING PASTE, 75 GRM/TUBE	TUBE		
1048	1500000000000006924	651344	HYDROMETER, SEAWATER, GRADUATION 1000-1040, LENGTH 250MM, WITH MANUFACTURER'S CERTIFICATE	PCS		
1049	150000000000006942	651501	VACUUM GUAGE, ROUND RIM CASE, HEAT & VIBRATION RESISTANT TYPE, HEXAGONAL NUT ATTACHED, PF 1/4" THREAD, 150 MM (6") DIA, 0~(-)76cmHg	PCS		
1050	150000000000006943	651501	PRESSURE GUAGE, ROUND RIM CASE, ORDINARY TYPE FOR STEAM, HEXAGONAL NUT ATTACHED, PF 1/4" THREAD, 50 MM DIA, MIN. 0.5-0kgf/cm2, max. 2000-0kgf/cm2	PCS		
1051	1500000000000006944	651501	PRESSURE GUAGE, ROUND RIM CASE, ORDINARY TYPE FOR STEAM, HEXAGONAL NUT ATTACHED, PF 3/8"	PCS		

			THREAD, 100 MM DIA, MIN. 0.5-0kgf/cm2, max. 2000-0kgf/cm2			
1052	150000000000006945	651501	PRESSURE GUAGE, ROUND RIM CASE, ORDINARY TYPE FOR STEAM, HEXAGONAL NUT ATTACHED, PF 1/2" THREAD, 100 MM DIA, MIN. 0.5-0kgf/cm2, max. 2000-0kgf/cm2	PCS		
1053	150000000000006946	651501	PRESSURE GUAGE, ROUND RIM CASE, ORDINARY TYPE FOR STEAM, HEXAGONAL NUT ATTACHED, PF 1/2" THREAD, 150 MM DIA, MIN. 0.5-0kgf/cm2, max. 2000-0kgf/cm2	PCS		
1054	150000000000002389	651506/11	COMPOUND GUAGE, ROUND RIM CASE, HEAT & VIBRATION RESISTANT TYPE, HEXAGONAL NUT ATTACHED, PF 1/4" THREAD, 65 MM (2.1/2") DIA, MIN. 1kgf/cm2- (-)76cmHg, MAX. 20kgf/cm2-(-)76cmHq	PCS		
1055	150000000000006941	651506/11	COMPOUND GUAGE, ROUND RIM CASE, HEAT & VIBRATION RESISTANT TYPE, HEXAGONAL NUT ATTACHED, PF 1/4" THREAD, 100 MM (4") DIA, MIN. 1kgf/cm2- (-)76cmHg, MAX. 20kgf/cm2-(-)76cmHg	PCS		
1056	240000000000000141		WALL THERMOMETER (FOR CABIN USE)	PCS		
1057	150000000000006947	651753	THERMOMETER DIGITAL TMDT2, -200 TO 1350DEG.C	PCS		
1058	150000000000002398	651909	THERMOMETER, STRAIGHT, SIKA, CASING SIZE 200MM X 36MM, RANGE 0- 160 DEC C, IMMERSION LENGTH 160MM	PCS		
1059	150000000000002399	651918	THERMOMETER, STRAIGHT, CASING SIZE 200MM X 36MM, RANGE 0-400 DEC C, IMMERSION LENGTH 160MM	PCS		
1060	150000000000003920	652785	RESTRICTED TRIMODE (ULLAGE, TEMPERATURE & OIL/WATER INTERFACE) GAUGING UNIT, 30 MTR, FOR CLOSED (RESTRICTED) GAUGING OF PETROLLEUM PRODUCTS, MAKE: MMC (D-2401-2 - 2401T-R-100-C-FM) / HERMETIC (R-TEX-SS1Q1), COMPLETE SET	EACH		
1061	150000000000005365	652785	GASTIGHT TRIMODE (ULLAGE, TEMPERATURE & OIL/WATER INTERFACE) GAUGING UNIT, 30 MTR, FOR CLOSED (GAS TIGHT) GAUGING OF PETROLLEUM PRODUCTS, MAKE: MMC (D-2401-2 - 2401TC30MCBS) / HERMETIC (G-TEX-SS1Q1), COMPLETE SET	EACH		
1062	150000000000008224	652787	SAMPLER, RUNNING LENGTH 30 MTRS, FOR UTI TAPES, MAKE : MMC / HERMETIC	EACH		
1063	150000000000005237	652901	SOUND METER NOISE LEVEL METER	PCS		
1064	150000000000008803		AUTOMATIC DEW POINT METER	PCS		
400=	METAL SHEETS, BARS E		•	1/2		
1065	150000000000006698 150000000000005501	211452	SEIZING WIRE GALVANIZED, DIA 3 MM	KG		
1066 1067	150000000000000501	-	SEIZING WIRE, STEEL, DIA 0.5MM SEIZING WIRE, STAINLESS STEEL, DIA 0.5 MM	KG KG		
1068	150000000000002406	671859	WIRE, COPPER, DIA 1.2MM	KG		
1069	150000000000007451	-	BRASS SHEETS,SIZE:2'X2',THICKNESS:0.1MM	PCS		
1070	150000000000002400		BRASS SHEETS,SIZE:2'X2',THICKNESS:0.2MM	PCS		
1071	15000000000007481	-	BRASS SHEETS,SIZE:2'X2',THICKNESS:0.5MM	PCS		
1072	150000000000007483	-	BRASS SHEETS,SIZE:2'X2',THICKNESS: 1MM	PCS		
1073	15000000000005496	673551	SACRIFICIAL ALUMINIUM ANODES FOR HULL / TANK (with Laboratory Test Report SACRIFICIAL ZINC ANODES FOR HULL /	KG		
1074	15000000000005497	673601	TANK (with Laboratory Test Report) WIRE MESH, ANTI SPARK, 1SQMM X 1	KG		
1075	150000000000007984	-	MTR X 1 MTR, S.S.	PCS		
	100000000000000000000000000000000000000					
1076	15000000000000006932	673901	WIRE GAUZE, GALV. IRON, MESH SIZE: 2 X 2 MM, WIDTH 910MM X 10 MTRS WIRE GAUZE, STAINLESS STEEL, MESH	PCS		

1078	150000000000005235	-	SS WIRE MESH 0.5 MM X 0.5 MM X 15 SQ	ROLL		
	SCREW & NUTS (IMPA IN	IDEX CODE 6	MTR (9)	1		
1079	15000000000002489	690909	BOLT & NUT HIGH TENSILE, SS, 3 MM DIA, 25 MM LENGTH	PCS		
1080	150000000000002490	690930	BOLT & NUT HIGH TENSILE, SS, 4 MM DIA, 25 MM LENGTH	PCS		
1081	150000000000002491	690937	BOLT & NUT HIGH TENSILE, SS, 4 MM DIA, 40 MM LENGTH	PCS		
1082	150000000000002492	690939	BOLT & NUT HIGH TENSILE,SS, 4 MM DIA, 50 MM LENGTH	PCS		
1083	150000000000002493	690961	BOLT & NUT HIGH TENSILE, SS , 5 MM DIA, 25 MM LENGTH	PCS		
1084	150000000000002494	690966	BOLT & NUT HIGH TENSILE, SS, 5 MM DIA, 50 MM LENGTH	PCS		
1085	150000000000002495	691110	BOLT & NUT HIGH TENSILE, SS, 6 MM DIA, 25 MM LENGTH	PCS		
1086	150000000000002496	691111	BOLT & NUT HIGH TENSILE, SS, 6 MM DIA, 30 MM LENGTH	PCS		
1087	150000000000002497	691115	BOLT & NUT HIGH TENSILE, SS, 6 MM DIA, 50 MM LENGTH	PCS		
1088	150000000000002498	691139	BOLT & NUT HIGH TENSILE, SS, 8 MM DIA, 25 MM LENGTH	PCS		
1089	150000000000002499	691141	BOLT & NUT HIGH TENSILE, SS, 8 MM DIA, 30 MM LENGTH	PCS		
1090	150000000000002500	691145	BOLT & NUT HIGH TENSILE, SS, 8 MM DIA, 50 MM LENGTH	PCS		
1091	150000000000002501	691150	BOLT & NUT HIGH TENSILE, SS, 8 MM DIA, 75 MM LENGTH	PCS		
1092	150000000000002502	691178	BOLT & NUT HIGH TENSILE, SS, 10 MM DIA, 25 MM LENGTH	PCS		
1093	150000000000002503	691181	BOLT & NUT HIGH TENSILE, SS, 10 MM DIA, 40 MM LENGTH	PCS		
1094	150000000000002506	691183	BOLT & NUT HIGH TENSILE, SS, 10 MM DIA, 50 MM LENGTH	PCS		
1095	150000000000002505	691186	BOLT & NUT HIGH TENSILE, SS, 10 MM DIA, 65 MM LENGTH	PCS		
1096	150000000000002508	691188	BOLT & NUT HIGH TENSILE, SS, 10 MM DIA, 75 MM LENGTH	PCS		
1097	150000000000002507	691193	BOLT & NUT HIGH TENSILE, SS, 10 MM DIA, 100 MM LENGTH	PCS		
1098	150000000000002509	691220	BOLT & NUT HIGH TENSILE, SS, 12 MM DIA, 40 MM LENGTH	PCS		
1099	150000000000002510	681222	BOLT & NUT HIGH TENSILE, SS, 12 MM DIA, 50 MM LENGTH	PCS		
1100	150000000000002511	681226	BOLT & NUT HIGH TENSILE, SS, 12 MM DIA, 70 MM LENGTH BOLT & NUT HIGH TENSILE. SS, 12 MM	PCS		
1101	150000000000002512	681227	DIA, 75 MM LENGTH	PCS		
1102	150000000000002513	-	BOLT & NUT HIGH TENSILE, SS, 13 MM DIA, 75 MM LENGTH	PCS		
1103	150000000000002515	691263	BOLT & NUT HIGH TENSILE, SS, 14 MM DIA, 40 MM LENGTH	PCS		
1104	150000000000002514	681265	BOLT & NUT HIGH TENSILE, SS, 14 MM DIA, 50 MM LENGTH BOLT & NUT HIGH TENSILE, SS, 14 MM	PCS		
1105	150000000000002516	691270	DIA, 75 MM LENGTH BOLT & NUT HIGH TENSILE, SS, 14 MM BOLT & NUT HIGH TENSILE, SS, 14 MM	PCS		
1106	150000000000002517	691273	DIA, 100 MM LENGTH BOLT & NUT HIGH TENSILE, SS, 14 MM BOLT & NUT HIGH TENSILE, SS, 16 MM	PCS		
1107	150000000000002518	691281	DIA, 50 MM LENGTH BOLT & NUT HIGH TENSILE, SS, 16 MM BOLT & NUT HIGH TENSILE, SS, 16 MM	PCS		
1108	150000000000002519	691283	DIA, 60 MM LENGTH BOLT & NUT HIGH TENSILE, SS, 16 MM BOLT & NUT HIGH TENSILE, SS, 16 MM	PCS		
1109	150000000000002521	691286	DIA, 75 MM LENGTH BOLT & NUT HIGH TENSILE, SS, 16 MM BOLT & NUT HIGH TENSILE. SS, 16 MM	PCS		
1110	150000000000002522	691291	DIA, 100 MM LENGTH BOLT & NUT HIGH TENSILE, SS, 16 MM BOLT & NUT HIGH TENSILE, SS, 16 MM	PCS		
1111	150000000000002520	691296	DIA, 125 MM LENGTH BOLT & NUT HIGH TENSILE, SS, 16 MM BOLT & NUT HIGH TENSILE, SS, 16 MM	PCS		
1112	150000000000002523	691299	DIA, 150 MM LENGTH	PCS		
1113	150000000000002524	-	BOLT & NUT HIGH TENSILE, SS, 17 MM DIA, 65 MM LENGTH BOLT & NUT HIGH TENSILE, SS, 17 MM	PCS		
1114	150000000000002525	-	DIA, 75 MM LENGTH	PCS		
1115	150000000000002526	691312	BOLT & NUT HIGH TENSILE, SS, 18 MM DIA, 60 MM LENGTH	PCS		

			BOLT & NUT HIGH TENSILE, SS, 18 MM	200		
1116	150000000000002527	691315	DIA, 75 MM LENGTH	PCS		
1117	150000000000002528	-	BOLT & NUT HIGH TENSILE, SS, 19 MM DIA, 75 MM LENGTH	PCS		
1118	150000000000002529	-	BOLT & NUT HIGH TENSILE, SS, 19 MM DIA, 65 MM LENGTH	PCS		
1119	150000000000002530	691327	BOLT & NUT HIGH TENSILE, SS, 20 MM	PCS		
			DIA, 60 MM LENGTH BOLT & NUT HIGH TENSILE, SS, 20 MM			
1120	150000000000002531	691330	DIA, 75 MM LENGTH BOLT & NUT HIGH TENSILE, SS, 21 MM	PCS		
1121	150000000000002532	-	DIA, 75 MM LENGTH	PCS		
1122	150000000000002533	691395	BOLT & NUT HIGH TENSILE, SS, 24 MM DIA, 75 MM LENGTH	PCS		
1123	150000000000002534	-	BOLT & NUT HIGH TENSILE, SS, 26 MM DIA, 75 MM LENGTH	PCS		
1124	150000000000002535	-	BOLT & NUT HIGH TENSILE, SS, 32 MM DIA, 150 MM LENGTH	PCS		
1125	150000000000002486	-	BOLT & NUT, MS, HT, OD: 4 MM, L: 40 MM	PCS		
1126	150000000000002487	-	BOLT & NUT, MS, HT, OD: 8 MM, L: 75 MM	PCS		
1127	150000000000002488	-	BOLT & NUT, MS, HT, OD: 10 MM, L: 65 MM	PCS		
1128	150000000000004576	-	BOLT & NUT, MS, HT, OD: 10 MM, L: 75	PCS		
1129	150000000000004578	-	BOLT & NUT, MS, HT, OD: 19 MM, L: 75 MM	PCS		
1130	150000000000002484	-	ALLEN BOLT, HIGH TENSILE, DIA:4MM, L:25MM	PCS		
1131	150000000000002477	-	ALLEN BOLT, HIGH TENSILE, DIA:4.5MM, L:25MM	PCS		
1132	150000000000002483	-	ALLEN BOLT, HIGH TENSILE, DIA:5MM, L:25MM	PCS		
1133	150000000000002478	-	ALLEN BOLT, HIGH TENSILE, DIA:6MM, L:38MM	PCS		
1134	150000000000002479	-	ALLEN BOLT, HIGH TENSILE, DIA:8MM, L:38MM	PCS		
1135	150000000000002472	-	ALLEN BOLT, HIGH TENSILE, DIA:10MM, L:50MM	PCS		
1136	150000000000004542	-	NUTS & BOLTS FULL THREAD SIZE 10"	PCS		
1137	150000000000004543	-	NUTS & BOLTS FULL THREAD SIZE 13"	PCS		
1138	150000000000004544	-	NUTS & BOLTS FULL THREAD SIZE 17"	PCS		
1139	150000000000004545	-	NUTS & BOLTS FULL THREAD SIZE 19"	PCS		
1140	150000000000004547	-	NUTS & BOLTS FULL THREAD SIZE 24"	PCS		
1141	150000000000004506		NUTS & BOLTS M16 3" BOLTS & NUTS M10 2"	PCS PCS		
1142	150000000000004507 1500000000000004508		NUTS & BOLTS M10 2"	PCS		
1143 1144	150000000000004508		BOLTS & NUTS M10 2-1/2"	PCS		
1145	150000000000004509		BOLTS & NUTS M8 1"	PCS		
1146	150000000000004519		BOLTS & NUTS M8 2"	PCS		
1147	150000000000004530		NUTS & BOLTS M20 3"	PCS		
1148	150000000000004531		BOLTS & NUTS M12 1"	PCS		
1149	150000000000004534		BOLTS & NUTS M12 2"	PCS		
1150	150000000000004536		BOLTS & NUTS M12 2-1/2"	PCS		
1151	150000000000005453		NUT & BOLT HEX. HEAD SIZE 32MM, L. =105MM, THREAD DIA 22MM	PCS		
1152	15000000000005455		NUT & BOLT HEX. HEAD SIZE 30MM, L. =250MM, THREAD DIA 20MM	PCS		
1153	150000000000002463	694001	MACHINE SCREW BRASS, 10MM X 2" LEN	PCS		
1154	150000000000002464	694001	MACHINE SCREW M.S, 1/2" LEN	PCS		
1155	150000000000002465	694001	MACHINE SCREW M.S, 1" LEN	PCS		ļ
1156	150000000000002466	694001	MACHINE SCREW M.S, 1.1/2" LEN	PCS		
1157	150000000000002467	694001	MACHINE SCREW M.S, 2" LEN	PCS	1	<u> </u>
1158 1159	150000000000002468 1500000000000002469	694001 694001	MACHINE SCREW SS, 1/2" LEN MACHINE SCREW SS, 3/4" LEN	PCS PCS	-	-
1160	150000000000002469	694001	MACHINE SCREW SS, 3/4" LEN MACHINE SCREW SS, 1" LEN	PCS	 	+
1161	150000000000002470	694001	MACHINE SCREW SS, 1.1/2" LEN	PCS		
1162	150000000000002471	694801	M.S. PLAIN WASHER, SIZE: 4 MM I.D.	PCS	 	
1163	150000000000002679	694801	M.S. PLAIN WASHER, SIZE: 5 MM I.D.	PCS	1	
1164	1500000000000002680	694801	M.S. PLAIN WASHER, SIZE: 6 MM I.D.	PCS	İ	
1165	150000000000002681	694801	M.S. PLAIN WASHER, SIZE: 7 MM I.D.	PCS		
1166	150000000000002682	694801	M.S. PLAIN WASHER, SIZE: 8 MM I.D.	PCS		
1167	150000000000002683	694801	M.S. PLAIN WASHER, SIZE: 9 MM I.D.	PCS		

1168	150000000000002684	694801	M.S. PLAIN WASHER, SIZE: 10 MM I.D.	PCS	
1169	150000000000002685	694801	M.S. PLAIN WASHER, SIZE: 11 MM I.D.	PCS	
1170	150000000000002686	694801	M.S. PLAIN WASHER, SIZE: 12 MM I.D.	PCS	
1171	150000000000002687	694801	M.S. PLAIN WASHER, SIZE: 13 MM I.D.	PCS	
1172	1500000000000002688	694801	M.S. PLAIN WASHER, SIZE: 14 MM I.D.	PCS	
1173	150000000000002689	694801	M.S. PLAIN WASHER, SIZE: 15 MM I.D.	PCS	
1174	150000000000002690	694801	M.S. PLAIN WASHER, SIZE: 16 MM I.D.	PCS	
			·		
1175	150000000000002691	694801	M.S. PLAIN WASHER, SIZE: 18 MM I.D.	PCS	
1176	150000000000002692	694801	M.S. PLAIN WASHER, SIZE: 19 MM I.D.	PCS	
1177	150000000000002693	694801	M.S. PLAIN WASHER, SIZE: 20 MM I.D.	PCS	
1178	150000000000002694	694801	M.S. PLAIN WASHER, SIZE: 22 MM I.D.	PCS	
1179	150000000000002695	694801	M.S. PLAIN WASHER, SIZE: 24 MM I.D.	PCS	
1180	150000000000007403	695201	M.S. SPRING WASHER, SIZE: 4 MM I.D.	PCS	
1181	150000000000007405	695201	M.S. SPRING WASHER, SIZE: 5 MM I.D.	PCS	
1182	150000000000007426	695201	M.S. SPRING WASHER, SIZE: 6 MM I.D.	PCS	
1183	150000000000007427	695201	M.S. SPRING WASHER, SIZE: 7 MM I.D.	PCS	
1184	150000000000007428	695201	M.S. SPRING WASHER, SIZE: 8 MM I.D.	PCS	
1185	150000000000007429	695201	M.S. SPRING WASHER, SIZE: 9 MM I.D.	PCS	
1186	15000000000007429	695201	•	PCS	
			M.S. SPRING WASHER, SIZE: 10 MM I.D.		
1187	150000000000007408	695201	M.S. SPRING WASHER, SIZE: 11 MM I.D.	PCS	
1188	150000000000007420	695201	M.S. SPRING WASHER, SIZE: 12 MM I.D.	PCS	
1189	150000000000007421	695201	M.S. SPRING WASHER, SIZE: 13 MM I.D.	PCS	
1190	150000000000007422	695201	M.S. SPRING WASHER, SIZE: 14 MM I.D.	PCS	
1191	150000000000007423	695201	M.S. SPRING WASHER, SIZE: 15 MM I.D.	PCS	
1192	150000000000007424	695201	M.S. SPRING WASHER, SIZE: 16 MM I.D.	PCS	
1193	150000000000007425	695201	M.S. SPRING WASHER, SIZE: 18 MM I.D.	PCS	
1194	150000000000007413	695201	M.S. SPRING WASHER, SIZE: 19 MM I.D.	PCS	
1195	150000000000007414	695201	M.S. SPRING WASHER, SIZE: 20 MM I.D.	PCS	
1196	150000000000007415	695201	M.S. SPRING WASHER, SIZE: 22 MM I.D.	PCS	
1197	150000000000007416	695201	M.S. SPRING WASHER, SIZE: 24 MM I.D.	PCS	
1131	1300000000000007410	093201	COPPER WASHER 2 MM TO 50 MM (IN	100	
1198	150000000000009125		STEPS OF 2 MM) I.D. X 1 MM THICK (25	SET	
			SIZES)		
1199	150000000000002670		DOWTY WASHERS 1/2 ID X 2 MM THK	PCS	
1200	150000000000002673		DOWTY WASHERS 1 ID X 2 MM THK	PCS	
1201	150000000000002452		SPLIT PINS, MS, DIA: 1 MM, LEN: 25MM	PCS	
1202	150000000000002453		SPLIT PINS, MS, DIA: 1.5 MM, LEN: 30MM	PCS	
1203	150000000000008051		SPLIT PINS, MS, DIA: 2 MM, LEN: 20MM	PCS	
1204	150000000000002454		SPLIT PINS, MS, DIA: 2 MM, LEN: 38MM	PCS	
1205	150000000000008101		RIVETS (ASSORTED SIZES)	PCS	
1200	ELECTRICAL EQUIPMEN	ITS (IMPA IND	,	. 55	
1206	150000000000007788	471874 (a)	DIGITAL CAMERA, INTRINSICALLY SAFE,10 MEGAPEXELS, 3x OPTICAL ZOOM, WITH FLASH & STANDARD ACCESSORIES	PCS	
1207	150000000000000466	370533	LAMP FOR SEARCH LIGHT 220V / 2000 W	PCS	
1207	130000000000000000466	310000	/ PIN / GY-38	FUO	
1208	150000000000000463		INCANDECENT LAMP FOR SUEZ CANAL SEARCH LIGHT 220-240V / 3000 W , BASE G-150	PCS	
1209	150000000000000449	790194	PIGMY LAMPS / 220V / 15 W / SC / E-27	PCS	
1210	150000000000000450	790195	LAMP VS CLEAR E-26, 220-240V 60W	PCS	
1211	150000000000000451	790197	LAMP VS CLEAR E-26, 220-240V 100W	PCS	
1212	150000000000000446	790219	LAMP VS CLEAR B-22, 220-240V 40W	PCS	
1213	150000000000000447	790220	LAMP VS CLEAR B-22, 220-240V 60W	PCS	
1214	150000000000000448	790221	LAMP VS CLEAR B-22, 220-240V 100W	PCS	
			LAMP STANDARD CLEAR E-39 / E-40,		
1215	150000000000000452	790231	220-240 300W	PCS	
1216	150000000000000453	790232	LAMP STANDARD CLEAR E-39 / E-40,	PCS	
1217	150000000000000440	790464	220-240 500W LAMP EMERGENCY BATT. E-26 /E-27, 24V	PCS	
	1300000000000000440	1 30404	30W LAMP EMERGENCY BATTERY E-27, 24V		
1218	150000000000000442		60W	PCS	
1219	150000000000000454	790125	GLS LAMP 220-240V / 40 W / SC / E-27 (FROSTED)	PCS	
1220	1500000000000000443		GLS LAMP 24V / 100 W / SC / E-27	PCS	
			CFL BULBS 220-240V / 14 W / SC / E-27 /		
1221	150000000000000521	-	INTERGRATED	PCS	
1222	150000000000000523	-	CFL BULBS 220-240V / 18 W / SC / E-27 /	PCS	

			INTERGRATED		
1223	150000000000000522	-	CFL BULBS 220-240V / 23 W / SC / E-27 / INTERGRATED	PCS	
1224	150000000000005028	-	BULB FOR GOOSENECK LIGHT 24 VDC BA9 4W T4W TYPE	PCS	
1225	150000000000006863	790481	LAMP EMERGENCY BATTERY B-22, 24V 10W	PCS	
1226	150000000000000444	790482	GLS LAMP 24V / 21 W / BC / B-22 FOR EMG	PCS	
1227	150000000000000528	790511	INDICATING LAMP / 220V / 5 W / SC / E-10	PCS	
1228	150000000000000538	790604	INDICATING LAMP / 18V / 0.11 A / SC / BA- 9-S	PCS	
1229	15000000000000545	790618	INDICATING LAMP / 24V / 0.11 A / SC / BA- 15-D	PCS	
1230	15000000000000546	-	INDICATING LAMP / 30V / 0.15 A / SC / BA- 15-D	PCS	
1231	150000000000000525		LAMP PILOT TUBULAR CLEAR E-10, 24V 0.11A 10X28MM	PCS	
1232	150000000000000524	790501	LAMP PILOT TUBULAR CLEAR E-10, 6.3V 0.15A 10X28MM	PCS	
1233	150000000000004211	790655	LAMP PILOT GLOBULAR CLEAR E-10, 18V 1W 11X23.5MM	PCS	
1234	150000000000004067	790655	LAMP PILOT GLOBULAR CLEAR E-10, 24V 1W 11X23.5MM	PCS	
1235	150000000000006861	790656	LAMP PILOT GLOBULAR CLEAR E-10, 30V 1W 11X23.5MM	PCS	
1236	150000000000006862	790661	LAMP PILOT GLOBULAR CLEAR E-12, 24V 3W 19X35MM	PCS	
1237	150000000000000537		LAMP PILOT TUBULAR CLEAR BA-9S, 6.3V 0.1	PCS	
1238	150000000000000539	790680	LAMP PILOT TUBULAR CLEAR BA-9S, 24V 1W 10X28MM	PCS	
1239	150000000000000540	790693	LAMP PILOT TUBULAR CLEAR BA-9S, 28V 1W 10X28MM	PCS	
1240	150000000000000590	-	TABLE LAMPS COMPLETE WITH 8W TUBELIGHT, 220V	PCS	
1241	150000000000000592	-	TABLE LAMPS COMPLETE WITH CFL LAMP, 220V ,PL 11 W	PCS	
1242	15000000000000549	-	CANDLE LAMPS / 220V / 25W / SC / E-27	PCS	
1243	150000000000000550	-	CANDLE LAMPS / 220V / 25W / SC / E-14	PCS	
1244	24000000000000159		BULBS 220V * 65W RADIUM TYPE. P28. PLATE TYPE BASE	PCS	
1245	150000000000005025		BULB FOR SEARCH LIGHT 220-240V / 1000 W / SC / E39	PCS	
1246	150000000000000465	790956	INCANDECENT BULB FOR SEARCH LIGHT 220-240V / 1000 W / SC / E40	PCS	
1247	150000000000000469	791105/13	HIGH PRESSURE MERCURY VAPOUR LAMP, 250W / E-39 / E-40 / 220V	PCS	
1248	150000000000000470	791107/15	HIGH PRESSURE MERCURY VAPOUR LAMP, 400W / E-39 / E-40 / 220V	PCS	
1249	150000000000000471	791108/16	HIGH PRESSURE MERCURY VAPOUR LAMP, 700W / E-39 / E-40 / 220V	PCS	
1250	150000000000000472	791109/17	HIGH PRESSURE MERCURY VAPOUR LAMP, 1000W / E-39 / E-40 / 220V	PCS	
1251	150000000000000616	791126	BALLAST FOR HPMV LAMPS 400W , 220- 250V, H.DUTY COPPER WOUND	PCS	
1252	150000000000000481		HPSV LAMP 220-240V / 400 W / SC / E-40	PCS	
1253	150000000000000619	791126	BALLAST FOR HPSV LAMPS 400W , 220- 250V, H.DUTY COPPER WOUND	PCS	
1254	150000000000000611	-	IGNITOR FOR HPSV LAMPS 70W-400W, 220-250V	PCS	
1255	150000000000000482	791212	LAMP SODIUM HIGH PRESSURE, T-BULB NHT250 E-39 / E-40 250W	PCS	
1256	150000000000000483	791213	LAMP SODIUM HIGH PRESSURE, T-BULB NHT400 E-39 / E-40 400W	PCS	
1257	150000000000006903	791220	HIGH PRESSURE SODIUM LAMP, NHR400, 400 WATT, E-39, 320MM LEN.	PCS	
1258	150000000000006904	791256	LAMP HALOGEN ILLUMINATION E-11, SCREW BASE 220V 500W	PCS	
1259	150000000000000486	791263	LAMP HALOGEN TUNGSTEN R7S, CAP BASE 220V 500W	PCS	
1260	150000000000004026	791267	LAMP HALOGEN TUNGSTEN R7S, CAP BASE 220V 1000W L:189MM	PCS	
1261	150000000000000488	791272	LAMP HALOGEN TUBULAR SHAPE, E-39 / E-40 200-240V 500W	PCS	
1262	150000000000000489	791273	HALOGEN LAMP 220-240V/1000W/SC/E- 39/TUBULAR TYPE JTT	PCS	

1263	150000000000000474	_	METAL HALIDE LAMP, 220 V / 250W / E-39	PCS
1264	1500000000000000475	-	/ E40 METAL HALIDE LAMP, 220 V / 400W / E-39	PCS
1265	150000000000005343	_	/ E40 HOLDERS FOR HALOGEN LAMP, E-39 / E-	PCS
1266	150000000000000000000000000000000000000	_	40 HALOGEN LAMP HOLDER , LOCK TYPE ,	PCS
1267	150000000000000000000000000000000000000	-	RS7 ELECTRIC BULB 400W,PHILIPS-TYPE	PCS
			HPI-T + COLURED LAMP 220-240V / 20 W / SC / E-	
1268	150000000000000457		27 (RED) COLOURED LAMP 220-240V / 20 W / SC /	PCS
1269	150000000000000459		E-27 (GREEN) FLOURECENT LAMP SINGLE PIN 220-	PCS
1270	150000000000000501		240V / 20W / 24" / 38 MM LAMP FLUORESCENT COOL WHITE /	PCS
1271	150000000000000490	791403/23	DAYLIGHT, FL-8, 8W 15.5X287MM	PCS
1272	150000000000000493	791425	LAMP FLUORESCENT COOL WHITE / DAYLIGHT, FL-15, 15W 25.5X436MM	PCS
1273	150000000000000505	791408/28	LAMP FLUORESCENT, COOL WHITE / DAYLIGHT, FL-20S/18 / 18W / 24" / 32.5X580MM	PCS
1274	150000000000000506	791406/26	LAMP FLUORESCENT, COOL WHITE / DAYLIGHT, FL-20 / 20W / 24" / 38X580MM	PCS
1275	150000000000000511		FLOURECENT LAMP COOL WHITE / DAYLIGHT 220-240V / 36W / 48"	PCS
1276	150000000000000512	791415/35	LAMP FLUORESCENT, COOL WHITE / DAYLIGHT, FL-40 / 40W / 48" / 38X1198MM	PCS
1277	150000000000000499	791442	LAMP FLUORESCENT, RAPID START, FLR-20 / 24" / 38X580MM	PCS
1278	150000000000000500	791444	LAMP FLUORESCENT, RAPID START, FLR-40 / 48" / 38X580MM	PCS
1279	150000000000005026		LAMP 28V 40mA 1.2W T5.5(size15mmsX5.7mmsX5.1mms)ECR CTRL	PCS
1280	150000000000007012	791503	STARTER FOR FL LAMP FG-7P	PCS
1281	1500000000000007013	791505	STARTER FOR FL LAMP FG-4P FLOURECENT TUBE LIGHT HOLDER L	PCS PCS
1282	1500000000000000885	791521	TYPE FLOURECENT TUBE LIGHT HOLDER	PCS
1283	150000000000000889	791525	FOR 8W TUBE FLOURECENT TUBE LIGHT HOLDER L	PCS
1284	150000000000000888	791528	TYPE WITH STARTER BASE SPARE ACRYLIC COVER FOR	PCS
1285	150000000000000633	-	TUBELIGHTS FIXTURE 4 FT X 1 FLOURECENT LAMP FITTING	PCS
1286	1500000000000000627	791555	BALLAST ELECTRONIC FOR FLOURECENT , 20W , 220-240V	PCS
1287	150000000000000628	791558	BALLAST ELECTRONIC FOR FLOURECENT , 40W , 220-240V	PCS
1288	1500000000000000622	-	BALLAST COPPER WOUND FOR FLOURECENT LAMPS 8W , 220-240V	PCS
1289	150000000000000623	-	BALLAST COPPER WOUND FOR FLOURECENT LAMPS 15W , 220-240V	PCS
1290	150000000000000624	-	BALLAST COPPER WOUND FOR FLOURECENT LAMPS 20W , 220-240V	PCS
1291	150000000000000626	-	BALLAST COPPER WOUND FOR FLOURECENT LAMPS 40W , 220-240V	PCS
1292	150000000000000566	-	WATER TIGHT HALOGEN LAMP FITTING, 220-240V / 500 W / E-40 FOR JTT TYPE TUBULAR LAMPS	PCS
1293	150000000000000569	791834	WATER TIGHT MARINE FLOODLIGHT, SUITABLE FOR HPMV / HPSV / HID LAMP UPTO 400W, E40 HOLDER, INGREESS PROTECTION IP-66 CLASS 1	PCS
1294	150000000000000553	791906	MARINE , NON WATER TIGHT FLOURECENT CELING LIGHT FITTINGS WITH DIFFUSER , WITH BALLAST & STARTER W/O TUBE , 220-240 V , TYPE (18 W / 20 W X 2)	PCS
1295	150000000000006890	791937	FLOURECENT CEILING LIGHT, FLAMEPROOF, 220V, 20W X 2, DIMENSION 768 X 188 X 161 MM	PCS
1296	150000000000000556		FLOURECENT CEILING LIGHT WATERTIGHT, W/GLOBE AC220V KEW202 20WX2	PCS

1297	15000000000005289		TUBE LIGHT FITTING WEATHER PROOF	PCS	
1298	150000000000000573	792004	220V 20W 2FT CARGO LIGHT SINGLE BASE NO.2, E-39 500W	PCS	
1299	150000000000006914	792013	CARGO LIGHT SINGLE BASE WATER- PROOF NO.2-2, E-39 300W	PCS	
1300	150000000000000597	792166	HAND LAMP NON WATER TIGHT, RUBBER HANDLE WITH GUARD AND WELL GLASS SUITABLE FOR UPTO 60 W , SC-E-27 GLS LAMP, 220-240V W/O LAMP & CABLE	PCS	
1301	150000000000000599	792172	HAND LAMP FLAME PROOF TYPE , WITH GUARD AND WELL GLASS SUITABLE FOR UPTO 60W , SC-E-27 GLS LAMP 220- 240V W/O LAMP & CABLE	PCS	
1302	1500000000000000603	792194	ROTARY WARNING LIGHTS , YELLOW , DC 24V X 40 W	PCS	
1303	150000000000000646	792202	FLASHLIGHTS , PLASTIC BODY , SUITABLE FOR (4 X UM-1) BATTERIES	PCS	
1304	150000000000006915	792212	FLASHLIGHT INDUSTRIAL, HEAVY DUTY #2618 2 CELLS	PCS	
1305	150000000000004997	792212	TORCH TWO CELL BRASS / PLASTIC BODY SMALL MOUTH	PCS	
1306	150000000000007014	792213	FLASHLIGHT INDUSTRIAL, HEAVY DUTY #1625 3 CELLS	PCS	
1307	15000000000005000	792213	TORCH THREE CELL BRASS / PLASTIC BODY BIG MOUTH	PCS	
1308	150000000000006905	792216	FLASHLIGHT #2217 2CELL SAFETY, APPROVED TYPE	PCS	
1309	150000000000006906	792217	FLASHLIGHT #2224 3CELL SAFETY, APPROVED TYPE	PCS	
1310	150000000000000581		GLASS GLOBES FOR MARINE WALL LIGHTS, CLEAR "A"	PCS	
1311	150000000000000582		GLASS GLOBES FOR MARINE WALL LIGHTS, CLEAR "B"	PCS	
1312	150000000000000654		BATTERY DRY CELL R20P(UM-1), 1.5V LEAK-PROOF - D TYPE	PCS	
1313	150000000000000655	792402	BATTERY DRY CELL R14P(UM-2), 1.5V LEAK-PROOF - C TYPE	PCS	
1314	150000000000000656	792403	BATTERY DRY CELL R6P(UM-3), 1.5V LEAK-PROOF - AA TYPE	PCS	
1315	150000000000007030	792404	BATTERY DRY CELL R1(UM-5), 1.5V LEAK-PROOF - N TYPE	PCS	
1316	150000000000000657	792405	BATTERY DRY CELL 6F22(S-006P), 9V LEAK-PROOF	PCS	
1317	150000000000009582	792410	BATTERY DRY CELL R03(UM-4), 1.5V LEAK-PROOF - AAA TYPE	PCS	
1318	150000000000000658		BATTERY ALKALINE LR20(AM-1), 1.5V	PCS	
1319	150000000000000659	792422	BATTERY ALKALINE LR14(AM-2), 1.5V - C TYPE	PCS	
1320	150000000000000660	792423	BATTERY ALKALINE LR6(AM-3), 1.5V - AA TYPE	PCS	
1321	150000000000000661	792424	BATTERY ALKALINE LR03(AM-4), 1.5V - AAA TPE	PCS	
1322	150000000000000662		BATTERY ALKALINE 6LR61(006P), 9V	PCS	
1323	150000000000000674		LEAD ACID BATTRIES, HARD RUBBER BODY 95AH	PCS	
1324	150000000000000663	792435	LANTERN BATTERIES , 6 VOLTS , 67 MM X 67 MM X 100 MM	PCS	
1325	15000000000005402	792441	BATTERY CELL, 9V POWER PACK	PCS	
1326	150000000000000664	792451	RECHARGEBLE BATTERY 1.5 VOLTS , TYPE R20P(UM-1) , ANSI "D" SIZE 34.2 X 61.5	PCS	
1327	1500000000000000665	792452	RECHARGEBLE BATTERY 1.5 VOLTS , TYPE R14P(UM-2) , ANSI "C" SIZE 26.2 X 50.0	PCS	
1328	15000000000005580	792456/72	REGHARGABLE BATTERY AA WITH CHARGER	PCS	
1329	150000000000000668	792472	CHARGER FOR RECHRGEBLE BATTERIES , 220 V UPTO "D" SIZE	PCS	
1330	150000000000005465		BATTERY 12V 7.2 AH, LEAD ACID, SEALED MAINTENANCE FREE, RECHARGEABLE, L:148MM, B:63MM, H:93MM, FOR USE IN FIRE ALARM SYSTEM	PCS	
1331	150000000000000684	792556	ULTRA LOW MAINTENANCE WET CELL BATTERIES POLYPROPLENE BODY,	PCS	

			FACTORY CHARGED , 12 VOLTS , 60 AH, DIMENSIONS (LXBXH) 260 X 173 X 225			
1332	150000000000006902	792558	MM BATTERY WET CELL SEALED, MAINTENANCE-FREE 12V 120AMP	SET		
1333	150000000000006910	792559	BATTERY WET CELL SEALED,	SET		
1333	130000000000000000000000000000000000000	192339	MAINTENANCE-FREE 12V 140AMP BATTERY WET CELL SEALED,	3L1		
1334	150000000000006911	-	MAINTENANCE-FREE 12V 150AMP	SET		
1335	150000000000006912	792560	BATTERY WET CELL SEALED, MAINTENANCE-FREE 12V 176AMP	SET		
1336	150000000000006913	-	BATTERY WET CELL SEALED, MAINTENANCE-FREE 12V 200AMP	SET		
1337	150000000000000669	792654	BATTERY CHARGER 220V, 20A	PCS		
1338	150000000000002365	792661	HYDROMETER BATTERY WITH FLOAT INSIDE, LENGTH 250MM	PCS		
1339	150000000000000702	792752	COLOUR CODED WATER TIGHT 3 PIN PLUG, AC 200- 250 VOLTS	PCS		
1340	150000000000000713	792831	WATERTIGHT STRAIGHT PLUG , TYPE 1 MA , 3 PIN , 220-240 VOLTS , 15 AMPS	PCS		
1341	150000000000000749	792921	PLUG NON-WATERTIGHT, 2-ROUND PIN, SIEMENS TYPE	PCS		
1342	150000000000000753	792935	CABLE CONNECTOR PLUG/SOCKET , SIEMENS TYPE , 2 ROUND PIN WITH EARTH	PCS		
1343	150000000000000757	792961	ADAPTER 2 FLAT PIN PLUG X 2 ROUND PIN RECEPTACLE	PCS		
1344	150000000000000717	792971	RECEPTACLE WITH SWITCH WT 3PIN, TYPE-S1MR SYNTHETIC RESIN	PCS		
1345	150000000000000715	-	WATERTIGHT RECEPTACLES, TYPE 1 M, 3 PIN WITHOUT SWITCH, 220-240 VOLTS, 10 AMPS	PCS		
1346	1500000000000000729	-	WATERTIGHT RECEPTACLES, ALUMINIUM CAST BODY, SEALED WITH RUBBER PACKING, 3 PIN, SINGLE GLAND, WITHOUT SWITCH, 220-240 VOLTS, 15 AMPS	PCS		
1347	1500000000000000766	-	PLUG, 2 ROUND PIN, 220-240V, 6 AMP.	PCS		
1348	150000000000000767	-	PLUG, 3 ROUND PIN, 220-240V, 6 AMP. MULTIPLUG, 2 ROUND PIN, 220-240V, 6	PCS		
1349	150000000000000769	-	AMP	PCS		
1350	150000000000000770	-	MULTIPLUG , 3 ROUND PIN, 220-240V, 6 AMP	PCS		
1351	150000000000000771	-	MULTIPLUG, 3 ROUND PIN, 220-240V, 16 AMP	PCS		
1352	150000000000000772	-	MULTIPLUG , 2 FLAT PIN, 220-240V, 6 AMP	PCS		
1353	150000000000000773	-	MULTIPLUG , 3 FLAT PIN, 220-240V, 6 AMP	PCS		
1354	150000000000000726	-	WATERTIGHT PLUGS, ALU. CAST BODY, STRAIGHT TYPE, 220-204 VOLTS, 15 AMPS	PCS		
1355	150000000000005241	-	2 PIN PLUG WITH BOTH SIDES EARTH CONNECTION STRIP 230V AC, 16A	PCS		
1356	150000000000000818	-	DOUBLE POLE SWICH, HEAVY DUTY , 220-240V, 32 AMP WITH INDICATOR	PCS		
1357	150000000000000821	-	SWITCH DIMMER 220-240 V, 400W	PCS		
1358	150000000000000759	-	FLUSH TWO PIN SOCKET, 220-240V, 6 AMP, ROUND PIN	PCS		
1359	150000000000000760	-	FLUSH THREE PIN SOCKET, 220-240V, 6 AMP, ROUND PIN	PCS		
1360	150000000000000761	-	FLUSH THREE PIN SOCKET, 220-240V, 16 AMP, ROUND PIN	PCS		
1361	150000000000000831	793301	TRANSFORMER TWO-WAY 220V/110V, 100VA	PCS		
1362	150000000000000832	793304	TRANSFORMER TWO-WAY 220V/110V, 500VA	PCS		
1363	150000000000000837	793434	ALARM BELLS, 120MM OD BELL, 230MM LEN, AC 220-250V	PCS		
1364	150000000000000839	793436	ALARM BELLS, 200MM OD BELL, 230MM LEN, AC 220-250V	PCS		
1365	150000000000000835	793461	PANEL HOOTERS, 4 INCH, AC 220-250V	PCS		
1366	150000000000000836	793463	PANEL HOOTERS, 4", DC 6-48 V LAMP HOLDER, PORCELAIN, FLANGED,	PCS		
1367	150000000000000876	793504	SCREW CAP, FE-26 LAMP HOLDER, PORCELAIN, TUBULAR,	PCS		
1368	150000000000000875	793507	SCREW CAP, TE-26	PCS		

1369	150000000000000881	793520	LAMP HOLDERS , BRASS , THREADED BUSHING , SCREW CAP , E-27	PCS	
1370	150000000000000882	793521	LAMP HOLDERS , BRASS , THREADED BUSHING , SCREW CAP , E-40	PCS	
1371	150000000000000880	793525	LAMP HOLDERS , BRASS , THREADED	PCS	
1372	150000000000001163		BUSHING , BAYONET CAP , B-22 PEDESTAL FAN, 16 INCH SWEEP, 220	PCS	
1373	150000000000001191		Volts / 60HZ KETTLE ELECTRIC 2.1LTR 220V	PCS	
	1000000000001101		FLEXIBLE TWIN TWISTED PVC		
1374	150000000000000981		SHEATHED, TWO CORE, 1.00 MM, 11 AMPS, FOR 300 V OR LESS	MTR	
1375	150000000000000982		FLEXIBLE TWIN TWISTED PVC SHEATHED , TWO CORE , 1.50 MM , 14 AMPS, FOR 300 V OR LESS	MTR	
1376	150000000000000983		FLEXIBLE TWIN TWISTED PVC SHEATHED , TWO CORE , 2.00 MM , 19 AMPS, FOR 300 V OR LESS	MTR	
1377	150000000000000984		FLEXIBLE PVC SHEATHED , TWO CORE , 1.00 MM , 11 AMPS	MTR	
1378	150000000000000985		FLEXIBLE PVC SHEATHED, TWO CORE, 1.50 MM, 14 AMPS	MTR	
1379	150000000000000990		FLEXIBLE PVC SHEATHED , THREE CORE , 1.50 MM , 14 AMPS	MTR	
1380	150000000000001004		FLEXIBLE SCREEN CABLE , FOUR CORE , 2.5 MM 19 AMPS	MTR	
1381	150000000000001005	794103	CABLE WELDING BUTYLE RUBBER,	MTR	
			SHEATHED 60MM/SQ.X1C CABLE, RUBBER CABTYRE NATURAL		
1382	150000000000006869	794132	RUBBER SHEATHED, 3-CONDUCTOR, 1.25 SQ.MM	MTR	
1383	150000000000006901	794134	CABLE, RUBBER CABTYRE NATURAL RUBBER SHEATHED, 3-CONDUCTOR, 3.5 SQ.MM	MTR	
1384	150000000000006900	794144	CABLE, RUBBER CABTYRE NATURAL RUBBER SHEATHED, 4-CONDUCTOR, 3.5 SQ.MM	MTR	
1385	150000000000006868	794152	CABLE, P.V.C. CABTYRE, P.V.C. SHEATHED, 1-CONDUCTOR, 1.25 SQ.MM	MTR	
1386	150000000000000980	794153	CABLE, P.V.C. CABTYRE, P.V.C. SHEATHED, 1-CONDUCTOR, 2.0 SQ.MM	MTR	
1387	150000000000006867	794168	CABLE, P.V.C. CABTYRE, P.V.C. SHEATHED, 2-CONDUCTOR, 2.0 SQ.MM	MTR	
1388	150000000000006866	794178	CABLE, P.V.C. CABTYRE, P.V.C. SHEATHED, 3-CONDUCTOR, 2.0 SQ.MM	MTR	
1389	150000000000000992	794179	CABLE, P.V.C. CABTYRE, P.V.C. SHEATHED, 3-CONDUCTOR, 4.0 SQ.MM	MTR	
1390	150000000000000988		FLEXIBLE PVC SHEATHED, TWO CORE, 6.00 MM, 19 AMPS	MTR	
1391	150000000000001045	794751	PORCELAIN CONNECTOR 2 WAY, 15 AMPS	PCS	
1392	15000000000001048	794753	PORCELAIN CONNECTOR 3 WAY, 15 AMPS	PCS	
1393	15000000000001049		PORCELAIN CONNECTOR 3WAY 30AMP	PCS	
1394	150000000000001053		PLASTIC CONNECTOR 3WAY 15AMP	PCS	
1395	150000000000001265		CAPACITATORS 220V/240V 4MFD	PCS	
1396	150000000000001266		CAPACITATORS 220V/240V 40MED	PCS	
1397 1398	15000000000001267 150000000000005745	794802	CAPACITATORS 220V/240V 10MFD CABLE MARKER NUMERAL 0-9, 10 SHT/SET	PCS SET	
1399	150000000000005746	794804	CABLE MARKER ALPHABET A-Z, 26 SHT/SET	SET	
1400	150000000000001075	794851	CABLE BAND PLASTIC, LENGTH 100MM	PCS	
1401	150000000000001076	794852	CABLE BAND PLASTIC, LENGTH 150MM	PCS	
1402	150000000000006884	794853	CABLE BAND PLASTIC, LENGTH 200MM	PCS	
1403	150000000000001078	794854	CABLE BAND PLASTIC, LENGTH 250MM	PCS	
1404	150000000000006885	794855	CABLE BAND PLASTIC, LENGTH 300MM	PCS	
1405	150000000000006886	794856	CABLE BAND PLASTIC, LENGTH 350MM	PCS	
1406	150000000000001081	-	CABLE BAND PLASTIC, LENGTH 400MM	PCS	
1407	150000000000005992	794863	GLASS INSULATOR 12 INCH FOR MF/HF TRANSMISSION	PCS	
1408	150000000000005994	-	TRANSMITTER AERIAL COPPER WIRE	MTR	
1409	150000000000001072	794884	CROCODILE CLIPS , HEAVY DUTY 20-25 AMPS	PCS	
1410	150000000000001082	795051	SOLDERING IRON ELECTRIC, I-ROUND 220V 30W	PCS	

1412 15000000000000882 795170 TO 1046P DO 5.0000000000000956 2 AMPS DO 5.00000000000000956 1414 1500000000000000956 71958 WRIE 2 AMPS 2 SECKIR ROLL 1416 15000000000000011 7195421 TARE COTTON INSULATION ROLL 1417 TO 1500000000000161 795421 TARE COTTON INSULATION ROLL 1418 15000000000000165 735421 TARE COTTON INSULATION ROLL 1419 15000000000000555 735421 TARE COTTON INSULATION ROLL 1419 15000000000000555 735421 TARE PEVE INSULATION VIDIN 1198M X SPOOL 1420 1500000000000035 PVS SLEEVES 108M MTR 1420 1500000000000035 PVS SLEEVES 108M MTR 1421 1500000000000035 PVS SLEEVES 108M MTR 1422 150000000000001123 735436 PVS SLEEVES 108M MTR 1423 1500000000000113 PVS SLEEVES 108M MTR 1426 1500000000000113 PVS SLEEVES 108M MTR 1426 1500000000000113 TARE PEVE INSULATION TESTER / MS SLEEVES 108M MTR 1426 15000000000000113 PVS SLEEVES 108M MTR 1426 1500000000000113 PVS SLEEVES 108M MTR 1427 15000000000000113 PVS SLEEVES 108M MTR 1428 15000000000000113 PVS SLEEVES 108M MTR 1428 15000000000000113 PVS SLEEVES 108M MTR 1429 15000000000000113 PVS SLEEVES 108M MTR 1429 15000000000000113 PVS SLEEVES 108M MTR 1429 150000000000000113 SURFA NO SURFA	1411	15000000000001083	795052	SOLDERING IRON ELECTRIC, I-ROUND 220V 60W	PCS		
1414 1500000000000886	1412	150000000000000892	795170	FUSE GLASS TUBE TYPE 125V, 0.1AMP TO 10 AMP. DIA 5.2MM, L20MM	PCS		
1414 1500000000000000191 795422 130000000000000191 795422 1300000000000000191 795422 1300000000000000191 795422 1300000000000000000000000000000000000	1413	150000000000000956		D CARTRIDGE FUSE, 500V AC / 250 V DC,	PCS		
1416	1414	150000000000007997			ROLL		
1417 1500000000000000516 795422 1500000000000000556 79543 1500000000000000556 79543 1500000000000000556 79543 79540 7954	1415	1500000000000000911		FUSE WIRE 5AMP 450GRM	ROLL		
1418 1500000000000000885	1416	150000000000006316	795421		ROLL		
1419	1417	150000000000001091	795422	· ·	ROLL		
1419	1418	150000000000004056	-		ROLL		
1420	1419	150000000000006865	795431	TAPE PVC INSULATION WIDTH 19MM X	SPOOL		
1422	1420	150000000000004058		TAPE PVC INSULATION 19MMX9MTR	ROLL		
1424	1421	150000000000008234			MTR		
1424 1500000000000001123 795436 TAPE RUBBER NSULATION TAPE RUBBER RUB							
1426	1423	150000000000008236			MTR		
1426	1424	150000000000001123	795436		ROLL		
1426	1425	150000000000006538	705501		DVT		
1427 15000000000001137 MEGGAR 100V/1000V PCS 1428 150000000000001139 DIGITAL MEGGAR 10,250,590,1000V, MODEL DIT-99 1429 150000000000002245 795722 TESTER PENCIL ELECTRICAL WITH PAIR 7000V 1430 15000000000000884 795756 MULTI TESTER, DIGITAL COMPACT, SET 1431 15000000000000884 795756 MULTI TESTER, DIGITAL COMPACT, SET 1431 15000000000000884 795756 MULTI TESTER, DIGITAL COMPACT, SET 1431 15000000000000884 795756 MULTI TESTER, DIGITAL COMPACT, SET 1432 15000000000000884 DIGITAL MEGRICAL WITH PCS 1433 15000000000000885 HORIZONTAL WERTICLE, SINGLE PHASE PCS 1434 15000000000000852 HORIZONTAL WERTICLE, SINGLE PHASE PCS 1434 15000000000000552 HORIZONTAL WERTICLE, SINGLE PHASE PCS 1434 150000000000000554 DIGITAL DIGITAL COMPACT, SET PCS 1435 15000000000000775 EXTENTION BOARD WITH 3 CORE WIRE PCS 1436 15000000000000776 EXTENTION BOARD WITH 3 CORE WIRE PCS 1437 15000000000000776 EXTENTION BOARD WITH 3 CORE WIRE PCS 1438 15000000000000077 EXTENTION BOARD WITH 3 CORE WIRE PCS 1439 1500000000000077 PROTECTION BOARD WITH 3 CORE WIRE PCS 1439 1500000000000077 PROTECTION BOARD WITH 3 CORE WIRE PCS 1430 1500000000000077 THROW 100 PCS 1440 15000000000000077 THROW 100 PCS PCS 1441 15000000000000079 SINGLE SWITCH I ON-OFF, DUBLE PCS 1441 1500000000000079 SINGLE POLE WOLTAGE ACIDO 220 PCS 1442 1500000000000000000000000000000000000			793301				
1428	1426	150000000000001137		MEGGAR 100V/1000V	PCS		
1428 1500000000000245 795722 TSSTER PENGIL ELECTRICAL_WITH BULT IN NEON LAMP, VOL. 80-600. PCS	1427	150000000000001139		MODEL DIT-99	PCS		
1430 150000000000000848	1428	150000000000004700	795532	7000V	PAIR		
1431 150000000000000043 Consideration	1429	150000000000002245	795722	BUILT IN NEON LAMP, VOL. 80-600.	PCS		
Second Content	1430	150000000000006864	795756		SET		
1432 15000000000000847 - HORIZONTAL /VERTICLE, SINGLE PHASE PCS SINGLE MOUNTING, AC 220-240V SINGLE PHASE PCS DOUBLE MOUNTING, AC 220-240V PCS PCS DOUBLE MOUNTING, AC 220-240V PCS PCS DOUBLE MOUNTING, AC 220-240V PCS PC	1431	150000000000000843	-		PCS		
SINGLE MOUNTING, AC 220-240V				ELECTRIC SIREN RANGE 0.5 KMS ,			
1433 15000000000000052 -	1432	150000000000000847	-	, SINGLE MOUNTING , AC 220-240V	PCS		
1435 15000000000000775 - EXTENTION BOARD WITH 3 CORE WIRE,	1433	1500000000000000852	-	HORIZONTAL /VERTICLE, SINGLE PHASE	PCS		
1436	1434	150000000000000854	-		PCS		
1430	1435	150000000000000775	-	220-240V, 6 AMP	PCS		
1437 15000000000000779	1436	150000000000000776	-		PCS		
1438 150000000000000787 THROW.10A PCS 1439 150000000000000788 - TOGGLE SWITCH, ON-OFF, DOUBLE POLE, 100-240 VOLTS, 15AMPS PCS 1440 150000000000000791 - SINGLE POLE, VOLTAGE AC/DC 220- PCS 1441 150000000000000792 - SINGLE POLE, VOLTAGE AC/DC 220- PCS 1442 150000000000000792 - SINGLE POLE, VOLTAGE AC/DC 220- PCS 1442 150000000000000795 - DOUBLE POLE, VOLTAGE AC/DC 220- PCS 1442 1500000000000000795 - DOUBLE POLE, VOLTAGE AC/DC 220- PCS 1443 15000000000000010 - AC/DC 220-240 VOLTS, CIRCUIT 2 PCS 1444 1500000000000010 - PENDENT BED SWITCH 220-240 V, 6 AMP. 1445 150000000000000817 - PENDENT BED SWITCH 220-240 V, 6 AMP. 1446 150000000000000132 - TERMINAL LUG NON-INSULATED, ROUND HEAD 5.5MM2 HOLE DIA 8MM PCS 1447 150000000000001033 - TERMINAL LUG NON-INSULATED, ROUND HEAD 5.5MM2 HOLE DIA 8MM PCS 1448 150000000000001034 - TERMINAL LUG NON-INSULATED, ROUND HEAD 5.5MM2 HOLE DIA 10MM PCS 1449 150000000000001034 - TERMINAL LUG NON-INSULATED ROUND / SPANNER HEAD HOLE DIA 12MM PCS 1449 150000000000000830 - THERMOSTAT FOR HOT WATER BOILER, PCS 1449 150000000000000830 - THERMOSTAT FOR HOT WATER BOILER, PCS	1437	150000000000000779	-	AMPS, WITH SURGE SPIKE & EMI/RFI	PCS		
1439	1438	150000000000000787	-		PCS		
1440	1439	150000000000000788	-	TOGGLE SWITCH, ON-OFF, DOUBLE	PCS		
1441	1440	150000000000000791	-	SINGLE POLE , VOLTAGE AC/DC 220-	PCS		
1442 1500000000000000000000000000000000000	1441	1500000000000000792	-	SINGLE POLE , VOLTAGE AC/DC 220- 240V , 25 AMPS	PCS		
1443 15000000000000000010310 - AC/DC 220-240 VOLTS, CIRCUIT 2 PCS PCS 1444 150000000000000010317 - PENDENT BED SWITCH 220-240 V, 6 AMP. PCS 1445 15000000000000000025 - MINIATURE CIRCUIT BREAKERS(MCB), TRIPLE POLE, 1 TO 63 AMPS PCS 1446 150000000000001032 - TERMINAL LUG NON-INSULATED, ROUND HEAD 5.5MM2 HOLE DIA 8MM PCS 1447 15000000000001033 - TERMINAL LUG NON-INSULATED, ROUND HEAD 8MM2 HOLE DIA 10MM PCS 1448 150000000000001034 - TERMINAL LUG INSULATED ROUND / SPANNER HEAD HOLE DIA 12MM PCS 1449 1500000000000008830 - THERMOSTAT FOR HOT WATER BOILER, 30 TO 110 DEG C PCS	1442	1500000000000000795	-	DOUBLE POLE , VOLTAGE AC/DC 220- 240V , 16 AMPS	PCS		
1444 15000000000000017 - AMP. PCS	1443	150000000000000810	-	AC/DC 220-240 VOLTS, CIRCUIT 2	PCS		
1445	1444	150000000000000817	-		PCS		
1446 15000000000001032 - TERMINAL LUG NON-INSULATED, ROUND HEAD 5.5MM2 HOLE DIA 8MM PCS 1447 150000000000001033 - TERMINAL LUG NON-INSULATED, ROUND HEAD 8MM2 HOLE DIA 10MM PCS 1448 150000000000001034 - TERMINAL LUG INSULATED ROUND / SPANNER HEAD HOLE DIA 12MM PCS 1449 150000000000008830 - THERMOSTAT FOR HOT WATER BOILER, 30 TO 110 DEG C PCS	1445	150000000000000825	-		PCS		
1447 15000000000001033 - TERMINAL LUG NON-INSULATED, ROUND HEAD 8MM2 HOLE DIA 10MM PCS 1448 15000000000001034 - TERMINAL LUG INSULATED ROUND / SPANNER HEAD HOLE DIA 12MM PCS 1449 1500000000000008830 - THERMOSTAT FOR HOT WATER BOILER, 30 TO 110 DEG C PCS	1446	150000000000001032	-	TERMINAL LUG NON-INSULATED,	PCS		
1448 15000000000001034 - TERMINAL LUG INSULATED ROUND / SPANNER HEAD HOLE DIA 12MM PCS 1449 150000000000008830 - THERMOSTAT FOR HOT WATER BOILER, 30 TO 110 DEG C PCS	1447	150000000000001033	-	TERMINAL LUG NON-INSULATED,	PCS		
1449 15000000000008830 - THERMOSTAT FOR HOT WATER BOILER, 30 TO 110 DEG C	1448	150000000000001034	-	TERMINAL LUG INSULATED ROUND /	PCS		
	1449	150000000000008830	-	THERMOSTAT FOR HOT WATER BOILER,	PCS		
	1450	150000000000001272	-		CAN		

			400ML/CAN			
	PACKING & JOINTING (IN	MPA INDEX C	ODE 81)			
1451	150000000000004567		TEFLON PTFEE STYLE 3 GLAND PACKING 2 MM	KG		
1452	150000000000004568		TEFLON PTFEE STYLE 3 GLAND PACKING 4 MM	KG		
1453	1500000000000009131	810404	PTFE IMPREGNATED ASBESTOS FREE GLAND PACKING FOR OIL & WATER PUMPS AND VALVES, 8MM	MTR		
1454	1500000000000009132	810405	PTFE IMPREGNATED ASBESTOS FREE GLAND PACKING FOR OIL & WATER PUMPS AND VALVES, 9.5MM	MTR		
1455	150000000000006920	810538	PACKING NON ASBESTOS LOW TORQ, ADJUST VALVE #4519 6.5MMX3MTR	вох		
1456	150000000000006918	810539	PACKING NON ASBESTOS LOW TORQ, ADJUST VALVE #4519 8MMX3MTR	вох		
1457	1500000000000006921	810542	PACKING NON ASBESTOS LOW TORQ, ADJUST VALVE #4519 12.5MMX3MTR	BOX		
1458	1500000000000006922	810544	PACKING NON ASBESTOS LOW TORQ, ADJUST VALVE #4519 16MMX3MTR	вох		
1459	1500000000000004966	811026	STEAM JOINT REINFORCED, 0.8 MM X 1000 MM X 1000 MM	SHT		
1460	150000000000004965	811027	STEAM JOINT REINFORCED, 1.5 MM X 1000 MM X 1000 MM	SHT		
1461	1500000000000004964	811029	STEAM JOINT REINFORCED, 3 MM X 1000 MM X1000 MM	SHT		
1462	150000000000009138 1500000000000009135	811072	OIL JOINT, 0.8 MM X 1000MM X 1000MM	SHT		
1463 1464	1500000000000009135	811074 811076	OIL JOINT, 1.5 MM X 1000MM X 1000MM OIL JOINT, 3MM X 1000MM X 1000MM	SHT		
1465	150000000000004949	811076	WATER JOINT, 1MM X 1000MM X 1000MM	SHT		-
1466	150000000000009137	811094	WATER JOINT, 1.5MM X 1000MM X 1000MM	SHT		
1467	150000000000004967	811097	WATER JOINT, STYLE 20, 3MM X 1000MM X 1000MM	SHT		
1468	150000000000004971		WATER JOINT, STYLE 51 HP, 1.5MM X 1000MM X 1000MM.	SHT		
1469	150000000000006919	811101	JOINT SHEET CORTEX, 1.0MMX915MMX1830MM	SHT		
1470	150000000000006907	811111	JOINT SHEET NATURAL RUBBER, 1.0MMX1000MM	MTR		
1471	150000000000006908	811112	JOINT SHEET NATURAL RUBBER, 1.5MMX1000MM	MTR		
1472	150000000000006909	811114	JOINT SHEET NATURAL RUBBER, 3.0MMX1000MM	MTR		
1473	150000000000002736		RUBBERISED CORK JOINTING 1/8 INCH X 3 FT X 2 FT	PCS		
1474	150000000000002727	-	RUBBER MATTING, ANTI ELECTRIC, FLUTED TYPE, 12MM THICK, 2MTRS X 1MTRS	EACH		
1475	150000000000002728	-	RUBBER MATTING, ANTI ELECTRIC, FLUTED TYPE, 6MM THICK, 2MTRS X 1MTRS	EACH		
1476	150000000000009114	811288	ASBESTOS FREE STEAM JOINTING SHEET, METALLIC, to withstand temperature upto 350 Deg C and high pressure upto 100 bar. Thickness: 2.0 MM, 1000MM X 1000MM.	SQ.MTR		
1477	150000000000009115	811288	ASBESTOS FREE STEAM JOINTING SHEET, METALLIC, to withstand temperature upto 350 Deg C and high pressure upto 100 bar. Thickness: 6.0 MM, 1000MM X 1000MM.	SQ.MTR		
1478	150000000000009116	-	ASBESTOS FREE OIL JOINTING SHEET - to withstand temperature upto 350 Deg C and pressure upto 50 bar. Thickness: 1.0 MM, 1000MM X 1000MM.	SQ.MTR		
1479	150000000000001395	811301	STEAM PACKING,NON ASBESTOS,BRAIDED, ROUND/SQUARE, 3MM DIA, 600 DEG TEMPERATURE, 6 MTR / COIL	COIL		
1480	150000000000001396	811302	STEAM PACKING,NON ASBESTOS,BRAIDED, ROUND/SQUARE, 5MM DIA, 600 DEG TEMPERATURE, 6 MTR / COIL	COIL		
1481	150000000000003577		NON METALLIC ASBESTOS FREE STEAM PACKING - ROUND BRAIDED. 4.0 MM DIA, 10 MTR/ROLL	ROLL		

1482	150000000000005126		FIRE HYDRANT RUBBER PACKING 63 MM	PCS		
1483	15000000000005437		OIL JOINT, SIZE 8, ID-205MM, OD-280MM, THICKNESS-3MM	PCS		
1484	15000000000005435	811901	OIL JOINT, SIZE 12, ID-290MM, OD- 400MM, THICKNESS-3MM	PCS		
1485	15000000000005436	811901	OIL JOINT, SIZE 10, ID-255MM, OD- 335MM, THICKNESS-3MM	PCS		
1486	15000000000005443	811901	OIL JOINT, SIZE 20, ID-510MM, OD- 605MM, THICKNESS-3MM	PCS		
1487	15000000000005444	811901	OIL JOINT, SIZE 16, ID-410MM, OD- 520MM, THICKNESS-3MM	PCS		
1488	150000000000002862	812171	LOCTITE EPOXY/PUTTY MAINTENANCE REPAIR KIT, C3 - 1068255	SET		
1489	15000000000005209	812174	LOCTITE PIPE REPAIR KIT , YELLOW, 100MM X 3600MM	SET		
1490	15000000000005192	812177	LOCTITE EPOXY PUTTY, ALUMINIUM PUTTY , 1 LB/SET	SET		
1491	150000000000005162	812185	LOCTITE EPOXY PUTTY, SUPERIOR METAL , 1 LB/SET	SET		
1492	15000000000005163	812191	LOCTITE EPOXY STICK , METAL MAGIC STEEL, 113 GRM	PCS		
1493	15000000000005199	812195	LOCTITE EPOXY PUTTY, WET SURFACE PUTTY, 454 GRM/SET	SET		
1494	150000000000005214	812197	LOCTITE EPOXY PUTTY , FAST SET STEEL PUTTY, 454 GRM/SET	SET		
1495	150000000000002863	812237	EXPOXY / PUTTY MAINTENANCE REPAIR KIT, JUNIOR	SET		
1496	150000000000006838	812246	DEVCON WET SURFACE / UNDERWATER PUTTY (UW), 500 GRM/SET	SET		
1497	150000000000004629	812251	DEVCON PLASTIC STEEL PUTTY (A), 500 GRM/PACK	PACK		
1498	150000000000007739	812256	DEVCON PLASTIC STEEL LIQUID (B), 500 GRM/SET	SET		
1499	150000000000006837	812262	DEVCON PLASTIC STEEL 5-MINUTES	SET		
1500	150000000000007743	812290	PUTTY (SF), 500 GRM/SET BRONZE PUTTY DEVCON BR 500 GRM	SET		
1501	150000000000002861		BRONZE EPOXIES, 10261, ITW, DEVCON	TIN		
			(HR) 500 GRMS/TIN DEVCON STAINLESS STEEL PUTTY (ST),			
1502	150000000000004664	812292	500 GRM/PACK CORDOBOND STRONG-BACK RESIN &	PACK		
1503	150000000000006870	812301	ACTIVATOR, 453 GRM/UNIT	SET		
1504	150000000000007740	812310	CORDOBOND STRONG-BACK,STEEL PUTTY, 453 GRM/UNIT	SET		
1505	150000000000006836	812330	CORDOBOND REPAIR KIT COMPLETE SET	SET		
1506	150000000000006839	812351	BELZONA POLYMERICS SUPER METAL, WITH HARDENER 1 KG/SET	SET		
1507	15000000000005032	812351	BELAZONA COMPOUND 500 GRM/SET	PACK		
1508	150000000000002867	812351	BELZONA STEEL FILLED EPOXIES, 1121, 500 GRM/SET	SET		
1509	150000000000002865	812351	BELZONA FAST SETTING EPOXIES, "E"	SET		
1510	150000000000011160	-	METAL, 1211, 500 GRWSET BELZONA 4311, 1.5 LTR PACKING, TWO COMPONENT BARRIER COATING. PACK CONSISTING OF BASE AND SOLIDFIER COMPONENTS.	PACK		
1511	150000000000002872	-	M-SEAL TWO PART EPOXY PUTTY, GENERAL PURPOSE	KG		
1512	150000000000002873	-	M-SEAL TWO PART EPOXY PUTTY, WET SURFACE	KG		
1513	150000000000002871	-	M-SEAL TWO PART EPOXY PUTTY, FAST CURE	KG		
1514	150000000000006997	812435	FIRE CLAY POWDER, 30KGS/BAG	BAG	 _	
1515	150000000000006996	812442	PLIBRICO SUPER AB, FIRECLAY PLASTIC REFRACTORY	KG		
1516	150000000000006883	812471	TAPE ANTI-CORROSIVE 50MMX10MTR	ROLL		
1517	150000000000006882	812472	TAPE ANTI-CORROSIVE, 100MMX10MTR TEFLON SEAL TAPE, 13MM X 0.1MM, 5	ROLL		1
1518	150000000000006916	812501	MTR/ROLL TEFLON SEAL TAPE, 13MM X 0.1MM, 5 MTR/ROLL	ROLL	1	
1519	150000000000006917	812502	MTR/ROLL	ROLL		
1520 1521	150000000000004616 1500000000000007506	812531	TEFLON SHEET 1MM X 300MM X 300MM TEFLON SHEET 2MM X 300MM X 300MM	SHT PCS		
1521	15000000000007505		TEFLON SHEET 3MM X 300MM X 300MM	PCS		
1523	150000000000009715	812541	P.T.F.E SHEETS SIZE 1.5MM X 1000MM X	PCS		

		Г	Lagger	T	I	1	1
			1000MM				
1524	150000000000007479	812542	TEFLON SHEETS SIZE 2MM X 1000MM X 1000MM	PCS			
1525	150000000000007504	812543	TEFLON SHEETS SIZE 3MM X 1000MM X 1000MM	PCS			
1526	150000000000006880	812602	SILICONE SEALANT 350GRM/TUBE	TUBE			
1527	150000000000004670	812603	SILICONE SEALANT GUN	PCS			
1528	150000000000006859	812611	SEALING AGENT PERMATEX FORM-A- GASKET, 110Z/TUBE	TUBE			
1529	150000000000002707	812652	HOLDITE, PIPE SEALING COMPOUND, 500 GM	TIN			
1530	150000000000006881	812703	GENERAL PURPOSE GLUE. 1KG/TIN	TIN			
1531	150000000000006871	812711	GLUE FOR WOOD, 1KG/TIN	TIN			
1532	150000000000006872	812742	GLUE ARALDITE, QUICK, WITH HARDNER, 180CC	SET			
1533	150000000000001888	-	QUICK START SPRAY / 300 ML, ABRO /PYROIL	TIN			
1534	150000000000003587	_	RUBBER SOLUTION, PC-65, DENDRITE	LTR			
1535	15000000000003589	-	RUBBER SOLUTION, HIGH STRENGTH 1 LTR, OR-1000, DENDRITE	LTR			
1536	150000000000005152	-	COPAL COMPOUND , COPPER BASED, C- 5A, LOCTITE, 454 GMS/TIN	TIN			
1507	450000000000000704	010750	LOCTITE GENERAL PURPOSE	DTI			
1537	150000000000002701	812752	REMOVABLE THREAD LOCKER, NO. 242, 50 ML/BTL	BTL			
1538	150000000000002700	812745	LOCTITE GENERAL PURPOSE MEDIUM STRENGTH THREAD LOCKER, NO. 243, 50 ML/BTL	BTL			
1539	150000000000002702	812746	LOCTITE HIGH STRENGTH THREAD LOCKER, NO. 270, 50 ML/BTL	BTL			
1540	150000000000005210		LOCTITE HIGH STRENGTH THREAD LOCKER FOR LARGE BOLT, NO. 277, 50 ML/BTL	BTL			
1541	150000000000002696	812748	LOCTITE HYD/PNEUMATIC FINE THREAD SEALANT, 542, 50 ML/BTL	BTL			
1542	150000000000006323	812758	LOCTITE CYANOACRYLATE ADHESIVE, 495/406, 20GRM/BTL	EACH			
1543	150000000000005182	-	LOCTITE FLANGE SEALANT, 510, 50 ML/BTL	BTL			
1544	150000000000006879	812801	GASKET REMOVER SPRAY 420ML/TIN	TIN			
1545	150000000000002860	813070	O RING SPLICING KIT WITH BONDER, MM / 406, LOCTITE	SET			
1546	150000000000008850		O RING SPLICING KIT WITH BONDER , INCH / 406, LOCTITE	SET			
1547	150000000000005129	813072	O RING KIT, 17 SIZES / 222 PCS WITH ACRYL CASE	SET			
1548	150000000000007445	813080	COPPER RING KIT 30 SIZES/568 PIECES IN ACRYL CASE	SET			
1549	150000000000006066	813102	FELT FILTER 5 MM THICKNESS 1 MTR X 50 MT	ROLL			
1550	150000000000002404	813130	COPPER WIRE MESH FOR TURBO CHARGER FILTER	KG			
1551	150000000000006873	814003	V - BELT M-17	PCS			
1552	150000000000006874	814004	V - BELT M-18	PCS			
1553	150000000000006875	814027	V - BELT M-41	PCS			
1554	150000000000009061	814103	V - BELT A-19, 12.5 X 9MM	PCS			
1555	150000000000006876	814107	V - BELT A-23, 12.5 X 9MM	PCS			
1556	150000000000009051	814108	V - BELT A-24, 12.5 X 9MM	PCS			
1557	150000000000004429		V - BELT A-26, 12.5 X 9MM	PCS			
1558	150000000000009070	814111	V - BELT A-27, 12.5 X 9MM	PCS			
1559	15000000000005486	814112	V - BELT A-28, 12.5 X 9MM	PCS			
1560	15000000000005485	814113	V - BELT A-29, 12.5 X 9MM	PCS			
1561	150000000000002881	814114	V - BELT A-30, 12.5 X 9MM	PCS			
1562	1500000000000009071	814116	V - BELT A-32, 12.5 X 9MM	PCS			
1563	1500000000000009072	814117	V - BELT A-33, 12.5 X 9MM	PCS			
1564	150000000000006877	814120	V - BELT A-36, 12.5 X 9MM	PCS			
1565	150000000000000000000000000000000000000	814121	V - BELT A 39, 12.5 X 9MM	PCS			
1566	1500000000000004450	814122	V - BELT A 40, 43.5 X 9MM	PCS			
1567	1500000000000000075	814124	V - BELT A 42, 12.5 X 9MM	PCS PCS			
1568 1569	1500000000000009074 1500000000000002884	814126	V - BELT A-42, 12.5 X 9MM V - BELT A-43, 12.5 X 9MM	PCS			
1570	1500000000000004452	814129	V - BELT A-45, 12.5 X 9MM	PCS			
1571	150000000000006878	814130	V - BELT A-46, 12.5 X 9MM	PCS			

1572	150000000000006377	814131	V - BELT A-47, 12.5 X 9MM	PCS		
1573	150000000000002885	814135	V - BELT A-51, 12.5 X 9MM	PCS		
1574	15000000000000009076	814136	V - BELT A-52, 12.5 X 9MM	PCS		
1575	150000000000000000000000000000000000000	814137	V - BELT A-53, 12.5 X 9MM	PCS	+	
				PCS		_
1576	1500000000000009053	814139	V - BELT A-55, 12.5 X 9MM			
1577	150000000000009054	814141	V - BELT A-57, 12.5 X 9MM	PCS		
1578	150000000000009055	814146	V - BELT A-64, 12.5 X 9MM	PCS		
1579	150000000000009056	814150	V - BELT A-66, 12.5 X 9MM	PCS		
1580	150000000000009057	814151	V - BELT A-67, 12.5 X 9MM	PCS		
1581	150000000000004454	814153	V - BELT A-69, 12.5 X 9MM	PCS		
1582	150000000000009058	814154	V - BELT A-70, 12.5 X 9MM	PCS		
1583	150000000000009059	814156	V - BELT A-72, 12.5 X 9MM	PCS		
1584	150000000000007892		V - BELT A-73, 12.5 X 9MM	PCS		
1585	15000000000000009080	814160	V - BELT A-76, 12.5 X 9MM	PCS		
1586	150000000000000000077	814165	V - BELT A-81, 12.5 X 9MM	PCS		-
1587			,	PCS	-	
	150000000000005494	814174	V - BELT A-90, 12.5 X 9MM			
1588	150000000000009078	-	V - BELT A-97, 12.5 X 9MM	PCS		
1589	150000000000009079	-	V - BELT B-29, 16.5 X 11MM	PCS		
1590	150000000000009090	814201	V - BELT B-31, 16.5 X 11MM	PCS		
1591	150000000000004456		V - BELT B-36, 16.5 X 11MM	PCS		
1592	1500000000000009091	814210	V - BELT B-39, 16.5 X 11MM	PCS		
1593	150000000000009092	814221	V - BELT B-50, 16.5 X 11MM	PCS		
1594	150000000000004438		V - BELT B-62, 16.5 X 11MM	PCS		
1595	1500000000000004439	814237	V - BELT B-66, 16.5 X 11MM	PCS		
1596	1500000000000004433	814238	V - BELT B-67, 16.5 X 11MM	PCS	+	+
1597	150000000000009093	814244	V - BELT B-07, 10.5 X 11MM	PCS		+
	15000000000000009081			PCS	+	+
1598		814245	V - BELT B-74, 16.5 X 11MM			
1599	150000000000002889	814246	V - BELT B-75, 16.5 X 11MM	PCS		
1600	150000000000004462	814247	V - BELT B-76, 16.5 X 11MM	PCS		
1601	150000000000002891	814249	V - BELT B-78, 16.5 X 11MM	PCS		
1602	150000000000004464	814251	V - BELT B-80, 16.5 X 11MM	PCS		
1603	150000000000002892	814253	V - BELT B-82, 16.5 X 11MM	PCS		
1604	150000000000002893	814254	V - BELT B-83, 16.5 X 11MM	PCS		
1605	150000000000009083	814255	V - BELT B-84, 16.5 X 11MM	PCS		
1606	150000000000004467	814257	V - BELT B-86, 16.5 X 11MM	PCS		
1607	15000000000000009084	814258	V - BELT B-87, 16.5 X 11MM	PCS		
		814267	V - BELT B-96, 16.5 X 11MM	PCS		
1608	1500000000000009085					_
1609	150000000000009086	814276	V - BELT B-112, 16.5 X 11MM	PCS		
1610	1500000000000009062	814320	V - BELT C-85	PCS		
1611	150000000000009063	-	V - BELT C-99	PCS		
1612	150000000000009064	814328	V - BELT C-105	PCS		
1613	150000000000009065	814330	V - BELT C-110	PCS		
1614	150000000000009066	814331	V - BELT C-112	PCS		
1615	150000000000002897	814334	V - BELT C-120	PCS		
1616	1500000000000009067	-	V - BELT FHP-2410	PCS		
1617	150000000000000000000000000000000000000	_	V - BELT FHP-2420	PCS		
1618	1500000000000009069	 	V - BELT SPA-1030	PCS	+	+
		-		PCS	+	+
1619	1500000000000009100	- -	V - BELT SPA 1600			+
1620	150000000000002900	-	V - BELT SPA-1600	PCS		_
1621	150000000000004470	-	V - BELT SPA-1700	PCS		
1622	150000000000002904	-	V - BELT SPA-2000	PCS		
1623	150000000000002907	-	V - BELT SPA-2800	PCS		
1624	150000000000006500	-	V - BELT SPB-2280	PCS		
1625	150000000000002909	-	V - BELT SPB-2360	PCS		
1626	150000000000006502	-	V - BELT SPB-2800	PCS		
1627	1500000000000009103	-	V - BELT SPZ-710LW	PCS		
1628	15000000000000000102		V - BELT SPZ-2280	PCS		
1629	150000000000009102	-	V - BELT TS B-66/1750	PCS		+
		-				
1630	150000000000005466	MDA INDEX	V - BELT C-110/2850	PCS		
1631	WELDING EQUIPMENT (I	850252	GAS CUTTING TORCH, CUTTING THICKNESS CAPACITY 1-100MM, OVERALL LENGTH 540MM, 3 PCS NOZZLE	SET		
1632	150000000000002913	850324	FLEXIBLE GAS CHARGING PIPE WITH ADAPTER AT BOTH ENDS , LENGTH 6 FT	PCS		
1633	150000000000006801	850405	GAS WELDING ROD MILD STEEL, 3.2MM DIAM	KG		
1633	150000000000006801 15000000000000002922	850405		KG KG		

			MM DIAM			1	1
			M.S.WELDING ELECTRODE, 2.50 MM X				+
1635	150000000000002925	850601	350 MM	KG			
1636	150000000000002927	850602	M.S.WELDING ELECTRODE, 3.20 MM X	KG			
1000	100000000000000000000000000000000000000	000002	350 MM	1.0			
1637	150000000000002928	850603	M.S.WELDING ELECTRODE, 4.00 MM X 450 MM	KG			
			S.S. WELDING ELECTRODE,3.20MM X				+
1638	150000000000002929		350MM	KG			
1639	150000000000006795	850701	ELECTRODE L-55 2.6MM, 5KG/PKT, FOR	PKT			
			HIGH TENSILE STEEL ELECTRODE 309-R 2.6MM. 2.5KG/PKT.				
1640	150000000000006796	850742	FOR STAINLESS STEEL	PKT			
			ELECTRODE HOLDER, GRIP TYPE,				
1641	150000000000002919	851031	200AMP CAPA., ELECTRODE DIAM. 2.0-	PCS			
			5.0MM, LEN 216MM FLASH BACK ARRESTOR FOR				
1642	150000000000002911	-	ACTYLENE	PCS			
1643	150000000000002912	-	FLASH BACK ARRESTOR FOR OXYGEN	PCS			
1644	150000000000001817	851111	WELDING GOGGLE, COLOURED GLASS	PCS			
1645	150000000000005348	851112	GAS CUTTING GOGGLES	PCS			
1646	150000000000002921	851116	WELDING SHIELD COMPLETE WITH	PCS			
			GLASS, HEAD MOUNTED TYPE			1	1
1647	150000000000007665	851121	HANDSHIELD, HANDLE INSIDE TYPE SPARE LENS, OBLONG PLATE,	PCS		+	1
1648	150000000000007724	851145	105X50X3MM, DARK GREEN, NO.12, FOR	PCS			
	. 555555555555557724	55.110	ARC WELDING.	. 50			
1649	150000000000001812		ROPING PALM COMPLETE WITH STRAP	PCS			
			WELDER'S GLOVES, MADE OF TANNED				
1650	150000000000002920	851163	HEAT RESISTANT LEATHER WITH GAUNTLER CUFF, FIVE FINGERS,	PRS			
1651	15000000000001808	851167	LEATHER APRON FOR WELDING	PCS			1
			WELDER LEGGINGS, CHROMED	PRS			
1652	150000000000006272	851168	LEATHER	PRS			
1653	150000000000007825	851594	REGULATOR FIXED FLOW F/SPANGAS,	PCS			
1654	150000000000009722	851599	FLOW RATE 0.5LTR/MIN GAS SAMPLING BAG WITH CLIP VALVE	PCS			-
1655	150000000000005347	001000	GAS REGULATOR FOR ACETYLENE	PCS			
1656	150000000000005405		GAS REGULATOR FOR OXYGEN	PCS			
1657	150000000000004459		POLY F PLUS PB WEDGE SPB1600	PCS			
1658	150000000000004480		POLY F PLUS PB WEDGE SPB1700	PCS			
1659	150000000000008096		WODDEN WEDGES 6"	PCS			
1660	150000000000008097		WOODEN WEDGES 8"	PCS			
	PILOT LADDERS						
			PILOT LADDER, TYPE "A", LENGTH 9				
			MTRS, HAVING 30 STEPS AND 3 SPREADERS WITH LAST FOUR STEPS				
			OF RUBBER AND OF SAME STRENGTH				
1661	150000000000006142	232001	AS OF OTHER STEPS. PROVIDED WITH	SET			
1001	1000000000000142	202001	SECURING ROPES ETC. TO BE	OL!			
			SUPPLIED WITH MANUFACTURER'S CERTIFICATE IN ACCORDANCE WITH				
			IMO RESOLUTION 1045(27) / SOLAS CH.				
			V, REG. 23, PARA 2.3.				
			DUOT LADDED WOODEN CTTD			1	
1662	150000000000006141	232011	PILOT LADDER WOODEN STEP, HARDWOOD, L525 X W115 XT 25MM	PCS			
			,				<u> </u>
1662	150000000000000000000000000000000000000	222042	PILOT LADDER PREVENTER, W/SPLIT	DCS			
1663	150000000000006692	232012	DISTANCE PIECE, L1800 X W115 X T25MM	PCS			
4004	45000000000000000446	000010	PILOT LADDER RUBBER STEP, L525 X	DOC			+
1664	150000000000006143	232016	W115 X T28MM	PCS			
4005	450000000000000000000000000000000000000	000040	SPLIT DISTANCE PIECE, FOR 16MM	DOC			
1665	150000000000006701	232043	MANILA ROPE, H60 X W52 X T28MM	PCS			
L	l	l		1	l		

1666	150000000000007967	232061	PILOT LADDER, LENGTH 10 MTRS, WITH SPREADERS AND LAST FOUR STEPS OF RUBBER HAVING SAME STRENGTH AS OF OTHER STEPS. PROVIDED WITH SECURING ROPES ETC. TO BE SUPPLIED WITH MANUFACTURER'S CERTIFICATE IN ACCORDANCE WITH IMO RESOLUTION 1045(27) / SOLAS CH. V, REG. 23, PARA 2.3.	PCS		
1667	240000000000001000		L.B. EMBARKATION LADDER (PILOT LADDER) WITH WOODEN STEPS AND SPREADERS (MANILA ROPE) (CERTIFICATE OF CONFORMITY FROM MANUFACTURER FOR COMPLIANCE WITH SOLAS-IMO RESOLUTION A.1045(27)) ["Certificate of Conformity" & Test Certificate copy of Manila Rope Used]	MTR		
	SAFETY PROTECTIVE G	EAR (IMPA IND	DEX CODE 31)			
1668		310101- 310107	SLOTTED V-GARD SAFETY HELMET, COLOUR [IMPA:310101 to 310115]	PCS		
1669	150000000000001797	311021	WIDE-VISION CHEMICAL SPLASH GOGGLE, CLEAR COLOUR, CLEAR FRAME, STANDARD LENS	PRS		
1670	150000000000006227	-	PROTECTIVE CLOTHING FOR SOPEP	PCS		
1671	1500000000000006992	311506	HARNESS FP PRO, VEST STYLE, STANDARD SIZE, 1 D-RING AT BACK	PCS		
	SAFETY EQUIPMENT (W REQUIREMENT) (IMPA IN		PE APPROVAL CERTIFICATE AS PER SOLAS)	3		
1672	240000000000001276	330101	LIFERAFT INFLATABLE FOR 6 MEN, CLASS / SOLAS / TYPE APPROVED	SET		
1673	24000000000001278	330102	LIFERAFT INFLATABLE FOR 10 MEN, CLASS/SOLAS/TYPE APPROVED	SET		
1674	240000000000001279	330103	LIFERAFT INFLATABLE FOR 15 MEN, CLASS / SOLAS / TYPE APPROVED	SET		
1675	24000000000001280	330104	LIFERAFT INFLATABLE FOR 20 MEN, CLASS / SOLAS / TYPE APPROVED	SET		
1676	240000000000001277	330105	LIFERAFT INFLATABLE FOR 25 MEN, CLASS / SOLAS / TYPE APPROVED	SET		
1677	240000000000000129	330119	HYDROSTATIC RELEASE UNIT FOR LIFERAFT, CLASS / SOLAS / TYPE APPROVED, MAKE: HAMMAR, MODEL H20	SET		
1678	24000000000001262	330126	HYDROSTATIC RELEASE UNIT FOR EPIRB, CLASS / SOLAS / TYPE APPROVED, MAKE: HAMMAR, MODEL H20E	SET		
1679	240000000000000930	-	NYLON STRAPPING /WEBBING BELT FOR LIFERAFT	PCS		
1680	240000000000000981	-	LIFE JACKET (INFANT - WT < 15 KG, HT<100 CMS) SOLAS. FITTED WITH WHISTLE, LIGHT AND RETROREFLECTIVE TAPE, POLYURETHENE FOAM ALONG WITH DONNING INSTRUCTIONS STICKER. (Approved Type)	PCS		
1681	2400000000000000000	330132/39	LIFE JACKET (CHILD) SOLAS. FITTED WITH WHISTLE, LIGHT AND RETROREFLECTIVE TAPE, POLYURETHENE FOAM ALONG WITH DONNING INSTRUCTIONS STICKER. (Approved Type)	PCS		
1682	240000000000000058	330134/38	LIFE JACKET WITH LIGHT & WHISTLE, ADULT, UKDOT / USCG / SOLAS / TYPE APPROVED CERT.	PCS		

	1		T			
1683	240000000000000980	-	LIFE JACKET (OVERSIZE - WT > 140 KGS) SOLAS. FITTED WITH WHISTLE, LIGHT AND RETROREFLECTIVE TAPE, POLYURETHENE FOAM ALONG WITH DONNING INSTRUCTIONS STICKER. (Approved Type)	PCS		
1684	240000000000000062	330143	SEA WATER ACTIVATED LIFE JACKETS LIGHTS WITH LITHIUM BATTERY OPERATED WITH FIVE YEARS SHELF LIFE. (Approved Type)	PCS		
1685	240000000000000066	330153	LIFEBUOYS WITH RETROREFLECTIVE TAPE - 4.5 KG MINIMUM WEIGHT. (Approved Type)	PCS		
1686	240000000000000055	330156	LIFEBUOYS WITH RETROREFLECTIVE TAPE - 2.5 KG MINIMUM WEIGHT. (Approved Type)	PCS		
1687	24000000000001273	330172	IMMERSION SUITS (AS PER SOLAS & LSA CODE REQUIREMENTS). (All Sizes). USCG/SOLAS/CLASS - APPROVED TYPE	SET		
1688	240000000000001271	330176	THERMAL PROTECTIVE AID, POLYTHYLENE, THERMAL CONDUCTIVITY NOT MORE THAN 7800 W/(m2.K), APPROVED AS PER SOLAS (USCG APPROVED)	SET		
1689	2400000000000000069	330189	RETRO REFLECTIVE TAPE, SILVER SOLAS GRADE, 50 MM WIDTH. (Approved Type)	MTR		
1690	240000000000000086	330201	BAILER FOR LIFEBOAT, SCOOP TYPE, MADE OF G.I. WITH WOODEN HANDLE	PCS		
1691	240000000000000087		BAILER - BUOYANT TYPE MADE OF G.I. SUITABLE FOR LIFEBOATS	PCS		
1692	240000000000000088	330203	HATCHET FOR LIFE BOAT 2 IB WITH POLISHED WOODEN HANDLE AND FITTED WITH LANYARD.TO BE SUPPLIED WITH TYPE APPROVAL CERT.FOR LIFE BOAT EQUIPMENT	PCS		
1693	150000000000002965	330207	SAFETY MATCHES (26 STICK PER BOX) IN WATERTIGHT CONTAINER	Вох		
1694	240000000000000089		WIND PROOF MATCHES IN WATERTIGHT CONTAINER	PCS		
1695	240000000000000073		SEN HOUSE SLIP-QUICK RELEASE ARRANGEMENT FOR LIFE RAFTS	PCS		
1696	240000000000000123	330210	RUST PROOF LIFEBOAT DIPPER WITH LANYARD	PCS		
1697	240000000000000074	330212	RESCUE QUOIT FOR LIFEBOAT, ATTACHED TO NOT LESS THAN 30 MTR OF BUOYANT LINE	PCS		
1698	240000000000000000000000000000000000000	-	BUOYANT HEAVING LINE 15 FMS - POLYPROPYLENE/HDPE	PCS		
1699	240000000000000084	330225	COMPOSITE (ALL-IN-ONE) EMERGENCY RATIONS OF NOT LESS THAN 10,000 KJ FOR EACH PERSON PER LIFE BOATS OR LIFE RAFTS UNCONDITIONALLY GUARANTEED LIFE SPAN FIVE YEARS. (500 GMS. NETT PACK (10,000 KJ). (Approved Type)	PKT		
1700	24000000000001340		DRINKING WATER POUCHES FOR LIFEBOATS (1LTR WITH EXPIRY DATE), MINIMUM VALIDITY 3 YEARS.	BTL		
1701	24000000000001590		DRINKING WATER POUCHES FOR LIFEBOATS (500ml WITH EXPIRY DATE), MINIMUM VALIDITY 3 YEARS.	PAK		
1702	240000000000000098		GRADUATED RUST PROOF DRINKING VESSELS FOR LIFEBOATS AND LIFERAFTS	PCS		

1708 240000000000173 300248 SEASICKNESS BAG PCS				FIRST AID KITS SUITABLE FOR LIFE		
1706	1703	240000000000000100	330246	BOATS/RAFTS. (Approved Type)	PCS	
1708	1704	15000000000001733	330248		PCS	
1707 24000000000000048 330252 WHISTLE WITH PEA & LANYARD PCS	1705	240000000000000102	330249	-,	PCS	
1708	1706	240000000000000101	330251	LIFEBOAT JACK-KNIFE	PCS	
1709	1707	240000000000000048	330252	WHISTLE WITH PEA & LANYARD	PCS	
1709	1708	240000000000001221	330254	FISHING TACKLE	SET	
1710	1709	240000000000000107	330261	COMPLETE WITH BATTERIES WATERPROOF WITH SPARE SET OF BATTERIES AND ONE SPARE BULB (SUITABLE FOR SIGNALLING).	PCS	
1711 24000000000000111 330271 DAYLIGHT SIGNALLING TO SHIPS AND PCS	1710	240000000000000078	330264	ILLUMINATION FOR A TOTAL PERIOD OF 6 HOURS AND REMAINS IN OPERATION	PCS	
1713 2400000000000130 330281 COLZA OIL (STORM OIL) 4LTR./TIN. TIN	1711	240000000000000111	330271	DAYLIGHT SIGNALLING TO SHIPS AND	PCS	
1714 2400000000000117 330285 LIFEBOAT HOOKS GALVANISED IRON WITH WOODEN POLES' SHAFTS - OVERALLENGTH 8 FEFT PCS	1712	240000000000000081	330280	MANUAL BILGE PUMP FOR LIFEBOAT	PCS	
1714 2400000000000117 330285 WITH WOODEN POLES, SHARTS - PCS	1713	24000000000000130	330281	,	TIN	
1715 2400000000000112 330286 IRON FOR VARIOUS LB. SIZES WITH PCS	1714	240000000000000117	330285	WITH WOODEN POLES/ SHAFTS -	PCS	
1716 240000000000126 BOATS / FIBRE GLASS REPAIR KIT (COMPLETE SET) FOR LIFE BOATS. TO BE SUPPLIED WITH TYPE APPROVAL CERTIFICATE (COMPLETE SET) FOR LIFE BOATS. TO BE SUPPLIED WITH TYPE APPROVAL CERTIFICATE (COMPLETE SET) FOR MATER). TO BE SUPPLIED WITH TYPE APPROVAL CERTIFICATE (COMPLETE SET) FOR LIFE APPROVAL CERTIFICATE (COMPLETE SET) FOR SUPPLIED WITH TYPE APPROVAL CERTIFICATE (COMPLETE SET) FOR LIFE APPROVAL CERTIFICATE (COMPLETE UNITS OR LTAS PAINS WESSEX BRANDS".] 1718 24000000000001241 SUPPLIED WITH TYPE APPROVAL CERTIFICATE (COMPLETE UNITS OR LTAS PAINS WESSEX/COMET/IK/AROS - SOLAS APPROVED. (Clear) Unit comprises of Rocket, Cartridge & Line in a Waterproof Container having built in Firing Mechanism)	1715	240000000000000112	330286	IRON FOR VARIOUS L.B. SIZES WITH	PCS	
1717 240000000000110 330296	1716	240000000000000126		BOATS / FIBRE GLASS REPAIR KIT (COMPLETE SET) FOR LIFE BOATS. TO BE SUPPLIED WITH TYPE APPROVAL	КІТ	
1718 24000000000001241	1717	24000000000000110	330296	LIFEBOAT OR LIFERAFT FROM WATER). TO BE SUPPLIED WITH TYPE APPROVAL	PCS	
1718 2400000000001241 FOUR SELF CONTAINED COMPLETE UNITS OR LTA'S - PAINS-WESSEX/COMET/IKAROS - SOLAS APPROVED. (Each Unit comprises of Rocket, Cartridge & Line in a Waterproof Container having built in Firing Mechanism)						
CONTAINED COMPLETE UNIT OR LTA - PAINS-WESSEX/COMET/IKAROS - SOLAS APPROVED. (Unit comprises of Rocket, Cartridge & Line in a Waterproof Container having built in Firing Mechanism) BRIDGE LIFE-BUOY SELF-ACTIVATING SMOKE MARKER/SIGNALS - COMBINATION SIGNAL OF SELF-ACTIVATED SMOKE AND LIGHT (MANOVERBOARD) FOR DAY AND NIGHT USE WITH SUITABLE MOUNTING BRACKET. UNCONDITIONALLY GUARANTEED LIFE SPAN THREE YEARS. SPARE ROCKET FOR LINE THROWING APPARATUS - PAINS WESSEX / COMET / PCS PCS	1718	24000000000001241		FOUR SELF CONTAINED COMPLETE UNITS OR LTAS - PAINS-WESSEX/COMET/IKAROS - SOLAS APPROVED. (Each Unit comprises of Rocket, Cartridge & Line in a Waterproof	SET	
SMOKE MARKER/SIGNALS - COMBINATION SIGNAL OF SELFACTIVATED SMOKE AND LIGHT (MANOVERBOARD) FOR DAY AND NIGHT USE WITH SUITABLE MOUNTING BRACKET. UNCONDITIONALLY GUARANTEED LIFE SPAN THREE YEARS. SPARE ROCKET FOR LINE THROWING APPARATUS - PAINS WESSEX / COMET / PCS	1719	240000000000000894		CONTAINED COMPLETE UNIT OR LTA - PAINS-WESSEX/COMET/IKAROS - SOLAS APPROVED. (Unit comprises of Rocket, Cartridge & Line in a Waterproof Container	PCS	
1721 2400000000001242 APPARATUS - PAINS WESSEX / COMET / PCS	1720	24000000000000179		SMOKE MARKER/SIGNALS - COMBINATION SIGNAL OF SELFACTIVATED SMOKE AND LIGHT (MANOVERBOARD) FOR DAY AND NIGHT USE WITH SUITABLE MOUNTING BRACKET. UNCONDITIONALLY	SET	
	1721	24000000000001242		APPARATUS - PAINS WESSEX / COMET /	PCS	

1722	240000000000001244		SPARE STRIKER / CARTRIDGE FOR LINE THROWING APPARATUS - PAINS WESSEX / COMET / IKAROS	PCS		
1723	240000000000000176		ROCKETS PARACHUTE FLARES SUITABLE FOR SHIPS AND SURVIVAL CRAFTS, UNCONDITIONALLY GUARANTEED LIFE SPAN - THREE YEARS	PCS		
1724	240000000000000177		HAND HELD DISTRESS FLARES FOR SURVIVAL CRAFTS, UNCONDITIONALLY GUARANTEED LIFE SPAN - THREE YEARS	PCS		
1725	240000000000000178		BUOYANT SMOKE SIGNALS FOR LIFEBOATS AND LIFERAFTS, UNCONDITIONALLY GUARANTEED LIFE SPAN - 3 YEARS	PCS		
1726	24000000000001640		DISPOSAL OF PYROTECHNICS - ALL TYPES (PER PIECE BASIS)	PCS		
	SAFETY EQUIPMENT (W REQUIREMENT) (IMPA IN		PE APPROVAL CERTIFICATE AS PER SOLAS			
	REQUIREMENT) (IMPA II	NDEX CODE 33	TANKER SAFETY INTRINSICALLY SAFE			
1727	240000000000000057	330328	SELF-IGNITING LIGHT WITH MOUNTING BRACKET FOR LIFE BUOYS. (Approved Type)	PCS		
1728	150000000000004189		SMOKE DETECTOR TEST SPRAY, 300ML / CAN	CAN		
1729	240000000000000056		LIFEBUOY SELF-IGNITING LIGHTS C/W CELLS & BULB. (Approved Type)	PCS		
1730	240000000000000036		SELF CONTAINED BREATHING APPARATUS (POSITIVE PRESSURE) IN M.S. STORAGE CHEST AND CONSISTING OF: AIR CYLINDER'S, BACK PLATE WITH HARNESS BELTS, PRESSURE GUAGE, LOW PRESSURE AUDIO AND VISUAL OR OTHER ALERT DEVICES, FACE MASK WITH DEMAND VALVE, LIFE LINE WITH SNAP HOOKS, RIGID HELMET, INSULATED NON FLAMMABLE FIRE AXE, ETC. AIR CYLINDER'S SHOULD COMPULSORILY HAVE 1200 LTRS FREE AIR CAPACITY CAPABLE OF SUPPLYING BREATHING AIR FOR 30 MINUTES. ADDITIONALLY TO BE SUPPLIED WITH SPARE CYLINDERS FOR 2400 LTRS FREE AIR CAPACITY AS PER RULE REQUIREMENTS. MAXIMUM PRESSURE OF EACH AIR CYLINDER NOT EXCEEDING 200 BARS. Approved Type as per SOLAS latest Regulations in accordance with MSC.338(91) and MSC.339(91). Also, to meet the testing standards quoted in the EU Marine Equipment Directive (MED). To be supplied with proper EC Approval Certificate(s).	SET		
1731	240000000000000019		AIR FILLED SPARE CYLINDER FOR SELF- CONTAINED BREATHING APPARATUS, FREE AIR CAPACITY. 1200 LTR., MAXIMUM PRESSURE NOT EXCEEDING 200 BARS. APPROVED TYPE.	PCS		
1732	240000000000000014	-	SCBA SPARES - ADAPTOR FOR CHARGING	PCS		
1733	240000000000000015	-	SCBA SPARES - PRESSURE GUAGE	PCS		
1734	24000000000000018	-	SCBA SPARES - WIRE REINFORCED AIR	PCS		
1735	240000000000000000000000000000000000000	-	HOSE SCBA SPARES - FACE MASK WITH	PCS		
			DEMAND VALVE.		L	

				1
24000000000000021	-	SCBA SPARES - BACK PLATE WITH HARNESS, PRESS GUAGE & LOW PRESSURE ALARM, WITHOUT FACE MASK.	PCS	
240000000000000031	-	SCBA SPARES - BELT ONLY-CANVAS (COTTON)	PCS	
240000000000000016		SCBA SPARES - RUBBER INNER MASK WITH EXHALATION VALVE	PCS	
240000000000000017		SCBA SPARES - AUTO HATCH / SAFETY VALVE	PCS	
240000000000000022		SCBA SPARES - ELECTRIC SAFETY LAMP INTRINSICALLY SAFE / EXPLOSION PROOF.	PCS	
240000000000000023		SCBA SPARES - CHARGER FOR ELECTRIC SAFETY LAMP.	PCS	
240000000000000025		SCBA SPARES - CRASH HELMET .	PCS	
240000000000000026		SCBA SPARES - M.S. STORAGE CHEST FOR SMOKE HELMET/SCBA SET	PCS	
240000000000000027		INSTRUCTIONS TAGS FOR SELF- CONTAINED BREATHING APPARATUS.	PCS	
240000000000000037		LIFE LINE FIREPROOF 12MM DIAM (WITH SNAP HOOK) (MADE OF G.I./COPER WIRE ROPE OVERLAID WITH NATURAL FIBRE) 40 MTRS.(130').	COIL	
240000000000000038		LIFE LINE FIREPROOF 12MM DIAM (WITH SNAP HOOK) (MADE OF G.I./COPER WIRE ROPE OVERLAID WITH NATURAL FIBRE) 21.5 MTRS.(70').	COIL	
240000000000000028		SCBA SPARES - SAFETY BELT AND HOOK (COMPLETE)-NYLON.	PCS	
240000000000000029		SCBA SPARES - SAFETY BELT AND HOOK (COMPLETE)-COTTON.	PCS	
240000000000000030		SCBA SPARES - SNAP HOOK ONLY- BRONZE.	PCS	
240000000000000032		SCBA SPARES - BELT ONLY - NYLON	PCS	
240000000000000035		BREATHING APPARATUS, BELLOWS (FRESH AIR) TYPE COMPRISING OF (SELF DEMISTING FACE MASK c/w SPEECH DIAPHRAM AND EXPIRATORY VALVE FITTED WITH FLEXIBLE RUBBER BREATHING TUBE AND ANGULAR COUPLING), 2 X 60FT. REINFORCED/NON COLLAPSIBLE (WIRE EMBEDDED) AIR HOSE, DOUBLE ACTING LEATHER FOOT BELLOWS, 70FT. HEMP OVERLAID G.I. WIRE FLEXIBLE LIFELINE FITTED WITH SNAP HOOK WITH INSTRUCTION TAGS AND FULL HARNESS BELT WITH LIFTING ARRANGEMENT & HOSE CLAMP, ALL PACKED IN A WOODEN/METAL TRANSIT/STORAGE CHEST. (Approved Type)	SET	
24000000000000000		FULL VIEW FACE MASK, COMPLETE WITH 33 IN. FLEXIBLE BREATHING-TUBE FITTED WITH COUPLING (SPARES FOR BELLOWS TYPE BREATHING APPARATUS). (Approved Type)	PCS	
240000000000001272	330438	EMERGENCY ESCAPE BREATHING DEVICE, DURATION OF SERVICE 15 MIN., COMPLETE SET, APPROVED TYPE	SET	
150000000000006305		ETHYL ALCOHOL 0.5 L FOR CALIBRATING BREATH ANALYSER	EACH	
	24000000000000000000000000000000000000	24000000000000000000000000000000000000	HARNESS, PRESS GUAGE & LOW PRESSURE ALARM, WITHOUT FACE MASK	HARNESS, PESS GUAGE & LOW PCS

	240000000000001130		SPARE HOOD / FACE MASK FOR EEBD	PCS	
1756 2			· · · · · · · · · · · · · · · · · · ·		1
	240000000000000083	-	PERSONNEL TRANSFER BASKET FOR EMBARKATION AND DISEMBARKATION OF PERSONNEL ON BOARD THE VESSEL OFF SHORE. (Approved Type)	PCS	
1757 1	1500000000000007033		PORTABLE MULTI GAS DETECTOR, RIKEN KEIKI - MODEL GX 8000. Complete Set with 30 meters Sampling Hose.	PCS	
1758 1	150000000000008816		PORTABLE Hc/O2 GAS DETECTOR RIKEN KEIKI MODEL: RX-8000. Complete Set with 30 meters Sampling Hose.	PCS	
1759 1	150000000000001785		CALIBRATION GAS FOR HYDRO CARBON DETECTOR, 50% LEL CH4 METHANE / BUTANE BALANCE AIR OR OTHER, WITH CERTIFICATE OF ANALYSIS, 10 LTRS GAS VOLUME / CAN	CAN	
1760 1	150000000000001786		CALIBRATION GAS FOR OXYGEN ANALYSER, 99.99% NITROGEN, WITH CERTIFICATE OF ANALYSIS, 10 LTRS GAS VOLUME / CAN.	CAN	
1761 1	150000000000001787		CALIBRATION GAS FOR MULTI GAS DETECTOR, MIXTURE OF 50% LEL CH4, 12% O2, 25 PPM H2S, 50 PPM CO, BALANCE NITROGEN OR OTHER WITH CERTIFICATE OF ANALYSIS, 10 LTRS GAS VOLUME / CAN.	CAN	
1762 1	150000000000005805		CALIBRATION GAS FOR MULTIPLE GAS DETECTOR, O2 12%, CH4 50% LEL, H2S 25PPM, CO 40PPM, BALANCE N2, WITH CERTIFICATE OF ANALYSIS, 1 LTR GAS VOLUME/BOTTLE.	BTL	
1763 1	150000000000005806	-	CALIBRATION GAS FOR HC / O2 DETECTOR, ISO BUTANE - 50% LEL / 0.9% BY VOLUME, BALANCE N2, WITH CERTIFICATE OF ANALYSIS, 1 LTR GAS VOLUME / BOTTLE.	BTL	
1764 1	15000000000005807		CALIBRATION GAS FOR HC / O2 DETECTOR, ISO BUTANE - 50% LEL / 10% BY VOLUME, BALANCE N2, WITH CERTIFICATE OF ANALYSIS, 1 LTR GAS VOLUME / BOTTLE.	BTL	
1765 1	150000000000001790	-	FILTERS FOR SENSOR PORTABLE DETECTOR, RIKEN KEIKI	PCS	
1766 1	150000000000001791	-	INFRA RED SENSOR FOR GAS DETECTOR, RIKEN KEIKI	PCS	
1767 1	15000000000007851	-	INFRA RED SENSOR FOR GAS DETECTOR,BW TECH	PCS	
1768 1	150000000000007854	-	INFRA RED SENSOR FOR GAS DETECTOR, DREAGER	PCS	
1769 1	15000000000001792	-	RECHARGEBLE BATTERY FOR DETECTOR, RIKEN KEIKI	PCS	
1770 1	150000000000001793	-	SPARE SENSORS FOR PORTABLE DETECTOR, RIKEN KEIKI	PCS	
1771 1	150000000000001789	-	EXTENSION HOSE FOR DRAGER PUMP, DRAGER, 5MM	PCS	
1772 1	150000000000007826	-	EXTENSION HOSE FOR DRAGER PUMP, DRAGER, 15MM	PCS	
1773 1	150000000000007828	-	EXTENSION HOSE FOR DRAGER PUMP, DRAGER, 20MM	PCS	
1774 1	150000000000006976		TUBES FOR GAS DETECTOR, DRAEGER, HYDROCARBON 0.1%/c (0.1-1.3 Vol %), PACK OF 10	PKT	
1775 1	15000000000007840	330562	TUBES FOR GAS TESTING, AMMONIA 5/a (5-700 ppm), DRAEGER, PACK OF 10	PKT	

1776	150000000000006261	-	DRAEGER TUBE CARBON MONOXIDE 2/a (2-300 ppm). PACK OF 10	PACK		
1777	150000000000007989		TUBES FOR DETECTION OF CARBON DIOXIDE 0.1%/a (0.1 - 6 Vol. %), DRAEGER, PACK OF 10	PKT		
1778	150000000000008004		TUBES FOR DETECTION OF PHOSPHINE, 1/a (1 - 100 ppm), DRAEGER, PACK OF 10	PKT		
1779	150000000000006977	330568	TUBES FOR GAS DETECTION, DRAEGER, CARBON MONOXIDE 5/c (5 - 700 ppm), IMPA-330568, PACK OF 10	PKT		
1780	150000000000008012	330567	TUBES FOR DETECTION OF SULPHUR DIOXIDE, 1/a (1 - 25 ppm) DRAEGER, IMPA: 330567, PACK OF 10	PKT		
1781	150000000000007806		TUBES FOR GAS TESTING, OXYGEN 5%/C (5 - 23 Vol. %), DRAEGER, PACK OF 10	PKT		
1782	150000000000007805	-	TUBES FOR GAS TESTING (PKT OF 10),HYDROGEN SULPHIDE, DREAGER	PKT		
1783	150000000000005564	-	DRAEGER TUBES H2S 0.5/a 0.5-15PPM	PCS		
1784	150000000000006229	-	DRAEGER TUBE 2/b (H2S 1-60PPM) Pack of 10	PACK		
1785	150000000000007514	-	DRAEGER TUBES SULPHUR DIOXIDE (20/a) 20-2000 PPM	PCS		
1786	150000000000007513	-	DRAEGER TUBES H2S 100/a 100-2000 PPM	PCS		
1787	150000000000007807	-	DRAEGER TUBES MERCAPTANS PACK OF 10	PKT		
1788	15000000000007809	-	DRAEGER TUBES BENZENE PACK OF 10.	PKT		
1789	15000000000005565	-	DRAEGER TUBES BENZENE 0.5/a 0.5-10 PPM	PCS		
1790	150000000000006260	-	DRAEGER TUBE BENZENE 2/a(5) (2-60PPM) PACK OF 10	PACK		
1791	150000000000007842	-	DRAEGER TUBES OIL MIST 1/a, 1 - 10 mg/m3, 6733031. PACK OF 10	PACK		
1792	150000000000007845	-	DRAEGER TUBES FOR WATER VAPOUR TESTING. PACK OF 10	PACK		
1793	15000000000007808	-	DRAEGER TUBES FOR TESTING OF HYDROCARBONS. PACK OF 10.	PACK		
1794	15000000000007840	-	DRAEGER TUBES FOR GAS TESTING, AMMONIA 5/a (5-700 ppm), PACK OF 10.	PKT		
1795	15000000000001794	-	TUBE CUTTER FOR GAS TESTING EQUIPMENT, DREAGER	PCS		
1796	150000000000005419		Calibration Gases For RIKEN KEIKI GX2001 Multigas Personal Gas Monitor (Gases: CH4, H2S, N2 & CO).	CAN		
1797	150000000000006985	330608	SAFETY HANDLAMP RECHARGEABLE, H- 251A, WOLFLITE	PCS		
1798	150000000000006979	330608(a)	SPARE RECHARGEABLE BATTERY FOR SAFETY HAND LAMP H-251A, WOLFLITE	PCS		
1799	15000000000001983	330609	CHARGER FOR WOLFLITE HAND LAMP, MODEL: C-251 HV, FOR H-251A, UK 3 PIN.	PCS		
1800	24000000000000886		CHARGING ADAPTOR FOR EMERGENCY ESCAPE BREATHING DEVICE AS PER SOLAS REQUIREMENT IN CONFIRMATION WITH LATEST IMO AMENDMENTS. EEBD-15 MINUTES DURATION WITH TYPE APPROVAL CERTIFICATE.	PCS		
1801	15000000000001987		WOLFLITE AIRTURBO LAMPS, MODELS: A-0444 / A-0445	PCS	 	
	i .					

1000	1500000000000004004		WOLFLITE HAND HELD PORTABLE	DC6		
1802	15000000000001984	-	SEARCHLIGHT, MODEL: TL-9050T3, WITH CHARGER, MODEL: TL-9054T3	PCS		
1803	24000000000000182		LONG RANGE SIGNALLING ALDIS LAMP WITH SHADES/ SCREENS IN VARIOUS COLOURS SUITABLE FOR DAY AND NIGHT USE COMPLYING WITH THE SPECIFICATIONS LAID DOWN IN CHAPTER 7 AND APPENDIX E OF THE SURVEY OF LIGHTS AND SIGNALLING EQUIPMENT - DEPARTMENT OF TRANSPORT UK., COMPLETE SIGNALLING LAMP WITH TELESCOPE/SIGHT, 5 METERS OF SHEATHED MARINE CABLE AND PROVISION FOR FITMENT OF PREFOCUSSED BULB AND SUITABLE TRIGGER ARRANGEMENT FOR SIGNALLING. TO BE SUPPLIED WITH CARRYING CASE AND TYPE APPROVAL CERTIFICATE	PCS		
1804	24000000000000186		SIGNALLING LAMP SHADES/SCREENS IN VARIOUS COLOURS	PCS		
1805	240000000000000187	-	BULBS FOR ALDIS LAMP 24V*60W PREFOCUSSED -SILVERED/BLACK TOP/PROJECTOR TYPE	PCS		
1806	240000000000000188		BULBS FOR AIDIS LAMP 12V*60W PREFOCUSSED-SILVERED/BLACK TOP/PROJECTOR TYPE.	PCS		
1807	24000000000000184		MAINTENANCE FREE 12V STORAGE BATTERY FOR ALDIS LAMP WITH WOODEN CARRYING CASE FITTED WITH SHOULDER STRAP AND METAL CLAD WATER RESISTANT PLUG SOCKET. WITH 3 YEARS WARRANTY.	PCS		
1808	24000000000000185		MAINTENANCE FREE 24V STORAGE BATTERY FOR ALDIS LAMP WITH WOODEN CARRYING CASE FITTED WITH SHOULDER STRAP AND METAL CLAD WATER RESISTANT PLUG SOCKET. WITH 3 YEARS WARRANTY.	PCS		
1809	240000000000001310	-	NAVIGATION BULB 220V / 60W FOR THREADED TYPE HOLDER	PCS		
1810	150000000000005176	-	NAVIGATION BULB 220V / 100W FOR THREADED TYPE HOLDER	PCS		
1811	1500000000000006037	-	NAVIGATION BULB ANTI VIBRATION TYPE, 60W, 240V, SC, EC-27	PCS		
1812	150000000000009891		Fire Hose, size - 63/65 mm, Reel of 18.3 M, with sea water proof reinforced inner lining & fitted with 63mm Bayonet type Gun Metal Coupling at both ends. Approved Type.	SET		
1813	150000000000009892		Fire Hose, size - 63/65 mm, Reel of 18.3 M, with sea water proof reinforced inner lining & fitted with set of 63mm Instantaneous Gun Metal Coupling (with sealing ring and circlips, Instantaneous/Morris complete set). Male coupling at one end & female coupling at the other end. Approved Type.	SET		
1814	150000000000006897		Fire Hose, size - 63/65 mm, Reel of 18.3 M, with sea water proof reinforced inner lining & fitted with 63mm Storz type Gun Metal Coupling at both ends. Approved Type.	COIL		
1815	150000000000008914		Fire Hose, size - 63/65 mm, Reel of 18.3 m length, with sea water proof reinforced inner lining. Approved Type	REEL		
1816	150000000000008915		Fire Hose, size - 50 mm, Reel of 18.3 m length, with sea water proof reinforced inner lining. Approved Type.	REEL		

4047	0.40000000000001150		FIRE HOOF DOVIMITH ASSAURCE REF	DOG	
1817	24000000000001158		FIRE HOSE BOX WITH 18M HOSE REEL	PCS	
1818	150000000000006899		FOG NOZZLE 3 POSITION, BRASS, Coupling Size 2-1/2" (63mm), Coupling : Instantaneous (John Morris) Male / Bayonet (Nakajima) / Storz. Approved Type	PCS	
1819	240000000000000466	-	Gun Metal Jet Cum Spray dual Fire Nozzle. Bayonet Type (Nakajima), 63mm Approved Type.	PCS	
1820	240000000000000465	-	Gun Metal Jet cum Spray dual Fire Nozzle - Instantaneous/Morris, 63mm. Approved Type.	PCS	
1821	240000000000001027	330841	INTERNATIONAL SHORE CONNECTION, (FLANGE OD 178MM, ID 64MM, PCD 132MM, 14.5MM THICKNESS, 19MM X 4 HOLES, BOLTS & NUTS 16MM DIA X 50MM LENGTH X 4 PCS). Fitted with 63 mm JOHN MORRIS or NAKAJIMA or STORZ type connection - As per Vessel's requirement. Approved Type	PCS	
1822	240000000000000476		Gun Metal Fire Hose Couplings Bayonet Type, 63 mm, Set of Two Approved Type.	PCS	
1823	240000000000000477		NEOPRENE RUBBER WASHER FOR INSTANTANEOUS / MORRIS COUPLINGS 63MM. AS PER IS : 937/1981	PCS	
1824	240000000000000462		Gun Metal Jet Fire Nozzle - Instantaneous /Morris 63mm. Approved Type.	PCS	
1825	2400000000000000905		Gun Metal Jet cum Spray dual Fire Nozzle - Storz type, 63mm Approved Type.	PCS	
1826	24000000000001580		Gun Metal Fire Hydrant Valve with 63mm Instantaneous Female Coupling & Straight Type Outlet Approved Type. Flange particulars as per ship's requirement.	PCS	
1827	240000000000000470		Gun Metal Fire Hydrant Valve with 63mm Bayonet coupling & Right Angled Outlet Approved Type. Flange particulars as per ship's requirement.	PCS	
1828	240000000000000471		Gun Metal Fire Hose Couplings Instantaneous/ Morris, double locking, complete with sealing ring and circlips, 63 mm, Complete set comprising of Male and Female Couplings Approved Type.	PCS	
1829	2400000000000000912		Gun Metal Fire Hose Couplings Storz Type, 63 mm, Set of Two Approved Type.	SET	
1830	240000000000000475		Pair of Gun Metal Locking Lugs (Complete) for Instantaneous / Morris Female Coupling. Approved Type.	PCS	
1831	240000000000000479		Gun Metal Fire Hydrant Valve with 63mm. Instantaneous Female Coupling & Right Angled Outlet Approved Type. Flange particulars as per ship's requirement.	PCS	
1832	240000000000000472	-	Gun Metal Caps (with securing chain) For Instantaneous,Bayonet & Storz type 63mm Fire Hydrants Approved Type. To supply as per ship's requirement.	PCS	
1833	240000000000000468	-	Gun Metal 63mm Female Instantaneous Coupling having Female Screw at other end. To Fit on a Fire Hydrant of screw type Male Outlet. Approved Type.	PCS	
1834	24000000000001153	-	Locking Lug Springs for 63 mm Instantaneous Female Couplings on Fire Hydrants or Fire Hoses	PCS	

240000000000000474	-	SET OF 4 BOLTS & NUTS WITH WASHERS FOR INTERNATIONAL SHORE CONNECTION, APPROVED TYPE.	PCS		
15000000000001869		RUBBER WASHER FOR BAYONET / STORZ COUPLINGS. 2.5" (63MM).	PCS		
150000000000008218	-	ELBOW COUPLING SIZE- 6MM ERMETO TYPE	PCS		
150000000000008219	-	ELBOW COUPLING SIZE- 14MM ERMETO TYPE	PCS		
150000000000008233	-	ERMETO UNION,TUBE OD:16MM	PCS		
24000000000001051	330911	FIREMAN'S OUTFIT, COMPLETE SET, APPROVED TYPE	EACH		
240000000000000041	330914	RIGID HELMET WITH VISOR AND NECK CURTAIN. HELMET AND VISOR OF POLYCARBONATE AND NECK CURTAIN OF FIRE AND HEAT RESISTANT MATERIAL. (Approved Type)	PCS		
240000000000001275	330905	FIREMAN'S SAFETY GLOVES, 5-FINGERS H.K. / TYPE APPROVED	PRS		
150000000000007000	330916	BOOTS FOR FIREMAN, APPROVED TYPE	PRS		
240000000000001111		HAND GLOVES (Aluminised) for FIRE SUITS	PRS		
150000000000003966	330961	FIRE AXE PICKLEHEAD WITH WOOD HANDLE	PCS		
240000000000000024	330962	FIRE AXE WITH INSULATED HANDLE	PCS		
24000000000001480		PORTABLE FIRE EXTINGUISHER DCP 2 KGS (Suitable for use in Ship's Lifeboats)	PCS		
24000000000001181	331017	ABC CHEMICAL POWDER FIRE EXTINGUISHER (DRY POWDER + CO2 GAS CARTRIDGE), 4.5KGS, CLASS/SOLAS APPROVED.	PCS		
24000000000001182	331018	ABC CHEMICAL POWDER FIRE EXTINGUISHER (DRY POWDER + CO2 GAS CARTRIDGE), 6.0KGS, CLASS / SOLAS APPROVED.	PCS		
24000000000001190	331019	ABC CHEMICAL POWDER FIRE EXTINGUISHER (DRY POWDER + CO2 GAS CARTRIDGE), 20.0KGS, CLASS / SOLAS APPROVED.	PCS		
24000000000001191	331020	ABC CHEMICAL POWDER FIRE EXTINGUISHER (DRY POWDER + CO2 GAS CARTRIDGE), 23.0KGS, CLASS / SOLAS APPROVED.	PCS		
24000000000001192	-	ABC CHEMICAL POWDER FIRE EXTINGUISHER (DRY POWDER + CO2 GAS CARTRIDGE), 50.0KGS, CLASS / SOLAS APPROVED.	PCS		
24000000000001179	331042	CO2 FIRE EXTINGUISHER, BC-TYPE, 4.6KGS, CLASS/SOLAS APPROVED.	PCS		
24000000000001180	331043	CO2 FIRE EXTINGUISHER, BC-TYPE, 6.8KGS, CLASS/SOLAS APPROVED.	PCS		
24000000000001194	331061	FIRE EXTINGUISHER, WATER TYPE, 9 LTRS, CLASS / SOLAS APPROVED.	PCS		
24000000000001193	331062	FIRE EXTINGUISHER, FOAM TYPE, 9 LTRS, CLASS/SOLAS APPROVED	PCS		
240000000000001195	331063	FIRE EXTINGUISHER, FOAM TYPE, 45 LTRS, CLASS/SOLAS APPROVED	PCS		
	15000000000001869 150000000000008218 150000000000008219 1500000000000001051 24000000000000001275 1500000000000001111 1500000000000001111 1500000000	15000000000000000000000000000000000000	24000000000001869	24000000000001182 33091 SOUTH FIRE AXE PICKLEHEAD WITH WOOD PCS HIRE EXTINGUISHER (DRY PCWEEN) PCS	24000000000001414 FIRE ALL PICKLES FOR STORE PCS

1858	240000000000001196	331064	FIRE EXTINGUISHER, FOAM TYPE, 136 LTRS, CLASS/SOLAS APPROVED	PCS		
1859	240000000000000795		SPARE REFILL- CO2 CARTRIDGE FOR 10.0 KG DCP EXTINGUISHER (CO2 OF 180 GRAMS).	PCS		
1860	240000000000000806		MECHANICAL FOAM PORTABLE FIRE EXTINGUISHER-AB TYPE - 9 LTRS CAPACITY, APPROVED TYPE	PCS		
1861	240000000000000811		SPARE REFIL POWDER FOR 10.0 KG DCP EXTINGUISHER	PCS		
1862	240000000000000814		SPARE REFIL CO2 CARTRIDGE FOR 4.5 KG DCP EXTINGUISHER (CO2 120 GRAMS).	PCS		
1863	240000000000000829		SPARE REFILL FOR 9 LTR MECHANICAL FOAM PORTABLE FIRE EXTINGUISHER - AB TYPE - 60 GRAMS CO2 CARTRIDGE.	PCS		
1864	240000000000000862		SPARE REFILL FOR 9 LTR MECH.FOAM PORTABLE FIRE EXTINGUISHER-AB TYPE - 500 ML FOAM.	PCS		
1865	240000000000001080	-	SECRUING STRAPS FOR FIRE EXTINGUISHERS, ADJUSTABLE.	PCS		
1866	150000000000005256	331071	TESTING KIT FOR FIRE ALARM HEAT DETECTOR SENSOR.	KIT		
1867	150000000000006986	331074	SPARE TEST GAS 350 GRM/TIN.	TIN		
1868	240000000000000824	331083	FOAM CONCENTRATE, AQUEOUS FILM FORMING FOAM (AFFF), 3%, IN 20LTR POLY CONTAINER, WITH CHEMICAL ANALYSIS CERTIFICATE, CLASS/SOLAS APPROVED.	LTR		
1869	240000000000000833	331081	3 % FLORO PROTEIN FOAM - IS 4989 PART III	LTR		
1870	240000000000000817	331087	3% Protein Foam in 20 Litre Can, with Foam Compound 3% UNIMIN P. Protein. Specification: (i) Specific Gravity at 15 Degree Centigrade, 1.16 - 1.20 (ii) Expansion Ratio: Minimum at 20 Degree Centigrade - 7 - 8.5. with Chemical Analysis Certificate, APPROVED TYPE.	LTR		
1871	240000000000000832	331089	6% Protein Foam in 20 Litre Can, with Foam Compound 6% UNIMIN P. Protein. Specification: (i) Specific Gravity at 15 Degree Centigrade, 1.16 - 1.20 (ii) Expansion Ratio: Minimum at 20 Degree Centigrade - 7 - 8.5, with Chemical Analysis Certificate, APPROVED TYPE	LTR		
1872	15000000000001804	331111	DUST PROTECTING MASK (WITH MECHANICAL FILTER)	PCS		
1873	15000000000001805	331128	DUST MASK DISPOSABLE	PCS		
1874	150000000000006339	331141	CHIPPING GOGGLE, PLASTIC, STANDARD	EACH		
1875	15000000000001807	331150	EAR MUFF, APEX 30, FOR VERY HIGH NOISE LEVELS	PRS		
1876	150000000000006978	331157	EAR PLUG, SILICON RUBBER FOR HI- PITCH NOISE	PRS		
1877	15000000000001814	331162/66	SAFETY HELMET WITH EAR CUP KIT STANDARD	PCS		
1878	240000000000000063	-	WORKING VEST - AUTOMATIOC INFLATION TYPE - FOR OFF SHORE OPERATION IN FLUOROSCENT COLOURS. (Approved Type)	PCS		
1879	240000000000000064		WORKING VEST - MANUAL INFLATION TYPE - FOR OFF SHORE OPERATION IN FLUOROSCENT COLOURS. (Approved Type)	PCS		

1880 2400000000000065 WORKING VEST - INHERENT BUOYANCY TYPE - FOR OFF SHORE OPERATION IN FLUOROSCENT COLOURS. (Approved Type) PCS	
1881 150000000000001818 TYPE PCS 1882 150000000000001751 - ANTICHEMICAL APRON, PVC PCS 1883 240000000000001260 331187 PHOTOLUMINESCENT WAYFINDING WALKWAY MATTING, 600MM WIDTH X 10 MTRS ROLL 1884 15000000000000000000000000000000000000	
1883 2400000000001260 331187 PHOTOLUMINESCENT WAYFINDING WALKWAY MATTING, 600MM WIDTH X 10 EACH MTRS ROLL 1884 15000000000000000000000000000000000000	
1883 2400000000001260 331187 WALKWAY MATTING, 600MM WIDTH X 10 EACH MTRS ROLL TAPE BARRIER POLYETHYLENE B&Y, POLYETHYLEN	
1885 150000000000003871 331221 BREATH ALCOHOL INSTRUMENT MEASURING INSTRUMENT PCS	
1886 15000000000000000000000000000000000000	
1887 15000000000005798 -	
1888 15000000000001811 332201 SAFETY BELT WITH LIFELINE & HOOK PCS	
1889 150000000000003912 BARBED WIRE - CONCERTINA COILS, MTR DIAMETER 980 mm.	
1890 150000000000003935 - HAND GLOVES FOR BARBED WIRE/ PCS PCS	
1891 150000000000003939 - HELMET WITH FRONT SHIELD FOR BARBED WIRE PCS	
1892 150000000000003937 - APRON (FULL SLEEVE) FOR BARBED PCS WIRE	
1893 150000000000003913 - SIGN BOARD OF ELECTRIFICATION OF BARBED WIRE	
1894 24000000000001060 - KEVLAR JACKETS WITH HELMET PCS	
1895 2400000000001066 - MARSHALLING BATON, INTRINSICALLY SAFE FOR HELICOPTER OPERATION PCS	
1896 24000000000001110 - MARSHALLING BATON (FOR NIGHT USE). EXPLOSION PROOF PCS	
1897 24000000000000000000000000000000000000	
1898 240000000000000053 - VISITORS PASSES -BLUE / GREEN / RED- LAMINATED PCS	
1899 15000000000003750 - FLASH TORCH WITH HANDLE AND FOUR CELLS. PCS	
1900 2400000000000000 - DOG LEG MIRROR 6 INCHES DIAMETER SIZE WITH SUITABLE TELESCOPIC HANDLE, HANDLE SIZE - 2 FEET LONG. MIRROR SHOULD BE REPLACEABLE.	
HAND HELD METAL DETECTOR SHOULD HAVE BUILT-IN RECHARGEABLE BATTERY AS WELL AS DRY CELL OPERATION ARRANGEMENT AND CAPABLE OF WORKING WITH STEEL SURROUNDING ON BOARD VESSEL.	
1902 24000000000001062 - DUMMYS LOOKING LIKE HUMAN BEING PCS	
1903 2400000000001061 - BLAST RESISTANCE FILM-50 MTRS/ROLL ROLL	
GRADUATED BAR TYPE PARALLEL RULER MADE OF PERSPEX/POLYCARBONATE - 24" PCS (600MM) LENGTH. WITH MANUFACTURERS CERTIFICATE.	
1905 2400000000000000 - CHART COMPASS WITH LEAD 8" PCS	
1906 240000000000000000 371013 DIVIDER CHART, BRASS WITH SHARP STEEL POINTS, LENGTH 200MM PRS	

1907	2400000000000000001		GRADUATED BAR TYPE PARALLEL RULER MADE OF PERSPEX/POLYCARBONATE - 18"	PCS		
			(450MM) LENGTH. WITH MANUFACTURERS CERTIFICATE			
1908	150000000000002954	371026	MAGNIFYING GLASS, LENS DIAM. 75MM	PCS		
	IMO SAFETY SIGNS (IMP	A INDEX CODI	≣ 33)			
1909	24000000000000546		Photoluminescent IMO Symbols, Safety Signs, Direction Signs, IMO Fire Control Symbols, Fire Equipment Signs, ISPS Code Signs & Signs for Passenger Vessels and Terminal Buildings [IMPA codes under heading "IMO Symbols / Safety Signs"]. Size: 100MM X 100MM	PCS		
1910	240000000000000519		Photoluminescent IMO Symbols, Safety Signs, Direction Signs, IMO Fire Control Symbols, Fire Equipment Signs, ISPS Code Signs & Signs for Passenger Vessels and Terminal Buildings [IMPA codes under heading "IMO Symbols / Safety Signs"]. Size: 100MM X 300MM	PCS		
1911	240000000000000660		Photoluminescent IMO Symbols, Safety Signs, Direction Signs, IMO Fire Control Symbols, Fire Equipment Signs, ISPS Code Signs & Signs for Passenger Vessels and Terminal Buildings [IMPA codes under heading "IMO Symbols / Safety Signs"]. Size: 150MM X 75MM	PCS		
1912	240000000000000521		Photoluminescent IMO Symbols, Safety Signs, Direction Signs, IMO Fire Control Symbols, Fire Equipment Signs, ISPS Code Signs & Signs for Passenger Vessels and Terminal Buildings [IMPA codes under heading "IMO Symbols / Safety Signs"]. Size: 150MM X 150MM	PCS		
1913	240000000000000673		Photoluminescent IMO Symbols, Safety Signs, Direction Signs, IMO Fire Control Symbols, Fire Equipment Signs, ISPS Code Signs & Signs for Passenger Vessels and Terminal Buildings [IMPA codes under heading "IMO Symbols / Safety Signs"]. Size: 150MM X 300MM	PCS		
1914	240000000000000481		Photoluminescent IMO Symbols, Safety Signs, Direction Signs, IMO Fire Control Symbols, Fire Equipment Signs, ISPS Code Signs & Signs for Passenger Vessels and Terminal Buildings [IMPA codes under heading "IMO Symbols / Safety Signs"]. Size: 150MM X 400MM	PCS		
1915	24000000000001120		Photoluminescent IMO Symbols, Safety Signs, Direction Signs, IMO Fire Control Symbols, Fire Equipment Signs, ISPS Code Signs & Signs for Passenger Vessels and Terminal Buildings [IMPA codes under heading "IMO Symbols / Safety Signs"]. Size: 200MM X 75MM	PCS		
1916	24000000000000583		Photoluminescent IMO Symbols, Safety Signs, Direction Signs, IMO Fire Control Symbols, Fire Equipment Signs, ISPS Code Signs & Signs for Passenger Vessels and Terminal Buildings [IMPA codes under heading "IMO Symbols / Safety Signs"]. Size: 200MM X 150MM	PCS		

1917	24000000000001043		Photoluminescent IMO Symbols, Safety Signs, Direction Signs, IMO Fire Control Symbols, Fire Equipment Signs, ISPS Code Signs & Signs for Passenger Vessels and Terminal Buildings [IMPA codes under heading "IMO Symbols / Safety Signs"]. Size: 200MM X 700MM	PCS			
1918	24000000000001100		Photoluminescent IMO Symbols, Safety Signs, Direction Signs, IMO Fire Control Symbols, Fire Equipment Signs, ISPS Code Signs & Signs for Passenger Vessels and Terminal Buildings [IMPA codes under heading "IMO Symbols / Safety Signs"]. Size: 300MM X 300MM	PCS			
1919	24000000000001270		Photoluminescent IMO Symbols, Safety Signs, Direction Signs, IMO Fire Control Symbols, Fire Equipment Signs, ISPS Code Signs & Signs for Passenger Vessels and Terminal Buildings [IMPA codes under heading "IMO Symbols / Safety Signs"]. Size: 400MM X 300MM	PCS			
	NAUTICAL EQUIPMENT	(IMPA INDEX C	ODE 37)				
1920	15000000000001876		# HANDHELD MARINE RADIO (UHF), INTRINSICALLY SAFE, (FREQUENCY RANGE 400-430MHz, 420-450MHz, 450- 490MHz) 16-CHANNEL, 1 YEAR WARRANTY WITH STD ACCESSORIES	SET			
1921	15000000000001877		#HANDHLD TWO-WAY VHF RADIOTELEPHONE, INTRINSICALLY SAFE, (FREQUENCY RANGE 156 MHz- 163.275MHz) PROGRAMMED WITH INTERNATIONAL MARINE CHANNEL, 1 YEAR WARRANTY WITH STD. ACCESSORIES.	SET			
1922	15000000000001878		SPARE BATTERY (INTRINSICALLY SAFE) FOR WALKIE TALKIE	PCS			
1923	150000000000001879		BATTERY CHARGER (SINGLE BATTERY) FOR WALKIE TALKIE	PCS			
1924	150000000000007996		HAND FREE KIT FOR WALKIE TALKIE	PCS			
1925	150000000000008869		ANTENNA FOR WALKIE TALKIE	PCS			
1926	15000000000001875		WALKIE TALKIE CARRY CASE	PCS			
1927	24000000000001412		BAROMETER, ANEROID, MARINE USE 200MM DIAM.[CERTIFICATE OF CONFORMITY]	PCS			
1928	24000000000000141		WALL THERMOMETER (FOR SHIP'S CABIN USE). LESS THAN 30 CMS IN LENGTH. WITH MANUFACTURER'S CERTIFICATE	PCS			
1929	24000000000001414		HYGROMETER WITH WET & DRY BULB THERMOMETER: MIN. RANGE -10 TO 50 DEG C IN 1DEG INTEGRAL, BULKHEAD MOUNTING TYPE WITH WOODEN OR OTHER SUITABLE TOUGH CABINET ALLOWING FREE AIR CIRCULATION ALL AROUND (STEVENSON'S SCREEN).	SET			
1930	24000000000001411		Azimuth Mirror / Azimuth Circle for Ship's Compass / Repeaters	PCS			
1931	24000000000000137	370301	HAND LEAD ONLY 3.2 KG.(7 ILB), WITH TYPE APPROVAL CERTIFICATE.	PCS			
1932	240000000000000138	370302	DEEP SEA LEAD ONLY 12.8 KG.(28 ILB), WITH TYPE APPROVAL CERTIFICATE.	PCS			
	1	1	İ	i	i .	1	l

1933	24000000000000144	-	HAND LEAD LINE (LINE ONLY) WITH STRING/APPROPRIATE MARKINGS, 30 FATHOMS, WITH TYPE APPROVAL CERTIFICATE.	COIL		
1934	24000000000000136	370344	BINOCULARS 7X 50 COMPLETE (FOR MARINE USE) WITH SHOULDER STRAPS AND HARD VINYL CARRYING CASE - STANDARD/GENERAL PURPOSE TYPE WITH COATED OPTICS-CENTRE FOCUSSING. WITH MANUFACTURER CERTIFICATE.	PRS		
1935	24000000000000054	-	NIGHT VISION BINOCULAR - TYPE BN - 5, APPROVED TYPE, REQUIRED LIGHT LEVELS NOT MORE THAN 0.1 LUX, INFRARED COMPATIBLE FOR LOW LIGHTS (WITH PORTABLE POWER SUCH AS BATTERIES), FIELD VIEW NOT LESS THAN 24 DEGREES, MAGNIFICATION NOT LESS THAN 2.	PCS		
1936	24000000000001228	370581	DAY SIGNAL, BLACK BALL, NET DIAM. 610MM	PCS		
1937	24000000000000198	370582	DAY SIGNAL, BLACK CYLINDRICAL SHAPE, NET DIAM. 610MM	PCS		
1938	24000000000000196	370585	DAY SIGNAL, DIAMOND SHAPE, NET DIAM. 610MM	PCS		
1939			NATIONAL / MERCHANT FLAG OF ANY COUNTRY OR FLAG SIGNAL LETTER / NUMERAL , SIZE - 4FT X 6FT			
1940	150000000000003786	371581	FLAG HOOK (COMPLETE WITH UPPER SIDE AND LOWER SIDE) MADE OF CAST BRASS OR BRASS PLATED ZINC DIE CAST.THE UPPER HOOK HAS A SWIVEL AND EYE.THE LOWER HOOK HAS AN EYE WITH NO SWIVEL.	SET		
1941	15000000000003787	371586	BLOCK FLAG, BRASS, 32MM	PCS		
1942	15000000000003804	371588	BLOCK FLAG, BRASS, 50MM	PCS		
1943	150000000000003880	-	BUNTING REPAIRING SYNTHETIC FIBRE TEXTILE-COLOUR (BLACK/YELLOW/RED/BLUE/GREEN)	MTR		
1944	15000000000001819	-	WIND SOCKS , FOR HELICOPTER OPERATIONS, 10'	PCS		
1945	150000000000007855	-	WIND SOCKS , FOR HELICOPTER OPERATIONS, 12'	PCS		
1946	15000000000001872		COURSE RECORDER PAPER ROLLS , ANSCHUTZ. (Vessel specific Size & Chart Sr. No.)	ROLL		
1947	15000000000003963		COURSE RECORDER PAPER ROLLS FOR TOKIMEC. (Vessel Specific Size, Chart Sr. No. etc.)	ROLL		
1948	150000000000007921		RECORDING PAPER ROLLS FOR ECHO SOUNDER. Vessel Specific Size, Chart Sr. No., Make Model of Echo Sounder etc.	ROLL		
1949	150000000000006987	372693	TELEPRINTER RECORDING PAPER, 1PLY, WHITE, 214MM X 175 MTR	ROLL		
1950	150000000000006994	372695	TELEPRINTER RECORDING PAPER, 2PLY, WHITE/YELLOW, 214MM X 81 MTR	ROLL		
1951	150000000000007889		RECORDING PAPER ROLLS FOR NAVTEX RECEIVER. (Vessel Specific Size, Chart Sr. No., Make/Model of Navtex Receiver etc.)	ROLL		
1952	150000000000005246	372708	VHF PRINTER PAPER NKG-91 FOR VHF (JHS-770S)/ JRC	PCS		
1953	150000000000007920	372712	RECORDING PAPER FOR WEATHER FACSIMILE RECEIVER, JRC, JAX-39, 305MM X 50 MTR/ROLL	ROLL		

1954	150000000000005247	-	I.G. RECORDER PAPER, CHART NO: V8105AA/Part No:81406088-001.115 MM, DAE HAN CHART LIMITED for KANGRIM IG SYSTEM.	PCS		
1955	15000000000005269	-	ODMCS RECORDER PAPER FOR Make:WVAF INTRUMENT OILCON MARK 6M OIL DISCHARGE MONITOR: TYPE NO:0206-0077	PCS		
1956	150000000000006793	-	GMDSS BATTERY: 12V, 200AH/10HR, SEALED LEAD ACID BATTERY. TO SUPPLY WITH MANUFACTURER'S WARRANTY CERTIFICATE.	PCS		
1957	240000000000000085		GALVANISED BUCKETS MADE OF NO.28 (0.4 MM THICK) GAL SHEET WITH REINFORCED BOTTOM PART HT200, DIAM.250MM, 8 LTRS CAPACITY.	PCS		
1958	240000000000000000000000000000000000000		LIQUID TYPE MAGNETIC COMPASS, WITH FULL BRASS BODY AND GIMBAL ARRANGEMENT AND OIL LAMP. COMPLETE WITH BINNACLE AND LAMP HOUSING. SIZE 100MM(4 IN) DIAM CARD 0 - 360 WITH HALF POINT MARKING.	PCS		
1959	2400000000000000091		OIL LAMP COMPLETE WITH BURNER AND RESERVOIR SUITABLE FOR ABOVE COMPASS. MADE OF GALVANISED STEEL.	PCS		
1960	240000000000000092		SEA ANCHOR FOR LIFE BOATS MADE OF HEAVY DUTY COTTON CANVAS WITHOUT HAWSERS AND TRIPPING LINES, NON-CIRCULAR TYPE FOR LIFEBOAT OVER 30FT(9.14 MTRS).	PCS		
1961	240000000000000094		SEA ANCHOR FOR LIFE BOATS MADE OF HEAVY DUTY COTTON CANVAS WITHOUT HAWSERS AND TRIPPING LINES, CIRCULAR TYPE FOR LIFEBOAT UPTO 22 FT(6.7 MTRS).	PCS		
1962	240000000000000095		OIL CAN FOR STORM OIL FOR SEA ANCHOR OF HEAVY GAL. SHEET WITH CAST BRASS FILLING CAPS AND CAP 1 GALLON (4.5 Ltrs.)	PCS		
1963	2400000000000000096		WHITE CANVAS OIL BAGS FOR L.B.SEA- ANCHOR FITTED WITH EYELETS AND STUFFED WITH OAKUM.	PCS		
1964	240000000000000097		GRADUATED RUST PROOF DRINKING VESSELS FOR LIFE BOATS AND LIFE RAFTS (385 ML CAN).	PCS		
1965	240000000000000103		LIFEBOAT/LIFERAFT WHISTLE SEA- WATER RESISTANT/NON-CORROSIVE- MADE OF TOUGH IMPACT RESISTANT PLASTIC (FITTED WITH LANYARD).	PCS		
1966	24000000000000104		FOG HORN/SIGNALLING TYPHOON - PORTABLE TYPE SUITABLE FOR LIFE BOATS AND CONFORMING TO THE INTERNATIONAL REGULATIONS FOR PREVENTING COLLISIONS AT SEA.	PCS		
1967	240000000000000105		FISHING TACKLES SUITABLE FOR LIFE BOAT AND LIFE RAFT WITH 60 FEET ROT PROOF FISHING LINE, 6 MACKEREL SIZED HOOKS LEAD SINKERS AND SPINNERS LURES PACKED IN A WATERTIGHT CONTAINER AND PROVIDED WITH BASIC INSTRUCTIONS FOR FISHING.	PCS		

	T	1	 		
1968	240000000000000106	LIFE SAVING SIGNAL TABLES PRINTED ON WATERPROOF CARD OR IN A WATERPROOF CONTAINER, SUITABLE FOR LIFE BOATS AND LIFERAFTS.	PCS		
1969	24000000000000132	EMBARKATION LADDER STEPS (NON-SKID)	PCS		
1970	24000000000000133	EMBARKATION LADDER RUBBER STEPS	PCS		
1971	24000000000000134	EMBARKATION LADDER CHOKES	PCS		
1972	24000000000000135	EMBARKATION LADDER SPREADER	PCS		
1973	24000000000000113	LIFEBOAT OARS MADE OF APPROVED CHUGLAM/ASH WOOD 4.5MTRS (15FT.) ["Certificate of Conformity"]	PCS		
1974	24000000000000114	LIFEBOAT OARS MADE OF APPROVED CHUGLAM/ASH WOOD 4.2 MTRS (14FT.) ["Certificate of Conformity"]	PCS		
1975	24000000000000115	LIFEBOAT OARS MADE OF APPROVED CHUGLAM/ASH WOOD 3.9 MTRS (13 FT) ["Certificate of Conformity"]	PCS		
1976	24000000000000116	LIFEBOAT OARS MADE OF APPROVED CHUGLAM/ASH WOOD 3.6 MTRS (12 FT) ["Certificate of Conformity"]			
1977	24000000000000129	VEGETABLE OIL IN GALVANISED TIN 4 LTRS.CAPACITY.	TIN 4L		
1978	24000000000000126	FIBRE GLASS REPAIR KIT FOR LIFE BOATS ["Certificate of Conformity"]	KIT		
1979	24000000000000127	RESCUE BOAT REPAIR KIT- INFLATABLE TYPE ["Certificate of Conformity"]	KIT		
1980	24000000000000118	LIFE BOAT HOOK HEADS ONLY, G.I.	PCS		
1981	240000000000000950	LIFEBOAT HOOKS OF BRONZE WITH PAINTED VARNISHED WOODEN POLES/SHAFTS-OVERALL LENGTH 8 FEET.	PCS		
1982	24000000000000119	RESCUE BOAT HOOKS (NON-METALIC)	PCS		
1983	24000000000000120	LIFE BOAT HOOK HEADS ONLY BRONZE	PCS		
1984	24000000000000121	OIL LAMP OF GALVANISED STEEL WITH PAINT FINISH AND FITTED WITH CLEAR GLASS GLOBE KEROSENE 200MM (8")	PCS		
1985	24000000000000124	LIFEBOAT SAND SCOOP - METALLIC	PCS		
1986	240000000000000068	APPROVED CANOPY COVER OF HIGHLY VISIBLE COLOUR CAPABLE OF PROTECTING OCCUPANTS AGAINST INJURY BY EXPOSURE (FOR VARIOUS L.B. SIZES).	MTR		
1987	240000000000000071	TOGGLES FOR PAINTERS.	PCS		
1988	240000000000000072	WOODEN HANDLES FOR LIFE BOAT GRABLINE.	PCS		
1989	240000000000000076	EFFICIENT RADAR REFLECTOR SUITABLE FOR SURVIVAL CRAFTS RIGID TYPE MADE OF G.I. SHEET OF 22-20" SIZE SUITABLE FOR LIFE BOAT MAST TOP MOUNTING	PCS		
1990	24000000000000077	THERMAL PROTECTIVE AIDS WITH TEST CERTFICATE WITH VALIDITY [APPROVED TYPE]			
1991	240000000000000079	MAINTENANCE FREE BATTERY FOR SEARCH LIGHTS (FOR LIFEBOATS AND RESCUE BOATS) WITH 3 YEARS GUARANTEE.			

1992	24000000000000181	FLASH LIGHT (SAFETY TORCH), INTRINSICALLY SAFE, GASPROOF FOR TANKERS WITH 3 CELLS WITH ANTI- STATIC BODY AND KEY LOCK AS PER BASEEFA/CENELEC STANDARD.["Certificate of Conformity"]	PCS		
1993	24000000000000190	MEGAPHONE (LOUD HAILER TYPE) BRASS 450MM LENGTH	PCS		
1994	24000000000000191	MEGAPHONE(LOUD HAILER TYPE) BRASS 610MM LENGTH	PCS		
1995	24000000000000192	MEGAPHONE TRANSISTOR POWERED 6*UM2 BATTERIES (REACH IN OPEN AIR 700 MTRS).	PCS		
1996	24000000000000194	DAY SIGNAL, BALL SHAPE, DIA 610MM(24"), M. S. FOLDING, AS PER THE INTERNATIONAL REGULATIONS FOR PREVENTING COLLISIONS AT SEA (LATEST): ANNEX1 - PARA 6(a) OF SOLAS.	PCS		
1997	24000000000000197	DAY SIGNAL, DIAMOND SHAPE, DIA 610MM(24"), HT 1220MM(48"), MADE OF STEEL - 4 PLATE(VANE), FOLDING TYPE, AS PER THE INTERNATIONAL REGULATIONS FOR PREVENTING COLLISIONS AT SEA (LATEST): ANNEX1 - PARA6(a) OF SOLAS.	PCS		
1998	24000000000000199	DAY SIGNAL, CYLINDRICAL SHAPE, DIA 610MM(24"), HT 1220MM(48"), MADE OF STEEL - 4 PLATE(VANE), FOLDING TYPE, AS PER THE INTERNATIONAL REGULATIONS FOR PREVENTING COLLISIONS AT SEA (LATEST) : ANNEX1 - PARA6(a) OF SOLAS.	PCS		
1999	240000000000000162	MASTHEAD LIGHT, CLEAR - DOUBLE TIER LIGHTS - SUITABLE FOR VSLS OVER 50 MTRS LENGTH. [APPROVED TYPE]	PCS		
2000	24000000000000163	SIDE LIGHT GREEN STARBOARD - DOUBLE TIER LIGHTS - SUITABLE FOR VSLS OVER 50 MTRS LENGTH. [APPROVED TYPE]	PCS		
2001	24000000000000164	SIDE LIGHT RED PORT - DOUBLE TIER LIGHTS - SUITABLE FOR VSLS OVER 50 MTRS LENGTH. [APPROVED TYPE]	PCS		
2002	240000000000000165	STERN LIGHT CLEAR - DOUBLE TIER LIGHTS - SUITABLE FOR VSLS OVER 50 MTRS LENGTH.[APPROVED TYPE]	PCS		
2003	240000000000000166	ANCHOR LIGHT, WHITE - DOUBLE TIER LIGHTS - SUITABLE FOR VSLS OVER 50 MTRS LENGTH [APPROVED TYPE]	PCS		
2004	24000000000000167	NOT UNDER COMMAND LIGHT, RED - DOUBLE TIER LIGHTS - SUITABLE FOR VSLS OVER 50 MTRS LENGTH [APPROVED TYPE]	PCS		
2005	24000000000000168	TOWING LIGHT - DOUBLE TIER LIGHTS - SUITABLE FOR VSLS OVER 50 MTRS LENGTH [APPROVED TYPE]	PCS		
2006	240000000000000172	 STERN LIGHT CLEAR - SINGLE TIER LIGHTS - SUITABLE FOR VSLS OVER 50 MTRS LENGTH. [APPROVED TYPE]	PCS		
2007	24000000000000174	NOT UNDER COMMAND LIGHT, RED - SINGLE TIER LIGHTS - SUITABLE FOR VSLS OVER 50 MTRS LENGTH.[APPROVED TYPE]	PCS		
2008	240000000000000175	TOWING LIGHT - SINGLE TIER LIGHTS - SUITABLE FOR VSLS OVER 50 MTRS LENGTH.[APPROVED TYPE]	PCS		

2009	24000000000000160	BULB 110V*60W, RADIUM TYPE, P28, PLATE TYPE BASE, IMPORTED - FOR NAVIGATIONAL LAMP - VERTICAL(SQUIRREL CAGE) TYPE FILAMENT AS PER -BS 555: 1962.	PCS		
2010	24000000000000161	BULB 24V*40W, RADIUM TYPE, P28, PLATE TYPE BASE, IMPORTED - FOR NAVIGATIONAL LAMP - VERTICAL(SQUIRREL CAGE) TYPE FILAMENT AS PER -BS 555: 1962.	PCS		
2011	24000000000000149	BULB 22-24V*60W, SCREW TYPE BASE - FOR NAVIGATIONAL LAMP - VERTICAL(SQUIRREL CAGE) TYPE FILAMENT AS PER -BS 555: 1962.	PCS		
2012	24000000000000150	BULB 110-120V*40W, SCREW TYPE BASE - FOR NAVIGATIONAL LAMP - VERTICAL(SQUIRREL CAGE) TYPE FILAMENT AS PER -BS 555: 1962.	PCS		
2013	24000000000000151	BULB 110-120V*60W, SCREW TYPE BASE - FOR NAVIGATIONAL LAMP - VERTICAL(SQUIRREL CAGE) TYPE FILAMENT AS PER -BS 555: 1962.	PCS		
2014	24000000000000152	BULB 220-240V*40W, SCREW TYPE BASE - FOR NAVIGATIONAL LAMP - VERTICAL(SQUIRREL CAGE) TYPE FILAMENT AS PER -BS 555: 1962.	PCS		
2015	24000000000000153	BULB 220-240V*60W, SCREW TYPE BASE - FOR NAVIGATIONAL LAMP - VERTICAL(SQUIRREL CAGE) TYPE FILAMENT AS PER -BS 555: 1962.	PCS		
2016	24000000000000154	BULB 22-24V*60W, BAYONET TYPE BASE - FOR NAVIGATIONAL LAMP - VERTICAL(SQUIRREL CAGE) TYPE FILAMENT AS PER -BS 555: 1962.	PCS		
2017	24000000000000155	BULB 110-120V*40W, BAYONET TYPE BASE - FOR NAVIGATIONAL LAMP - VERTICAL(SQUIRREL CAGE) TYPE FILAMENT AS PER -BS 555: 1962.	PCS		
2018	24000000000000156	BULB 110-120V*60W, BAYONET TYPE BASE - FOR NAVIGATIONAL LAMP - VERTICAL(SQUIRREL CAGE) TYPE FILAMENT AS PER -BS 555: 1962.	PCS		
2019	24000000000000157	BULB 220-240V*40W, BAYONET TYPE BASE - FOR NAVIGATIONAL LAMP - VERTICAL(SQUIRREL CAGE) TYPE FILAMENT AS PER -BS 555: 1962.	PCS		
2020	24000000000000158	BULB 220-240V*60W, BAYONET TYPE BASE - FOR NAVIGATIONAL LAMP - VERTICAL(SQUIRREL CAGE) TYPE FILAMENT AS PER -BS 555: 1962.	PCS		
2021	24000000000000139	HYDROMETER, GLASS, WATER DENSITY 1000-1030, LENGTH 200MM.	PCS		
2022	24000000000000140	HYDROMETER, METAL, WATER DENSITY 1000-1030, LENGTH 200MM.	PCS		
2023	24000000000000142	 MAGNETIC COMPASS BULB 220V*25W, PIN TYPE.	PCS		
2024	24000000000000145	MAGNETIC COMPASS BULB 220V*25W, SCREW TYPE.	PCS		
2025	240000000000000004	CHART CORRECTING PENS BLACK, BLUE, GREEN, MAJENTA.	PCS		
2026	2400000000000000000	CHART CORRECTING PEN INK BLACK, BLUE, GREEN, MAJENTA 15ML.	BTL		

LIFE JACKET (SOLAS) - ADULT, FITTED WHTH WHISTE. LIGHT AND RETROREFLECTIVE OM ALONG TAPE DONNING INSTRUCTIVE OM ALONG TAPE					1	ı	ı
2029 240000000000001	2027	24000000000000059	WITH WHISTLE, LIGHT AND RETROREFLECTIVE TAPE, POLYURETHENE FOAM ALONG WITH DONNING INSTRUCTIONS STICKER	PCS			
2030 24000000000000047 FIREMANS PERSONAL EQUIPMENT CLOTHING) COMPLETE, ASBESTOS SET	2028	240000000000000067	WHISTLES FOR LIFE JACKETS.	PCS			
2400000000000047 CLOTHING COMPLETE, ASBESTOS SET	2029	240000000000000051	PLASTIC SECURITY TAGS (80 CMS.)	PCS			
24000000000000000000000000000000000000	2030	24000000000000047	(CLOTHING) COMPLETE, ASBESTOS	SET			
2032 240000000000000000000000000000000000	2031	240000000000000039	TROUSERS (ALUMINISED) ONLY.	PAIR			
2033 24000000000000042 BANDS BUT WITHOUT VALVES OR PCS	2032	2400000000000000040	RESISTANT), WITHOUT VISOR AND NECK	PCS			
Type PCS	2033	240000000000000042	BANDS BUT WITHOUT VALVES OR	PCS			
HAND GLOVES MADE OF ELECTRICALLY NSULATED RUBBER (10000 voits). (Approved Type)	2034	240000000000000043	\ . · ·	PCS			
2036 2400000000000006 RESISTANT MATERIAL.(NON ASBESTOS). PAIR	2035	24000000000000044	HAND GLOVES MADE OF ELECTRICALLY INSULATED RUBBER (10000 volts).	PAIR			
2037 2400000000000066	2036	240000000000000045	RESISTANT MATERIAL.(NON ASBESTOS).	PAIR			
2038 240000000000033 TOUGH CANVAS SUPPORTED BY WOODEN SLATS. AS PER ISSA CODE 9CS 35.114.00	2037	24000000000000046	INSULATED RUBBER WITH METAL MID SOLE AND TOE. U.K.SIZE 7, 8, 9 & 10.	PAIR			
2040 2400000000000000000000000000000	2038	24000000000000033	TOUGH CANVAS SUPPORTED BY WOODEN SLATS. AS PER ISSA CODE	PCS			
2040 2400000000000000000000000000000000	2039	24000000000000034		PCS			
SOLAS/GMDSS 2 WAY VHF RADIO TELEPHONE FOR SURVIVAL CRAFTS CONFORMING TO CHAPTER IV/PART-C-REG.14-3 OF LATEST SOLAS AND IMO RESOLUTION 762(18). TRANSMITTING & RECEIVING ON CHANNEL 16 & 6 MINIMUM. OPERATING ON PRIMARY LITHIUM BATTERIES. OPERATING LIFE 8 HRS. AND CAPABLE OF FLOATING IN WATER COMPLETE WITH A SEALED BATTERY 1 YEAR WARRANTY (WHEEL MARKED) NAVTEX RECEIVER AS PER	2040	240000000000000000000000000000000000000	AIS-SART AS PER LATEST REGULATIONS ENDORSEMENT WITH 5 YEARS BATTERY VALIDITY (WHEEL	PCS.			
	2041	2400000000000000902	SOLAS/GMDSS 2 WAY VHF RADIO TELEPHONE FOR SURVIVAL CRAFTS CONFORMING TO CHAPTER IV/PART-C-REG.14-3 OF LATEST SOLAS AND IMO RESOLUTION 762(18). TRANSMITTING & RECEIVING ON CHANNEL 16 & 6 MINIMUM. OPERATING ON PRIMARY LITHIUM BATTERIES. OPERATING LIFE 8 HRS. AND CAPABLE OF FLOATING IN WATER COMPLETE WITH A SEALED BATTERY 1 YEAR WARRANTY (WHEEL	PCS.			
2042 2400000000000000000000000000000000	2042	2400000000000000904	REQUIREMENTS OF GMDSS COMPLETE WITH ACTIVE ANTENNA /MOUNTING BRACKET AND POWER SUPPLY COMPLIANT TO IMO RESOLUTON MSC 148(77) BUILT IN TWO RECEIVER 518 KHZ,490 KHZ AND 4209 KHZ WITH FLASH MEMORY AND LCD DISPLAY FORSTORING 72 HRS LONG (WHEEL	PCS.			
2043 24000000000000000000000000000000000	2043	240000000000000920	MAKE: HAMMAR MODEL: H20E ERU	PCS.			
2044 15000000000010000 ANTENNA FOR WALKIE TALKIE LIHE DCS	2044	15000000000010090	 ANTENNA FOR WALKIE TALKIE UHF	PCS.			

PRICE OFFER FORMAT-PART (II)

PRICE OFFER - PART II

E-Tender for Free on Board supply of Miscellaneous Deck, Engine & Saloon stores and Safety Stores (including Navigational Items) at DUBAI, FUJAIRAH & other UAE ports (Rfx No. 9000044647)

PRICE OFFER IN EXCEL (SAMPLE FORMAT)

-			RFx No.: 90000XXXXX							
			of "Deck, Engine, Saloon Stores and Safety Stores (including Navig	ational Items)	at Dubai,	-ujairah and oth	er UAE portsat Dubai, Fuj	airah and	other UAE	por
ue D	ate: XX.XX.20XX, 17:	00 hrs. I								
	SAP MATERIAL CODE		PART II - PRICE OFFER - FORMAT							
Sr.No	SAP MATERIAL CODE	IMPA	Material Description	Unit of	Annual	Offered Brand	B-4			
				Measurement	Liftings	Offered Brand	Rate per Unit (in AED)			
	WELFARE ITEMS (IMPA IN	DEX CODE	(11)		Littings					
	150000000000001316		NET FOR TABLE TENNIS, SIZE: 6 INCH X 72 INCH	PCS	4					
	150000000000001315	110143	TABLE TENNIS BAT, RUBBER FACE, SHAKE HAND	PCS	8					
	150000000000007897	110145	TABLE TENNIS BALL, 40MM.	DOZ	58					
	150000000000001313		POLES FOR TABLE TENNIS NET (METAL) (STANDARD SIZE)	PRS	6					
	150000000000001312	110401	PLAYING CARDS PLASTIC COATED	PACK	12					
	150000000000001296	110406/07	CHESS BOARD WITH CHESSMEN	SET	5					
	150000000000001299	110410	DARTBOARD WITH ARROW 6'S	SET	6					
	150000000000001301	110411	DARTS 3'S / SET	SET	6					
147	150000000000010090		ANTENNA FOR WALKIE TALKIE UHF	PCS.	12					
			e with clause 3.0 (Rate) of the General Terms & Conditions, (2) B							
	- Part I (I), (3) The tel ommitment.	nderer s	should not alter the format of the Price Offer while downloading. (4) Annual litting	s snown a	ire for indicative	purpose only without			
				(Signature and 1	Jame of the To	anderrer \				
				(Signature and 1	with Rubber stamp of the Firm.					

Note:— Price offer to be uploaded in "<u>notes & attachments</u>" tab in Form Of Excel Sheet (Rfx No. 9000044647)

Please ensure that the Price Offer (PART-II) is <u>not uploaded</u> in 'Technical RFx folder of the tender'. The same should not be printed and uploaded with Technical Offer.